

BOSSAUTO INNOVA, S.A. Pol. Ind. Valldoriolf C/ Thomas Edison 16, 08430 La Roca del Vallés. Barcelona t: +34 938 604 923 / f: +34 938 712 336 info@bossauto.com / www.bossauto.com



## TECHNICAL DATA SHEET

## **1. IDENTIFICATION OF THE PRODUCT**

NAME OF PRODUCT CODE

Bossauto Headlights renovation kit 100795

## **2. DESCRIPTION**

This product is refined from imported raw materials, easy to operate with high transparency and strong adhesion. It has a significant effect for car lights scratches, oxidized yellow, fuzzy, another oxidation, etc. Applicable for all headlights' renovation and also, for the new car headlights protection.

Prolong service life of your headlights.

Kit contains:

- 1 Vaporizer
- 2 Lids
- 1 Power cable of 2 meters
- 1 Headlights renovator polymer 600 ml
- URAX FILM sandpaper discs 75 mm
- 1 Masking tape 19mm
- 1 Mask
- Nitrile gloves
- Manual

## **3. APPLICATION INSTRUCTIONS**



1. Thoroughly clean headlight and dry with clean cloth.



2. Use adhesive tape to protect nearby painted surfaces.



3. Sand gradually with water the headlight with the different URAX FILM sandpaper until completely removed the previous yellowish varnish layer. Subsequently clean to make sure that the whole headlight has sanded homogeneously.



BOSSAUTO INNOVA, S.A. Pol. Ind. Valldoriolf C/ Thomas Edison 16, 08430 La Roca del Vallés. Barcelona t: +34 938 604 923 / f: +34 938 712 336 info@bossauto.com / www.bossauto.com





4. Add Headlight renovator polymer up to half of the vaporizer and cover with the lid that best suits the headlight shape.



5. Connect and heating for about 5-6 minutes until there is steam giving off. Do not leave it connected more than 20 mins.



6. Start to vapor 1 cm away from the headlight, apply from bottle to top until the headlight turns bright. Make sure the lip orifice is upward to avoid steam turning into water drops. Keep your face at least 40 cm away from lid orifice.



7. Power off after using. Leave 10 minutes of waiting time. Wait 5 minutes for cooling down and pour the remaining liquid back to the bottle.

The technical information conforms to our experience. We assure the quality of the product; However, if the conditions of use are not under our control, we cannot assume any responsibility for the results obtained.