

# **TEST REPORT**

# NINGBO HONGHEZI INTERNATIONAL TRADE CO.,LTD

Feb 24,2022 **Technical Report:** (2422)047-8008 Date Received: Feb 17,2022 Page 1 of 39

YUKI FU NINGBO HONGHEZI INTERNATIONAL TRADE CO.,LTD C4-12A10,LV CHENG YAN FA YUAN ,GUANGHUA RD, HI-TECH ZONE, NINGBO CHINA.

#### **SAMPLE INFORMATION:**

Sample Description:	5 PIECE TOOL SET INCLUDES: TOOL BELT , HAMMER , SAFETY GOGGLES , PHILLIPS SCREWDRIVER , WORK GLOVES	Sample Quantity:	N/A
Vendor:	N/A	Style No(s):	ST037-05-SY
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	NOT PROVIDED	Ref #:	N/A
Appropriate Age Grade:	N/A	Country of Origin:	CHINA
Client Specified Age Grade:	OVER 5 YEARS OF AGE	Assortment No.:	N/A
Tested Age Grade:	OVER 5 YEARS OF AGE	Country of Destination:	US, CA, EU, UK, AU
UPC Code:	N/A	Color:	N/A

#### **EXECUTIVE SUMMARY:**

TEST REQUESTED	CONCLUSION
The mechanical and physical properties requirements of the tested subclauses of the European	PASS
Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.	(SEE NOTE 4)
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy.	NR
The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020	PASS
The mechanical and physical properties requirements of the tested subclauses of the European	PASS
Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 1-7.	(SEE NOTE 3)
The flammability requirements of the European Standard "Safety of Toys", BS EN 71: Part 2: 2020	PASS
Labeling requirements of UKCA mark & UK Toys (Safety) Regulation 2011 labeling	NR
The mechanical hazards requirements of ASTM F963-17, "Standard consumer safety specification for toy safety.	PASS
The labeling requirements of ASTM F963-17, "Standard consumer safety specification for toy safety.	NR (SEE NOTE 5)
The flammability requirement of solids under ASTM F963-17 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys"	PASS
The mechanical hazards requirements of the tested sections of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 and Schedule 2.	PASS
The cellulose nitrate requirements of Canada Toys Regulations, SOR/2011-17, section 21	PASS
The mechanical and physical properties requirements of the tested subclauses of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124: Part 1: 2019 +A1:2020+A2:2020	PASS
The mechanical hazards and labeling requirements of Australia Competition and Consumer Act 2010 and Australia Trade Practices Act 1974.	N/A
The flammability requirements of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124: Part 2: 2016.	PASS
The labeling requirements of the tested subclauses of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124-1:2018+A1:2020+A2:2020.	NR

**Bureau Veritas Testing Technical Service** (Zhejiang) Co.,Ltd 1F west, 6F east, 7F east, 8F, Building B,

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set fortin this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to an expressly noted. Our report includes all of the tests requested by you have 60 days from date of issuance of this report to notify us have for accredited tests. You have 60 days from date of issuance of this report to notify us in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

PDF:SIGNER:DEMO VERSION



Technical Report: (2422)047-8008

Feb 23,2022

	Page 2 of 39
Migration of Certain Elements - Australian/New Zealand Standard AS/NZS ISO 8124.3: 2021	PASS
Total Lead in Surface Coating - ASTM International Standard ASTM F963-17, Section 4.3.5.1(1) for Total Lead Content in Surface Coating	PASS
Total Lead in Substrate Material - ASTM International Standard ASTM F963-17, Section 4.3.5.2(1) for Total Lead Content in Substrate Material	PASS
Soluble Heavy Metals Content in Substrate - ASTM International Standard ASTM F963-17, Section 4.3.5.2(2)(b)	PASS
Migration of Certain Elements – BS EN71-3:2019+A1:2021	PASS
Total Lead Content in Surface Coating- Reference to California Proposition 65 List of Chemicals & As Client's requirement	PASS
Total Lead Content in Substrate - Reference to California Proposition 65 List of Chemicals & As Client's requirement	PASS
Total Cadmium Content - Reference to California Proposition 65 List of Chemicals & As Client's requirement	PASS
Phthalates Content - Reference to California Proposition 65 List of Chemicals & As Client's requirement	PASS
Heavy Metals Content in Surface Coating - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23	PASS
Total Lead Content in Consumer Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83	PASS
Migration of Certain Elements - EN71-3:2019+A1:2021	PASS
Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307	PASS
Phthalates Content – Reference to regulation (EC) No. 1907/2006 Annex XVII Entry 51 & 52	PASS
Phthalates Content –Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188, Section 2,3	PASS
Short Chain Chlorinated Paraffins (SCCPs) (C10 – C13) Content – Reference to Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on Persistent Organic Pollutants (POPs) (Recast)	PASS
Total Lead Content – Reference to Regulation (EC) No. 1907/2006 Annex XVII Entry 63	PASS
Total Lead Content in Surface Coating – United States Consumer Product Safety Improvement Act (CPSIA), Section 101(a)(2)	PASS
Total Lead Content in Substrate - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)	PASS
Polycyclic Aromatic Hydrocarbons (PAHs) Content – Regulation (EC) No. 1907/2006 Annex XVII Entry 50, Point 5	PASS
Aromatic Amines Content from Azo Colorants - Regulation (EC) No. 1907/2006 Annex XVII Entry 43, Points 1 & 2	PASS
Formaldehyde Content & As Applicant's requirement	PASS

#### Note:

- 1. The sample is tested as " Over 5 years of age " per the client's request .
- 2.The sample was not evaluated to the Normal Use testing requirements specified in ASTM F963-17, Section 8.5. It is the responsibility of the manufacturer, vendor or distributor to conduct tests that will simulate normal use conditions. These tests shall ensure that hazards are not generated through normal wear and deterioration of the sample. These tests shall also simulate the normal play mode of the toy and to simulate the expected mode of use of the particular toy. The tests shall be conducted in an expected use environment. These normal use tests shall simulate the intended use of the toy based on its estimated lifetime.
- 3.No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of this European Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 7, was not conducted.
- 4.No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of this European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 7, was not conducted.
- 5.No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of ASTM F963-17, was not conducted.



Technical Report: (2422)047-8008

Feb 23,2022 Page 3 of 39

#### **BVCPS (ZHEJIANG) GENERAL CONTACT INFORMATION FOR THIS REPORT**

TELEPHONE NO. : 86-574-87091207 / 87091330

E-MAIL : Heben.He@bureauveritas.com /Allen He@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd

Heben He

Hober He

Technical Supervisor (HARDLINE AND TOY DIVISION)

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1:2014+A1:2018, European Union Guidance Documents, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines and Age Determination Guidelines: Relating Children's Ages to Toy Characteristics and Play Behavior, September, 2002

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products

Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

#### EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation							
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause							
M	The samples are IN CO	MPLIANCE	WITH the requirement of t	his Subclaus	e			
N/A	Not Applicable							
NR	Not Requested							
NE	Not Evaluated							
NP	None Present							
Р	Present							
R	Refer to Comment Sect	ion of this re	port					
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present			
В	Belgian language	G	German language	PR	Portuguese language			
D	Danish language GR Greek language S Spanish language							
E	English language H Dutch language SD Swedish language							
F	Finnish language	I	Italian language	SZ	Swiss language			
FR	French language	N	Norwegian language					



Technical Report: (2422)047-8008

Feb 23,2022 Page 4 of 39

#### MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
4.1	Material cleanliness	М
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7 & 7.6	Edges	М
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	М
4.9	Protruding parts	N/A
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth actuated toys and other toys intended to be put in the mouth	N/A
4.12 & 7.3	Balloons	N/A
4.13 & 7.9	Cord of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2 & 7.8	Masks and helmets	N/A
4.15.1	Toys propelled by child	<u> </u>
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	N/A
4.15.1.3	Toys propelled by child – Strength	N/A
4.15.1.4	Toys propelled by child – Stability	N/A
4.15.1.5	Toys propelled by child – Braking	N/A
4.15.1.6	Toys propelled by child - Transmission	N/A
4.15.1.7	Toys propelled by child – insertion mark	N/A
4.15.1.8	Electrically-driven ride-on toys	N/A
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	N/A
4.15.2.3	Toy bicycles – Braking	N/A
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	N/A
4.15.4 & 7.16	Toys not propelled by child	N/A
4.15.5 & 7.18	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.2	All projectiles	N/A
4.17.3 & 7.7	Projectile toys with stored energy	N/A
4.17.4 & 7.26	Certain projectiles toys without stored energy	N/A
4.18 & 7.4	Aquatic toys and inflatable toys	N/A
4.19 & 7.13 & 7.14	Percussion caps	N/A
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 5 of 39

#### MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22 & 7.2	Small balls	N/A
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	М
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo ball	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
1.27.1	Flying toys – General	N/A
4.27.2 & 7.25.1	Rotors and propellers on flying toys	N/A
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	N/A
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	N/A
5.1a	Small parts – as received	N/A
5.1b	Small parts, sharp points, sharp edges – after tests	N/A
5.1c	Cross section <2mm metal points & wires	N/A
5.1e	Toys contain glue	N/A
5.1f	Casing of toys	N/A
5.2	Fillings, coverings and seams	N/A
5.3	Adhesion of plastic sheeting	N/A
5.4.2	Cords and chains in toys intended for children under 18 months	N/A
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	N/A
5.4.4	Fixed loops, tangled loops and nooses	N/A
5.4.5	Cords and chains on pull along toys	N/A
5.4.6 & 7.21	Electrical cables	N/A
5.4.7	Cross-sectional dimension of certain cords	N/A
5.4.8	Self-retracting cords	N/A
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	N/A
5.5 & 7.12	Liquid filled toys	N/A
5.6	Electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size	N/A
5.9 & 7.17	Monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15 & 7.24	Sledges with cords for pulling	N/A
6	Packaging	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 6 of 39

#### MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	SEE NOTE 4
7.2	Toys not intended for children under 36 months	SEE NOTE 4
7.5	Functional toys	SEE NOTE 4

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

# REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

	1			1			1
Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				



Technical Report: (2422)047-8008

Feb 23,2022 Page 7 of 39

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by a child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

#### REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the BS EN71: Part 1:2014+A1:2018, European Union Guidance Documents, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines and Age Determination Guidelines: Relating Children's Ages to Toy Characteristics and Play Behavior, September, 2002

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testina.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products

Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

#### **EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2**

Symbol	Explanation
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause
M	The samples are IN COMPLIANCE WITH the requirement of this Subclause
N/A	Not Applicable
NR	Not Requested
NE	Not Evaluated
NP	None Present
Р	Present
R	Refer to Comment Section of this report



Technical Report: (2422)047-8008

Feb 23,2022 Page 8 of 39

# **EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2**

Symbol	Explanation					
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present	
В	Belgian language	G	German language	PR	Portuguese language	
D	Danish language	GR	Greek language	S	Spanish language	
E	English language	Н	Dutch language	SD	Swedish language	
F	Finnish language	I	Italian language	SZ	Swiss language	
FR	French language	N	Norwegian language			



Technical Report: (2422)047-8008

Feb 23,2022 Page 9 of 39

# MECHANICAL & PHYSICAL PROPERTIES (BS EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	N/A
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth actuated toys and other toys intended to be put in the mouth	N/A
4.12 & 7.3	Balloons	N/A
4.13 & 7.9	Cord of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2 & 7.8	Masks and helmets	N/A
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	N/A
4.15.1.3	Toys propelled by child – Strength	N/A
4.15.1.4	Toys propelled by child – Stability	N/A
4.15.1.5	Toys propelled by child – Braking	N/A
4.15.1.6	Toys propelled by child - Transmission	N/A
4.15.1.7	Toys propelled by child – insertion mark	N/A
4.15.1.8	Electrically-driven ride-on toys	N/A
4.15.2	Toy bicycles	1
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	N/A
4.15.2.3	Toy bicycles – Braking	N/A
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	N/A
4.15.4 & 7.16	Toys not propelled by child	N/A
4.15.5 & 7.18	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.2	All projectiles	N/A
4.17.3 & 7.7	Projectile toys with stored energy	N/A
4.17.4 & 7.26	Certain projectiles toys without stored energy	N/A
4.18 & 7.4	Aquatic toys and inflatable toys	N/A
4.19 & 7.13 & 7.14	Percussion caps	N/A
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 10 of 39

# MECHANICAL & PHYSICAL PROPERTIES (BS EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22 & 7.2	Small balls	N/A
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	M
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo ball	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27.1	Flying toys – General	N/A
4.27.2 & 7.25.1	Rotors and propellers on flying toys	N/A
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	N/A
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	N/A
5.1a	Small parts – as received	N/A
5.1b	Small parts, sharp points, sharp edges – after tests	N/A
5.1c	Cross section <2mm metal points & wires	N/A
5.1e	Toys contain glue	N/A
5.1f	Casing of toys	N/A
5.2	Fillings, coverings and seams	N/A
5.3	Adhesion of plastic sheeting	N/A
5.4.2	Cords and chains in toys intended for children under 18 months	N/A
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	N/A
5.4.4	Fixed loops, tangled loops and nooses	N/A
5.4.5	Cords and chains on pull along toys	N/A
5.4.6 & 7.21	Electrical cables	N/A
5.4.7	Cross-sectional dimension of certain cords	N/A
5.4.8	Self-retracting cords	N/A
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	N/A
5.5 & 7.12	Liquid filled toys	N/A
5.6	Electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size	N/A
5.9 & 7.17	Monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15 & 7.24	Sledges with cords for pulling	N/A
6	Packaging	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 11 of 39

# MECHANICAL & PHYSICAL PROPERTIES (BS EN 71: PART 1:2014+A1 :2018)

Subclause	Requirement	Result
	WARNINGS, INSTRUCTIONS FOR USE	•
7.1	General	SEE NOTE 3
7.2	Toys not intended for children under 36 months	SEE NOTE 3
7.5	Functional toys	SEE NOTE 3

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

# REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method	Sub- clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				



Technical Report: (2422)047-8008

Feb 23,2022 Page 12 of 39

# FLAMMABILITY (BS EN 71 PART 2: 2020 )

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by a child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

### REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-



Technical Report: (2422)047-8008

Feb 23,2022 Page 13 of 39

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-17, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request BVCPS to determine an appropriate age

grade, the labeled age grade will be used for testing.

#### **USE AND ABUSE TESTS**

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable			
Test	Test Parameters	Standard Reference	
Drop	4 x 3 ft	1500.53(b)	
Torque	4 in-lbs	1500.53(e)	
Tension	15 lbs	1500.53(f)	



Technical Report: (2422)047-8008

Feb 23,2022 Page 14 of 39

# PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-17)

Section	Requirement	Result
4.1	Material Quality	М
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	М
4.8	Projections	N/A
4.9	Accessible Points	М
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude Section 4.25.10 Battery-powered ride-on toys & Section 4.25.11 Toys that Contain Secondary Cells or Secondary Batteries)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	M
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 15 of 39

# LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-17)

Section	Requirement	Result
5.4 & 5.3	Aquatic Toys	SEE NOTE 5
5.5 & 5.3	Crib and Playpen Toys	SEE NOTE 5
5.6 & 5.3	Mobiles	SEE NOTE 5
5.7 & 5.3	Stroller and Carriage Toys	SEE NOTE 5
5.8 & 5.3	Toys Intended to be Assembled by an Adult	SEE NOTE 5
5.9 & 5.3	Simulated Protective Devices	SEE NOTE 5
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	SEE NOTE 5
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	SEE NOTE 5
5.12	Toy Caps (16CFR1500.86)	SEE NOTE 5
5.13	Art Materials (16 CFR 1500.14(b)(8))	SEE NOTE 5
5.15	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	SEE NOTE 5
5.15.1 & 5.3	Battery-Powered Ride-On Toys	SEE NOTE 5
5.15.2 & 5.3	Button or Coin Cell Batteries	SEE NOTE 5
5.16	Promotional Materials	SEE NOTE 5
5.17 & 5.3	Magnets	SEE NOTE 5
6.1	Definition and Description	SEE NOTE 5
6.2	Crib and Playpen Toys	SEE NOTE 5
6.3	Mobiles	SEE NOTE 5
6.4 & 5.3	Toys Intended to be Assembled by an Adult	SEE NOTE 5
6.5	Battery-Operated Toys	SEE NOTE 5
6.6	Battery-Powered Ride-On Toys	SEE NOTE 5
6.7	Toys in Contact with Food	SEE NOTE 5
7.1	Producer's Name and Address	SEE NOTE 5
7.2	Battery-Powered Ride-on Toys	SEE NOTE 5

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

# FLAMMABILITY (16 CFR SECTION 1500.3(c)(6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Burn rate not exceed 0.1 inch per second



Technical Report: (2422)047-8008

Feb 23,2022 Page 16 of 39

# CANADA CONSUMER PRODUCT SAFETY ACT

Test Method	:	CANADA CONSUMER PRODUCT SAFETY ACT
-------------	---	------------------------------------

REASONABLY FORESEEABLE USE TESTS		
Test	Test Parameters	
Drop	4 x 3 ft	
Push/pull	10 lbs	

#### CANADA CONSUMER PRODUCT SAFETY ACT. TOYS REGULATIONS. SOR/2011-17

Section	Parameter / Requirement	Result
Mechanica	Il Hazards	
4	Flexible film bag used for package	N/A
7	Small Toys and Detachable component	N/A
8	Metal edge	M
9	Wires frames	N/A
10	Plastic Edges	М
11	Wood	N/A
12	Glass	N/A
13	Nails and fasteners	N/A
14	Safety stops/Locking Device for Folding product	N/A
15 (a, b)	Moving Mechanism	N/A
15 (c)	Non- Detachable Winding Key Clearance	N/A
15 (d)	Detachable Key	N/A
16	Projectile Toy	N/A
17	Enclosures	N/A
18	Stability	N/A
19	Auditory hazards	N/A
Specific P	roducts - Dolls, Plush Toys and Soft Toys	
28	Exposed Sharp Points and Edges	N/A
29. (a)	Stuffing Materials shall be clean and free from vermin	N/A
29. (b)	Stuffing Materials shall be free from hard and sharp foreign matter	N/A
30	Squeaker, Reed and Valve	N/A
31	Eyes and Nose	N/A
Specific P	roducts	
35*&36*	Plant seeds	N/A
37	Pull and Push toys	N/A
38*	Toys Steam engine Boilers	N/A
39*	Finger Paints	N/A
40(a)	Rattles – Sharp wire	N/A
40(b, c)	Rattles – Impaction	N/A
41	Elastic	N/A
42	Yo-Yo type balls	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 17 of 39

### **CANADA CONSUMER PRODUCT SAFETY ACT, SCHEDULE 2**

Section	Parameter / Requirement	Result
Mechanic		
1*	Jequirity Beans	M
8*	Kites	N/A
9	Kite strings	N/A
14*	Lawn, darts with elongated tips	N/A

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section \* = Non-accreditated section

#### SOR/2018-138 Amending the Toys Regulations (Magnetic Toys)

Section	Parameter / Requirement	Result
43	Magnetic force	M
44	Educational experimental kit - Labeling	N/A

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

# FLAMMABILITY OF CELLULOSE NITRATE TOY REGULATIONS SOR/2011-17 SECTION 21

Requirement Reference	Observation	Flammability Classification		
Section 21 No Flash Effect		M		
Section 21	With Flash Effect	N/A		

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable



Technical Report: (2422)047-8008

Feb 23,2022 Page 18 of 39

#### APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age-grading guidelines of the Annex A of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124.1:2019 +A1:2020+A2:2020

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for

testing.

Note: If the client does not specify an age grade for testing or request BVHK to determine an appropriate age

grade, the labeled age grade will be used for testing.

#### MECHANICAL & PHYSICAL PROPERTIES - (AS/NZS ISO 8124.1:2019+A1:2020+A2:2020)

Subclause	Requirement	Result
4.1	Normal use	M
4.2	Reasonably foreseeable abuse	M
4.3	Material	M
4.4	Small parts	N/A
4.5	Shape, size and strength of certain toys	N/A
4.6	Edges	M
4.7	Points	M
4.8	Projections	N/A
4.9	Metal wires and rods	N/A
4.10	Plastic film or plastic bags in packaging and in toys	N/A
4.11	Cords	N/A
4.12	Folding mechanisms	N/A
4.13	Holes, clearances and accessibility of mechanisms	N/A
4.14	Springs	N/A
4.15	Stability and overload requirements	N/A
4.16	Enclosures	N/A
4.17	Simulated protective equipment	N/A
4.18	Projectile toys	N/A
4.19	Rotors and propellers	N/A
4.20	Aquatic toys	N/A
4.21	Braking	N/A
4.22	Toy bicycles	N/A
4.23	Speed limitation of electrically driven ride-on toys	N/A
4.24	Toys containing a heat source	N/A
4.25	Liquid-filled toys	N/A
4.26	Mouth-actuated toys	N/A
4.27	Toy roller skates, toy inline skates and toy skateboards	N/A
4.28	Percussion caps specifically designed for use in toys	N/A
4.29	Acoustic requirement	N/A
4.30	Toy scooters	N/A
4.31	Magnets and magnetic components	M
4.32	Yo-yo balls	N/A
4.33	Straps intended to be worn fully or partially around the neck	N/A
4.34	Sledges and toboggans with cords for pulling	N/A
4.35	Jaw entrapment in handles and steering wheels	N/A
4.36	Assembly	N/A



Technical Report: (2422)047-8008

Feb 23,2022 Page 19 of 39

# FLAMMABILITY (AS/NZS ISO 8124.2: 2016)

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable Gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by a child	N/A
4.4	warning on product and packaging (10 - 30 mm/s)	N/A
4.5	Soft - filled toys	N/A

 $M = Meet \quad NM = Not Meet \quad N/A = Not Applicable \quad R = Refer to Comment Section \quad P = Present \quad NP = Not Present$ 

Age grading & manufacturer's markings

rigo giunning or manungo						
Requirement	Annex B	Result				
Age grading	B.2.2	PRESENT				
Manufacturer's markings	B.4	PRESENT				



Technical Report: (2422)047-8008

Feb 23,2022 Page 20 of 39

# Tested Component(s) Breakdown List

Test Item(s)	Description	Location(s)	Style(s)
8	Black plastic	-	-
14	Yellow plastic	-	-
20	Black plastic	-	-
31	Transparent plastic	-	-
32	Transparent soft plastic	-	-
42	Yellow fabric	-	-
43	Black fabric	-	-
55	Yellow coating	-	-
57	Transparent varnish	-	-
59	Black plastic layer	-	-
63	Silvery metal	-	-
64	Silvery metal	-	-



Technical Report: (2422)047-8008

Feb 23,2022 Page 21 of 39

#### Migration of Certain Elements - Australian/New Zealand Standard AS/NZS ISO 8124.3: 2021

Test Method : Australian/New Zealand Standard AS/NZS ISO 8124.3:2021

Soluble Element(s)		As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	All materials except modelling clay ( Type I to VII, IX & X )	25	1000	75	60	60	90	60	500
( See List of Material Types )	Modelling clay ( Type VIII )	25	250	50	25	25	90	60	500
Analytical Correction	n (%)	60	30	30	30	50	30	60	60

-	Unit	Result							
Test Item(s)	-	8	14	20	31	32	42	43	59
Туре	-	II	II	II	II	II	IV	IV	П
Parameter	-	-	-	-	-	-	-	-	-
Mass of Trace Amount	g	-	-	-	-	-	-	-	-
Soluble Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Soluble Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS	PASS

# Note / Key:

ND = Not detected mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg):

For Type I to VII, IX & X - As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50

For Type VIII - Each (As, Cr & Hg): 2.5; Ba: 25; Cd: 5.0; Sb: 6.0; Pb: 9.0; Se: 50

#### Remark:

- -Test Item(s) was (were) tested according to Australian/New Zealand Standard AS/NZS ISO 8124.3: 2021.
- The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was (were) not subject to migration of certain elements of Australian/New Zealand Standard, "Safety of Toys, AS/NZS ISO 8124.3: 2021 ", as specified in Section 7 Selection of test portions.
- C denotes as reported result(s) was (were) adjusted by analytical correction in Key(s) section.

List of I	List of Material Types :									
Type	Material Description(s)	Type	Material Description(s)							
I	Coatings	VI	Other materials whether mass coloured or not							
II	Polymeric materials	VII	Materials intended to leave a trace							
III	Paper and paper board	VIII	Pliable modeling materials - modelling clay							
IV	Textiles	IX	Pliable modeling materials - non-modelling clay							
V	Glass/ Ceramic/ Metallic materials	Х	Paints, varnishes lacquers, glazing powders and similar materials in solid or in liquid form							



Technical Report: (2422)047-8008

Feb 23,2022 Page 22 of 39

# <u>Total Lead in Surface Coating - ASTM International Standard ASTM F963-17, Section 4.3.5.1(1) for Total Lead Content in Surface Coating</u>

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1.1 and CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coating

Element:		Lead (Pb)	
Requirement: Maximum allo	wable limit:	90	Conclusion
Test Item Unit		Result	
55	mg/kg	<10	PASS
57	mg/kg	<10	PASS

Note / Key: Detection Limit (mg/kg): 10

< = Less than

mg/kg = milligram(s) per kilogram



Technical Report: (2422)047-8008

Feb 23,2022 Page 23 of 39

#### Total Lead in Substrate Material - ASTM International Standard ASTM F963-17, Section 4.3.5.2(1) for Total Lead in Substrate Material

Test Method:

ASTM International Standard ASTM F963-17, Section 8.3.1.1 and CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Lead (Pb) In Non-metal Children's Products non-metal

CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Lead (Pb) In Metal Children's metal

Products

Element:		Lead (Pb)	
Requirement: Maximum allo	wable limit:	100	Conclusion
Test Item	Unit	Result	
8	mg/kg	<10	PASS
14	mg/kg	<10	PASS
20	mg/kg	<10	PASS
31	mg/kg	<10	PASS
32	mg/kg	<10	PASS
59	mg/kg	<10	PASS
63	mg/kg	<10	PASS
64	mg/kg	<10	PASS

Note / Key: Detection Limit (mg/kg): 10

= Less than

mg/kg = milligram(s) per kilogram



Technical Report: (2422)047-8008

Feb 23,2022 Page 24 of 39

# Soluble Heavy Metals Content in Substrate - ASTM International Standard ASTM F963-17, Section 4.3.5.2(2)(b)

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3)).

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	0 1 :
Test Item		1	1	Result	(mg/kg)			1	Conclusion
8	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
14	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
20	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
31	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
32	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
42	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
43	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS
59	<2.5	<5	<5	<5	<5	<5	<5	<5	PASS

Note / Key: mg/kg = milligrams per kilogram

< = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead, Sb = Antimony, Se = Selenium

Remark:

- <sup>C</sup> denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



Technical Report: (2422)047-8008

Feb 23,2022 Page 25 of 39

# Migration of Certain Elements - BS EN71-3:2019+A1:2021

Test Method : BS EN71-3:2019+A1:2021 , Section 8.

See Soluble Element (Parameter) and its	Category I	Dry, brittle, powder-like or pliable toy material	
corresponding Maximum	Category II	Liquid or sticky toy material	
Allowable Limit (Req.) in Result Table	Category III	Scraped-off toy material	

-	Unit	Req.				Result			
Test Item(s)	-		8	14	20	31	32	42	43
Category	-	III							
Parameter	-	-	-	-	-	-	-	-	-
Mass of Trace Amount	g	-	-	-	-	-	-	-	-
Boron (B)	mg/kg	15000	<1500	<1500	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	mg/kg	28130	<2813	<2813	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	mg/kg	460	<46	<46	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	mg/kg	0.053	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Manganese (Mn)	mg/kg	15000	<1500	<1500	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	mg/kg	130	<13	<13	<13	<13	<13	<13	<13
Nickel (Ni)	mg/kg	930	<93	<93	<93	<93	<93	<93	<93
Copper (Cu)	mg/kg	7700	<770	<770	<770	<770	<770	<770	<770
Zinc (Zn)	mg/kg	46000	<4600	<4600	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	mg/kg	47	<4.7	<4.7	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	mg/kg	460	<46	<46	<46	<46	<46	<46	<46
Strontium (Sr)	mg/kg	56000	<5600	<5600	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	mg/kg	17	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	mg/kg	180000	<18000	<18000	<18000	<18000	<18000	<18000	<18000
Organic tin	mg/kg	12	<12*	<12*	<12*	<12*	<12*	<12*	<12*
Antimony (Sb)	mg/kg	560	<56	<56	<56	<56	<56	<56	<56
Barium (Ba)	mg/kg	18750	<1875	<1875	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	mg/kg	94	<9.4	<9.4	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	mg/kg	23	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion	-	-	PASS						

-	Unit	Req.	Result								
Test Item(s)	-		59								
Category	-	III	III								
Parameter	-	-	-								
Mass of Trace Amount	g	-	-								
Boron (B)	mg/kg	15000	<1500								
Aluminium (Al)	mg/kg	28130	<2813								
Chromium III (Cr III)	mg/kg	460	<46								
Chromium VI (Cr VI)	mg/kg	0.053	<0.020								
Manganese (Mn)	mg/kg	15000	<1500								
Cobalt (Co)	mg/kg	130	<13								
Nickel (Ni)	mg/kg	930	<93								



Technical Report: (2422)047-8008

Feb 23,2022 Page 26 of 39

				1 age 20 01 39
Copper (Cu)	mg/kg	7700	<770	
Zinc (Zn)	mg/kg	46000	<4600	
Arsenic (As)	mg/kg	47	<4.7	
Selenium (Se)	mg/kg	460	<46	
Strontium (Sr)	mg/kg	56000	<5600	
Cadmium (Cd)	mg/kg	17	<1.7	
Tin (Sn)	mg/kg	180000	<18000	
Organic tin	mg/kg	12	<12*	
Antimony (Sb)	mg/kg	560	<56	
Barium (Ba)	mg/kg	18750	<1875	
Mercury (Hg)	mg/kg	94	<9.4	
Lead (Pb)	mg/kg	23	<2.3	
Conclusion	-	-	PASS	

Note / Key:

Req. = Requirement

mg/kg = milligram per kilogram

#### Remark:

- If combined Cr content exceeds 0.02mg/kg in I mat., 0.005 mg/kg in II mat., or 0.053mg/kg in III mat., confirmation Cr(VI) by IC-ICP-MS or IC-UV/VIS, Cr(III)=Combined Cr Cr(VI).
- \*Result(s) of organic tin was (were) reported as soluble tin content.
- The European Commission proposed to amend the maximum allowable limit(s) of migratable aluminium of European Parliament and Council Directive 2009/48/EC in particular regarding to Annex II, Part III, Point 13 in order to ensure the alignment to the scientific evidence from The Scientific Committee on Health, Environmental and Emerging Risks (SCHEER) and increase children's safety. See details in Comment.



Technical Report: (2422)047-8008

Feb 23,2022 Page 27 of 39

# <u>Total Lead Content in Surface Coating- Reference to California Proposition 65 List of Chemicals & As Client's requirement</u>

Test Method : U.S. CPSC-CH-E1003-09.1

Maximum
Allowable Limit : 90 mg/kg

Parameter	Unit	MDL	Result				
Parameter	Oilit	MIDE	55	57			
Total Lead (Pb)	mg/kg	10	ND	ND			
Conclusion	-	-	PASS	PASS			

Note / Key:

ND = Not Detected

MDL = Method Detection Limit

mg/kg = milligram per kilogram

# <u>Total Lead Content in Substrate - Reference to California Proposition 65 List of Chemicals & As Client's requirement</u>

Test Method : U.S. CPSC-CH-E1001-08.3 or U.S. CPSC-CH-E1002-08.3

Parameter Ur	Linit	MDL	Result					
	Oillt	WIDL	8	14	20	31	32	59
Total Lead (Pb)	mg/kg	10	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Doromotor	Unit	MDL		Result						
Parameter	Onit	IVIDE	63	64						
Total Lead (Pb)	mg/kg	10	ND	ND						
Conclusion	-	-	PASS	PASS						

Note / Key:

ND = Not Detected

MDL = Method Detection Limit

mg/kg = milligram per kilogram

#### Total Cadmium Content - Reference to California Proposition 65 List of Chemicals & As Client's requirement

Test Method : The sample is digested with acid, then analyzed by ICP-OES and AAS.

Maximum Allowable Limit:	100 mg/kg

Doromotor	Unit	MDL			Res	sult		
Parameter	Unit	MIDL	8	14	20	31	32	55
Total Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND	ND	ND
Conclusion	_	-	PASS	PASS	PASS	PASS	PASS	PASS

Parameter	Unit	Unit MDL		Result						
	Oiiit	IVIDE	57	59	63	64				



Technical Report: (2422)047-8008

Feb 23,2022 Page 28 of 39

							ı ay	C 20 01 03	
Total Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND			
Conclusion	-	-	PASS	PASS	PASS	PASS			1

Note / Key:

ND = Not Detected

MDL = Method Detection Limit

mg/kg = milligram per kilogram

### Phthalates Content - Reference to California Proposition 65 List of Chemicals & As Client's requirement

Test Method : Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Maximum Allowable Limit Each 0.1 %

Tootod Home(a)	Resu	Conclusion		
Tested Item(s)	Detected Analyte(s)	Conc.	Unit	Conclusion
8	ND	ND	%	PASS
14	ND	ND	%	PASS
20	ND	ND	%	PASS
31	ND	ND	%	PASS
32	ND	ND	%	PASS
55	ND	ND	%	PASS
57	ND	ND	%	PASS
59	ND	ND	%	PASS

Note / Key:

ND = Not Detected

Detection Limit (%): Each 0.005

Conc. = Concentration % = percentage

#### Remark:

- The list of phthalates is summarized in table of Appendix.

#### **APPENDIX**

List	List of Phthalates:									
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.					
1	Butyl benzyl phthalate (BBP)	85-68-7	5	Di-n-octyl phthalate (DNOP)	117-84-0					
2	Dibutyl phthalate (DBP)	84-74-2	6	Di-iso-decyl phthalate (DIDP)	26761-40-0					
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	7	Di-n-hexyl phthalate (DnHP)	84-75-3					
4	Di-iso-nonyl phthalate (DINP)	28553-12-0	8	Diisobutyl phthalate (DiBP)	84-69-5					

# Heavy Metals Content in Surface Coating - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23

Test Item(s)	Maximum Allowable Limit :
Total Lead (Pb)	90 mg/kg
Total Mercury (Hg)	No mercury compounds introduced

-	Unit	Result				
Test Item(s)	-	55	57			



Technical Report: (2422)047-8008

Feb 23,2022 Page 29 of 39

Total Lead	malka	ND	ND	
Total Mercury	mg/kg	ND	ND	
Conclusion	-	PASS	PASS	

### Note / Key:

mg/kg = milligram(s) per kilogram = ppm = part(s) per million ND = Not detected

90 mg/kg

Detection Limit ( mg/kg ):

**Maximum Allowable Limit:** 

Total metal(s) content analysis - Pb: 10; Hg: 10;

#### Total Lead Content in Consumer Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83

-	Unit	Result							
Test Item(s)	-	8	14	20	31	32	59		
Parameter	-	-	-	-	-	-	-		
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND		
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS		

-	Unit	Result					
Test Item(s)	-	63	64				
Parameter	-	-	-				
Total Lead (Pb)	mg/kg	ND	ND				
Conclusion	-	PASS	PASS				

### Note / Key:

ND = Not detected

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

% = percent

10 000 mg/kg = 1 % Detection Limit ( mg/kg ) - 10

### Migration of Certain Elements - EN71-3:2019+A1:2021

Test Method : European Standard EN71-3:2019+A1:2021

See Soluble Element (Parameter) and its	Category I	Dry, brittle, powder-like or pliable toy material				
corresponding Maximum Allowable Limit (Req.) in Result Table	Category II	Liquid or sticky toy material				
	Category III	Scraped-off toy material				

-	Unit	Req.	Result						
Test Item(s)	-		8	14	20	31	32	42	43
Category	-	III	III	Ш	III	III	III	III	III
Parameter	-	-	-	-	-	-	-	-	-
Mass of Trace Amount	g	-	-	-	-	-	-	-	-
Boron (B)	mg/kg	15000	<1500	<1500	<1500	<1500	<1500	<1500	<1500
Aluminium (AI)	mg/kg	28130	<2813	<2813	<2813	<2813	<2813	<2813	<2813



Technical Report: (2422)047-8008

Feb 23,2022 Page 30 of 39

								ı ago ı	JU UI J
Chromium III (Cr III)	mg/kg	460	<46	<46	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	mg/kg	0.053	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Manganese (Mn)	mg/kg	15000	<1500	<1500	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	mg/kg	130	<13	<13	<13	<13	<13	<13	<13
Nickel (Ni)	mg/kg	930	<93	<93	<93	<93	<93	<93	<93
Copper (Cu)	mg/kg	7700	<770	<770	<770	<770	<770	<770	<770
Zinc (Zn)	mg/kg	46000	<4600	<4600	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	mg/kg	47	<4.7	<4.7	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	mg/kg	460	<46	<46	<46	<46	<46	<46	<46
Strontium (Sr)	mg/kg	56000	<5600	<5600	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	mg/kg	17	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	mg/kg	180000	<18000	<18000	<18000	<18000	<18000	<18000	<18000
Organic tin	mg/kg	12	<12*	<12*	<12*	<12*	<12*	<12*	<12*
Antimony (Sb)	mg/kg	560	<56	<56	<56	<56	<56	<56	<56
Barium (Ba)	mg/kg	18750	<1875	<1875	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	mg/kg	94	<9.4	<9.4	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	mg/kg	23	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Req.			Result		
Test Item(s)	-		59				
Category	-	III	III				
Parameter	-	-	-				
Mass of Trace Amount	g	-	-				
Boron (B)	mg/kg	15000	<1500				
Aluminium (AI)	mg/kg	28130	<2813				
Chromium III (Cr III)	mg/kg	460	<46				
Chromium VI (Cr VI)	mg/kg	0.053	<0.020				
Manganese (Mn)	mg/kg	15000	<1500				
Cobalt (Co)	mg/kg	130	<13				
Nickel (Ni)	mg/kg	930	<93				
Copper (Cu)	mg/kg	7700	<770				
Zinc (Zn)	mg/kg	46000	<4600				
Arsenic (As)	mg/kg	47	<4.7				
Selenium (Se)	mg/kg	460	<46				
Strontium (Sr)	mg/kg	56000	<5600				
Cadmium (Cd)	mg/kg	17	<1.7				
Tin (Sn)	mg/kg	180000	<18000				
Organic tin	mg/kg	12	<12*				
Antimony (Sb)	mg/kg	560	<56				
Barium (Ba)	mg/kg	18750	<1875				
Mercury (Hg)	mg/kg	94	<9.4				
Lead (Pb)	mg/kg	23	<2.3				
Conclusion	-	-	PASS				

Note / Key:

Req. = Requirement

mg/kg = milligram per kilogram

Remark:

- Test Item(s) was (were) tested according to European Standard EN 71-3: 2019 + A1: 2021, Section 8.



Technical Report: (2422)047-8008

Feb 23,2022 Page 31 of 39

- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- \*Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- European Standard EN 71 Part 3: 2019 is currently harmonized under European Parliament and Council Directive 2009/48/EC and will be superseded when European Standard EN 71 Part 3: 2019 + A1: 2021 is harmonized.
- The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was (were) not subject to migration of certain elements of European Standard, "Safety of Toys, EN 71 Part 3: 2019 + A1: 2021", as specified in Section 7.1 Selection of test portions.
- \* denotes as result(s) was (were) verified by :

For organic tin content - Test method with reference to European Standard EN 71-3: 2019 + A1: 2021 and reported as tributyltin (TBT) cation.

For Cr VI content - In house ion chromatography analysis.

# Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307

Test Method: CPSC-CH-C1001-09.4

Maximum Allowable Limit	Each 0.1 %

Tooks diltare(s)	Result		Conclusion	
Tested Item(s)	Detected Analyte(s)	Conc.	Unit	Conclusion
8	ND	ND	%	PASS
14	ND	ND	%	PASS
20	ND	ND	%	PASS
31	ND	ND	%	PASS
32	ND	ND	%	PASS
55	ND	ND	%	PASS
57	ND	ND	%	PASS
59	ND	ND	%	PASS

Note / Key:

ND = Not Detected Conc. = Concentration
Detection Limit (%): Each 0.005 % = percentage

#### Remark:

- The list of phthalates is summarized in table of Appendix.

### **APPENDIX**

List	List of Phthalates:										
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.						
1	Butyl benzyl phthalate (BBP)	85-68-7	5	Diisobutyl phthalate (DiBP)	84-69-5						
2	Dibutyl phthalate (DBP)	84-74-2	6	Di-n-pentyl phthalate (DPENP)	131-18-0						
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	7	Di-n-hexyl phthalate (DHEXP)	84-75-3						
4	Di-iso-nonyl phthalate (DINP)	28553-12-0	8	Dicyclohexyl phthalate (DCHP)	84-61-7						



Technical Report: (2422)047-8008

Feb 23,2022 Page 32 of 39

### Phthalates Content - Reference to regulation (EC) No. 1907/2006 Annex XVII Entry 51 & 52

**Test Method**: Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Maximum Sum of DBP, BBP, DEHP, DIBP: 0.1 % Sum of DNOP, DIDP, DINP: 0.1 %

# A. For toys and childcare articles

Parameter	CAS No.	Unit	MDL	Result					
				8	14	20	31	32	55
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND	ND	ND
Diisobutyl phthalate (DiBP)	84-69-5	%	0.005	ND	ND	ND	ND	ND	ND
Sum	-	%	-	ND	ND	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result					
				57	59				
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND				
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND				
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND				
Diisobutyl phthalate (DiBP)	84-69-5	%	0.005	ND	ND				
Sum	-	%	-	ND	ND				
Conclusion	_	-	-	PASS	PASS				

# B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)

Parameter	CAS No.	Unit	MDL	Result					
				8	14	20	31	32	55
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate (DIDP)	26761-40-0	%	0.005	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate (DINP)	28553-12-0	%	0.005	ND	ND	ND	ND	ND	ND
Sum	-	%	-	ND	ND	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result					
				57	59				
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	ND	ND				
Di-iso-decyl phthalate (DIDP)	26761-40-0	%	0.005	ND	ND				
Di-iso-nonyl phthalate (DINP)	28553-12-0	%	0.005	ND	ND				



Technical Report: (2422)047-8008

Feb 23,2022 Page 33 of 39

							i age c	30 01 03
Sum	-	%	-	ND	ND			
Conclusion	-	-	-	PASS	PASS			

Note / Key:

ND = Not Detected

% = percentage

MDL = Method Detection Limit

Remark:

Toys and childcare articles, which can be placed in mouth by the children, shall meet the requirements of both Part A and B.

# Phthalates Content -Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188, Section 2.3

Test Method: Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Maximum Allowable
Limit:

1 000 mg/kg ( Each of all listed phthalates )

#### A.Phthalates Content in Toys and Child Care Articles composed of Vinyl

Toot Itom(a)	Resu	Result						
Test Item(s)	Detected Analyte(s)	Conc.	Unit	Conclusion				
8	ND	ND	mg/kg	PASS				
14	ND	ND	mg/kg	PASS				
20	ND	ND	mg/kg	PASS				
31	ND	ND	mg/kg	PASS				
32	ND	ND	mg/kg	PASS				
55	ND	ND	mg/kg	PASS				
57	ND	ND	mg/kg	PASS				
59	ND	ND	mg/kg	PASS				

#### **APPENDIX**

List of	List of Phthalates [ CCPSA, Phthalates Regulations SOR/2016-188, Section 2 ] :										
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.						
1	Butyl benzyl phthalate (BBP)	85-68-7	3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7						
2	2 Dibutyl phthalate (DBP) 84-74-2										
	CAS-No. = Chemical Abstracts Service registry number										

# B.Phthalates Content in Toys and Child Care Articles composed of Vinyl which can be placed in Mouth by Children under 4 Years of Age

Test Item(s)	Res	Conclusion		
	Detected Analyte(s)	Conc.	Unit	Conclusion
8	ND	ND	mg/kg	PASS
14	ND	ND	mg/kg	PASS
20	ND	ND	mg/kg	PASS
31	ND	ND	mg/kg	PASS



Technical Report: (2422)047-8008

Feb 23,2022 Page 34 of 39

				1 490 0 1 01 00
32	ND	ND	mg/kg	PASS
55	ND	ND	mg/kg	PASS
57	ND	ND	mg/kg	PASS
59	ND	ND	mg/kg	PASS

#### **APPENDIX**

List of Phthalates [ CCPSA, Phthalates Regulations SOR/2016-188, Section 3 ] :												
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.							
1	Di-n-octyl phthalate (DNOP)	117-84-0	3	Di-iso-decyl phthalate (DIDP)	26761-40-0							
2	Di-iso-nonyl phthalate (DINP)	28553-12-0	-	-	-							

CAS-No. = Chemical Abstracts Service registry number

Note / Key:

ND = Not detected Conc. = Concentration

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10 000 mg/kg = 1 % % = percent

Detection Limit (mg/kg) - Each of the listed phthalates: 50

Remark:

The list of phthalates is summarized in table of Appendix.

Short Chain Chlorinated Paraffins (SCCPs) (C10 – C13) Content – Reference to Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on Persistent Organic Pollutants (POPs) (Recast)

Test Method: Organic solvent extraction and analysis by Gas Chromatograph Mass Spectrometer in Negative

Chemical Ionization mode (GC-MS-NCI).

Limit :	Less than 1500 mg/kg
---------	----------------------

Dovomotov	Unit MDL		Result					
Parameter	Unit	IVIDL	8	14	20	31	32	
Short Chain Chlorinated Paraffins (SCCPs) (C10 – C13)	mg/kg	30	ND	ND	ND	ND	ND	
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	

Doromotor	Unit	Unit MDL	Result				
Parameter	Oill		55	57	59		
Short Chain Chlorinated Paraffins (SCCPs) (C10 – C13)	mg/kg	30	ND	ND	ND		
Conclusion	-	-	PASS	PASS	PASS		

Note / Key:

ND = Not detected ">" = Greater than No. = Number(s) mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10 000 mg/kg = 1 % % = percent

Detection Limit ( mg/kg ) - 30

<u>Total Cadmium Content in Plastic Material - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Entry 23</u>



Technical Report: (2422)047-8008

Feb 23,2022 Page 35 of 39

Test Method : EN 1122: 2001, Method B

The sample is digested with acid, then analyzed by AAS.

Maximum Allowable Limit:	100 mg/kg
--------------------------	-----------

Doromotor	l lmi4	MDL			Res	sult		
Parameter	Unit	WIDL	8	14	20	31	32	59
Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key:

ND = Not Detected mg/kg = milligram per kilogram

MDL = Method Detection Limit

<u>Total Cadmium Content in Paints on Painted Article - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Annex XVII, Entry 23</u>

Test Method : The sample is comminuted and digested with acid mixtures, then analyzed by ICP-OES

technique

Maximum Allowable Limit:	1000 mg/kg
--------------------------	------------

Parameter	Unit	MDL			Re	sult	
Parameter	Unit	IVIDL	55	57			
Cadmium (Cd)	mg/kg	10	ND	ND			
Conclusion	-	-	PASS	PASS			

Note / Key:

ND = Not Detected mg/kg = milligram per kilogram

MDL = Method Detection Limit

### Total Lead Content - Reference to Regulation (EC) No. 1907/2006 Annex XVII Entry 63

**Test Method**: The sample is digested with acid, then analyzed by ICP-OES and AAS.

Maximum Allowable Limit:	500 mg/kg
-----------------------------	-----------

Doromotor	Parameter Unit	MDI	MDL Result						
Parameter		MIDL	8	14	20	31	32	55	
Total Lead (Pb)	mg/kg	10	ND	ND	ND	ND	ND	ND	
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	

Doromotor	l lmi4	MDI			Re	sult	
Parameter	Unit	MDL	57	59	63	64	
Total Lead (Pb)	mg/kg	10	ND	ND	ND	ND	



Technical Report: (2422)047-8008

Feb 23,2022

Page 36 of 39

Conclusion	-	-	PASS	PASS	PASS	PASS	

Note / Key:

ND = Not Detected

MDL = Method Detection Limit

mg/kg = milligram per kilogram

#### Total Lead Content in Surface Coating - United States Consumer Product Safety Improvement Act (CPSIA), Section 101(a)(2)

Test Method : U.S. CPSC-CH-E1003-09.1

Maximum 90 mg/kg Allowable Limit:

Parameter	Unit	MDL		sult	
Parameter	Onit	MIDL	55	57	
Total Lead (Pb)	mg/kg	10	ND	ND	
Conclusion	-	-	PASS	PASS	

Note / Key:

ND = Not Detected

mg/kg = milligram per kilogram

MDL = Method Detection Limit

#### Total Lead Content in Substrate - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U.S. CPSC-CH-E1001-08.3 or U.S. CPSC-CH-E1002-08.3.

Maximum 100 mg/kg Allowable Limit:

Parameter	Unit	MDL	Result					
Parameter	Onit	MIDE	8	14	20	31	32	59
Total Lead (Pb)	mg/kg	10	ND	ND	ND	ND	13.7	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Parameter	Unit	MDL	Result					
Parameter	Unit	MIDE	63	64				
Total Lead (Pb)	mg/kg	10	ND	ND				
Conclusion	-	-	PASS	PASS				

Note / Key:

ND = Not Detected

MDL = Method Detection Limit

mg/kg = milligram per kilogram

Polycyclic Aromatic Hydrocarbons (PAHs) Content - Regulation (EC) No. 1907/2006 Annex XVII Entry 50, Point 5



Technical Report: (2422)047-8008

Feb 23,2022 Page 37 of 39

Test Method : With reference to test method mentioned in German AfPS GS 2019:01 PAK.

Maximum
Allowable Limit: 0.5 mg/kg ( Each of all listed PAHs )

Parameter	Unit	Result						
Parameter	Offit	8	14	20	31	32	59	
Benzo (a) pyrene	mg/kg	ND	ND	ND	ND	ND	ND	
Benzo (e) pyrene	mg/kg	ND	ND	ND	ND	ND	ND	
Benzo (a) anthracene	mg/kg	ND	ND	ND	ND	ND	ND	
Chrysene	mg/kg	ND	ND	ND	ND	ND	ND	
Benzo (b) fluoranthene	mg/kg	ND	ND	ND	ND	ND	ND	
Benzo (j) fluoranthene, Benzo (k) fluoranthene	mg/kg	ND	ND	ND	ND	ND	ND	
Dibenzo (a,h) anthracene	mg/kg	ND	ND	ND	ND	ND	ND	
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	

### Note / Key:

ND = Not detected mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) - Each of the listed PAHs : 0.1

#### Remark:

- The list of polycyclic aromatic hydrocarbons is summarized in table of Appendix.

#### **APPENDIX**

[ European Parliament and Council Regulation EC No. 1907/2006, Annex XVII, Entry 50, Point 5 ]:							
No.	Name of Analyte(s)	CAS-No.	No.	Name of Analyte(s)	CAS-No.		
1	Benzo[a]pyrene (BaP)	50-32-8	5	Benzo[b]fluoranthene (BbFA)	205-99-2		
2	Benzo[e]pyrene (BeP)	192-97-2	6	Benzo[j]fluoranthene (BjFA)	205-82-3		
3	Benzo[a]anthracene (BaA)	56-55-3	7	Benzo[k]fluoranthene (BkFA)	207-08-9		
4	Chrysene (CHR)	218-01-9	8	Dibenzo[a,h]anthracene (DBAhA)	53-70-3		



Technical Report: (2422)047-8008

Feb 23,2022 Page 38 of 39

# <u>Aromatic Amines Content from Azo Colorants - Regulation (EC) No. 1907/2006 Annex XVII Entry 43, Points 1 & 2</u>

Test Method I : EN ISO 14362-1:2017

**Test Method II** : ISO 17234-1: 2015

Test Method III : EN ISO 14362-3: 2017

Quantification analysis by GC-MS and confirmation by LC-DAD.

Maximum Allowable Limit: 30 mg/kg (Each)

Tested Item(s) Test Method		R	Conclusion		
Tested Item(s)	rest wethou	Detected Analyte(s)	Concentration	Unit	Conclusion
42	I	ND	ND	mg/kg	PASS
43	I	ND	ND	mg/kg	PASS

Note / Key:

ND = Not Detected

Detection Limit (mg/kg): Each 10

mg/kg = milligram per kilogram

#### Remark:

- \*Azo colorants that are able to form p-aminoazobenzene, generate aniline and 1,4-phenylenediamine under the condition of test method I. If aniline and/or 1,4-phenylenediamine is not found by test method I, test result for 4-aminoazobenzene (CAS no. 60-09-3) is considered as "Not detected". Otherwise, the test method III will be employed to verify the presence of 4-aminoazobenzene.
- 2. The list of amines in azo dyestuff is summarized in table of Appendix.

#### **APPENDIX**

List o	List of Amines in Azo Dyestuff:							
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.			
1	4-Aminodiphenyl	92-67-1	12	3,3'-Dimethyl- 4,4'-diaminodiphenylmethane	838-88-0			
2	Benzidine	92-87-5	13	p-Chloroaniline	106-47-8			
3	4-Chloro-o-Toluidine	95-69-2	14	p-Cresidine	120-71-8			
4	2-Naphthylamine	91-59-8	15	4,4'-Methylene-bis-(2-chloraniline)	101-14-4			
5	o-Aminoazotoluene	97-56-3	16	4,4'-Oxydianiline	101-80-4			
6	2-Amino-4-nitrotoluene	99-55-8	17	4,4'-Thiodianiline	139-65-1			
7	2,4-Diaminoanisole	615-05-4	18	2,4-Toluenediamine	95-80-7			
8	4,4'-Diaminodiphenylmethane	101-77-9	19	o-Toluidine	95-53-4			
9	3,3'-Dichlorobenzidine	91-94-1	20	2,4,5-Trimethylaniline	137-17-7			
10	3,3'-Dimethoxybenzidine (o- Dianisidine)	119-90-4	21	o-Anisidine	90-04-0			
11	3,3'-Dimethylbenzidine (o- Tolidine)	119-93-7	22	*p-Aminoazobenzene (4-Amino-azobenzene)	60-09-3			



Technical Report: (2422)047-8008

Feb 23,2022 Page 39 of 39

### Formaldehyde Content & As Applicant's requirement

Test method: ISO 14184-1: 2011

D	1114	Result		Result	
Parameter	Unit	MDL	42	43	Client's Limit
Formaldehyde	mg/kg	16	ND	ND	75
Conclusion	-	-	PASS	PASS	-

Note / Key:

ND = Not Detected MDL = Method Detection Limit mg/kg = milligram per kilogram

### SAMPLE REFERENCE PHOTO:



-- END OF REPORT --