

Date:

28 Apr, 2023

Applicant: ZHEJIANG JIAJIA RIDE-ON CO.,LTD

XINCANG INDUSTRIAL ZONE PINGHU CITY,

ZHEJIANG, CHINA.

Sample Description:

One (1) group of submitted sample said to be :

Item Name : CHILDREN'S CAR.

Item No.: JE1008.Labelled Age Group: 37-96 months.Packaging Provided By Applicant: Yes(ART WORK).

Goods Exported To : UK.
Country Of Origin : China

: Clinia

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Sample</u> <u>Standard</u> <u>Result</u>

Submitted Sample BS EN71-1 : 2014 + A1 : 2018 Pass
- Mechanical and physical properties

Submitted Sample BS EN71-2: 2020 Flammability Test Pass

Tested Components BS EN 71-3: 2019+A1:2021 on migration of certain elements Pass

Of Submitted Sample

Tested Components BS EN 71-3:2019 on migration of certain elements Pass Of Submitted Sample

Submitted Sample BS EN IEC 62115:2020+A11:2020 Safety of Electric Toys Excluding Clause Pass

15.4, 19, Annex D,E,I,J Subjected To Remark Enclosed

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager







Tests Conducted

1 Mechanical and Physical Test

As per British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

Applicant's specified age group for testing: For 37-96 months

The submitted samples were undergone the following abuse tests:				
<u>Clause</u>	<u>Testing items</u>			
8.3	Torque test (0.34 Nm)			
8.4.2.1	Tension test (90 N)			
8.4.2.3	Protective components (60 N)			
8.5	Drop test (850 mm x 5 times)			
8.6	Tip over test (3 times)			
8.7	Impact test (1 kg)			
8.8	Compression test (110 N)			
8.13	Flexibility of metallic wires (70 N)			

Clause	Testing items	Assessment
4	General requirements	
4.1	Material cleanliness	Р
4.2	Assembly	Р
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	Р
4.10	Parts moving against each other	Р
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	Р
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	Р



Tests Conducted

Clause	Testing items	Assessment
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	Р
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	Р
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	Р
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA



Tests Conducted

Clause	Testing items	Assessment
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Remark:

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the BS EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Present	Present





SHAH01559529 **Test Report** Number:

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
UK Importer's name	Absent	Absent
UK Importer's address	Absent	Absent
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Absent	Absent

Date sample received: 10 Apr, 2023 & 27 Apr, 2023

Testing period: 10 Apr, 2023 to 27 Apr, 2023



Tests Conducted

2 Flammability Test

As per British Standard on Safety of Toys BS EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: 10 Apr, 2023 Testing Period: 10 Apr, 2023 to 19 Apr, 2023

(N)



Tests Conducted

3 19 Toxic Elements Migration Test

(A) Test Result

As per BS EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

<u>Element</u>		Result (mg/kg)					
	(1)	(2)	(3)	(4)	(5)	(6)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) ++	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000



Test Report SHAH01559529 Number:

Tests Conducted

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

Element		Result				Limit (mg/kg)	
	(7)	(8)	(9)	(10)	(11)	(12)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) ++	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000
<u>Element</u>			Result	(mg/kg)			Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)	
Aluminium (Al)	812	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025#	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Orgànic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000



Tests Conducted

Element			Result (mg/kg))		Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	
Aluminium (AI)	< 300	< 300	< 300	516	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025	< 0.025#	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	16	180000
Organic tin ⁺⁺	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0∆	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.
- # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).
- Δ = Confirmation test was performed on the tested component. The reported value was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Monobutyl tin and Triphenyl tin. Other Organic tin compounds may be also be present in sample as stated in BS EN 71-3:2019+A1: 2021.

(in)



Tests Conducted

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 10 Apr, 2023

Testing Period: 10 Apr, 2023 To 27 Apr, 2023





Tests Conducted

4 19 Toxic Elements Migration Test

(A) Test Result

As per BS EN 71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element		Result (mg/kg)					Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) ++	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000



Tests Conducted

Element	-	4-1	Result (Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000
Element			Result (mg/kg)			Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)	
Aluminium (Al)	812	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025#	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	. 40	< 10	< 10	< 10	< 10	< 10	180000
` '	< 10	\ 10	\ 10	\ 10	~ 10	\ 10	10000
Organic tin **	< 10 < 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12



Tests Conducted

Element	Result (mg/kg)			Limit (mg/kg)		
	(19)	(20)	(21)	(22)	(23)	
Aluminium (AI)	< 300	< 300	< 300	516	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025	< 0.025#	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	16	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0∆	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.
- Migration of Chromium (III) = Migration of total Chromium Migration of Chromium(VI), when performed confirmation test for Chromium (VI)
- # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).
- Δ = Confirmation test was performed on the tested component. The reported value was calculated by summation of the migration values of Dimethyl tin, Methyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, noctyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Monobutyl tin and Triphenyl tin





Tests Conducted

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 10 Apr, 2023

Testing Period: 10 Apr, 2023 To 27 Apr, 2023



Tests Conducted

5 Safety of Electric Toys

As per British Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: For 37-96 months

Battery Type: Vehicle and sound :12V, 4.5Ah, Lead-acid rechargeable battery x 1pc;

Sound: 3V, LR6 size x 2pcs; Remote: 3V, LR03 size x 2pcs

Charger Type: Input 120-240 V A.C., Output 12V D.C. (Provided)

Model: HK075V-120050

Normal Use Operation: Battery powered motion, sound and LED light.

<u>Clause</u>	Requirement	<u>Assessment</u>
1	Scope	
2	Normative reference	
3	Term and definitions	
2 3 4	General requirement	
5	General conditions for test	
6	Criteria for reduced testing	NA
5 6 6.1	General	
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	Р
7.1	General	Р
7.2	Marking on electric toys	Р
7.2.1	Identification	See remark(1)
7.2.2	Electric toys with replaceable batteries	Р
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	Р
7.2.7	Durability	Р
7.3	Instructions and markings on packaging	Р
7.3.1	General	Р
7.3.2	Transformer toys and power supply toys	Р
7.3.3	Electric toys that are used with replaceable batteries	Р
7.3.3.1	General	Р
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	Р
7.6	Temperature warnings	NA
8	Power input	NA
8 9	Heating and abnormal operation	Р
9.1	General	Р
9.2	Test condition	
9.3	Normal operation	Р
9.4	Normal operation with insulation short-circuited	Р
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	Р
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	Р
9.10	Compliance criteria	Р





Tests Conducted

onauctea	1	1
<u>Clause</u>		<u>Assessment</u>
10	Electric strength	Р
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	Р
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned	NA
	with liquid	
12	Mechanical strength	Р
12.1	Enclosures	Р
12.2	Attachment strength	Р
13	Construction	Р
13.1	Nominal supply voltage	Р
13.2	Transformers, power supplies and battery chargers	Р
13.3	Thermal cut-outs.	NA
13.4	Batteries	Р
13.4.1	Small batteries	Р
13.4.2	Other batteries	Р
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	Р
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
13.1.0	Other components	See remark(2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark(2)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	Р
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19		See remark(3)
19.1	General	
19.1		See remark(3)
13.2	Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E.	See remark(S)
	Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3	



Tests Conducted

maaotoa		
Clause	Requirement	<u>Assessment</u>
	Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	
19.3	Other electromagnetic radiation	See remark(3)
	Electric toys with an integrated field source that may produce harmful	
	electromagnetic radiation Measurements methods are given in Annex I.	
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	See remark (3)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark (3)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric	
	toys	
Annex G	Examples of calculations on LEDs	
Annex H	Explanation of the principles used for the requirements of Annex E	
Annex I	Electric toys generationg electromagnetic fields (EMF)	See remark (3)
Annex J	Safety of remote controls for electric ride-on toys	See remark (3)
Annex K	Flow charts showing the application of Clause 9	

Abbreviation: P = Pass NA = Not Applicable Artwork of packaging was provided for testing.

Remark:

(1) Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present

(2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

Applicant needs to ensure that battery charger for toys shall comply with IEC 60335-2-29:2016 and Annex AA of that standard.

(3) As requested by the applicant, Annex D,E,I, J was not assessed.

Date sample received: 10 Apr, 2023 & 27 Apr, 2023 Testing period: 10 Apr, 2023 to 27 Apr, 2023

(n)



Tests Conducted





Test Report SHAH01559529 Number:

Tests Conducted













Page 19 of 20



Tests Conducted

Components List:

- (1) Black plastic.(body).
- (2) Yellow plastic.(body).
- (3) White plastic.(body).
- (4) Red plastic.(body).
- (5) Pink plastic.(body).
- (6) Green plastic.(body).
- (7) Blue plastic(body).
- (8) Black transparent plastic(front window).
- (9) Transparent plastic(front light).
- (10) Red transparent plastic(tail light).
- (11) Red plastic (button).
- (12) Black plastic (button).
- (13) Bright silver coating on plastic(steering wheel, exhaust funnel).
- (14) Brownish red plastic(seat, instrument panel, door, steering wheel).
- (15) Black webbing(safety belt).
- (16) Black plastic(wheels).
- (17) Dark grey plastic(wheel hub).
- (18) Red soft plastic(wire covering).
- (19) Black coating on metal(chassis).
- (20) White coating (body).
- (21) White adhesive plastic film with black, white printing(wheel hub).
- (22) White adhesive paper with red, black printing(warning sticker).
- (23) Black soft plastic (wire covering).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

