


EU-TYPE EXAMINATION (MODULE B) CERTIFICATE

Radio Equipment Directive (RED) 2014/53/EU

PHOENIX TESTLAB
Notified Body Number **0700**



This is to certify that:

PHOENIX TESTLAB did undertake the relevant type examination procedures for the radio equipment identified below which was found to be in compliance with the essential requirements of Radio Equipment Directive (RED) 2014/53/EU subject to any conditions in the annex attached hereto.

Certificate No.	21-210080
Manufacturer	Kamunica Limited
Address	Kemp House, 152 - 160 City Road, London EC1V 2NX United Kingdom
Product Description	Smart Desk Phone; with WiFi, Bluetooth, GSM, WCDMA, LTE and Non-specific short range devices
Brand Name / Model Name	Kamunica / Kamunica XD, KT5(3C)

The radio equipment meets the following essential requirements

Article 3.1 a): Health and Safety	Conform
Article 3.1 b): Electromagnetic Compatibility	Conform
Article 3.2: Effective and Efficient Use of Radio Spectrum	Conform
Additional Essential Requirements:	Not applicable

Date of issue	2021-01-29	Expiry date:	2026-01-29
---------------	-------------------	--------------	-------------------

This certificate remains valid unless canceled or revoked, provided the conditions in the attached annex are complied with. The conditions for the validity of this certificate are listed in the Annex.

The attached Annex forms part of this certificate. This certificate consists of 4 pages.





Signed by Weyna Hau
Notified Body

1/29/2021

Annex

Technical description

Frequency Range	GSM 900 / DCS 1800 MHz Bluetooth: 2402 - 2480 MHz 2.4G WiFi (20 MHz): 2412 - 2472 MHz 2.4G WiFi (40 MHz): 2422 - 2462 MHz 5G WiFi (20 MHz): 5180 - 5240 MHz 5G WiFi (40 MHz): 5190 - 5230 MHz 5G WiFi (80 MHz): 5210 MHz UTRA FDD Band I/VIII E-UTRA FDD Band 1/3/7/8/20 E-UTRA TDD Band 38/40 Non-specific SRD: 5745 - 5825 MHz
Transmit Power	GSM 900: 32.60 dBm/DCS 1800: 30.60 dBm Bluetooth: 11.72 dBm EIRP 2.4G WiFi: 14.99 dBm EIRP 5G WiFi: 11.89 dBm EIRP UTRA FDD: 25.60 dBm E-UTRA FDD/TDD: 24.60 dBm Non-specific SRD: 12.99 dBm EIRP
Hardware Version	03KT5(3C)-KE6762-01A1
Software Version	Kamunica XD_V1.10

System Components

Battery	PL3553123, 3.7V, 2500mAh
---------	--------------------------

Optional Components

Adapter	IIT-G03A-502000EWR, Input: AC 100V-240V, 50/60Hz, 0.3A; Output: DC 5V, 2A
---------	--

Approval documentation

	Technical Documentation including Kamunica_Kamunica XD Extomal / Internal Photos, User Manual, Label, Block Diagram, Circuit Diagram, Operational Description, PCB Layout, Parts Placement, Parts List
EU Declaration of Conformity	2 pages, 26 January, 2021
Explanation of compliance Article 10(2) and Article 10(10)	Description in the User Manual
Further Documents	Risk Assessment, 5 pages, 26 January, 2021 Model Difference Declaration, 1 page, 26 January, 2021

Applied Standards and Test Reports


Specification	Laboratory	Test Report Number / Version
EN 62368-1:2020+A11:2020	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-SR
EN 62209-2:2010 EN 50566:2017 EN 62479:2010 EN 50663:2017	Shenzhen Anbatek Compliance Laboratory Limited	18220WC00157601 Rev.01
ETSI EN 301 489-1 V2.2.3 ETSI EN 301 489-3 V2.1.1 ETSI EN 301 489-17 V3.2.4 Draft ETSI EN 301 489-52 V1.1.2 EN 55032:2015 EN 55035:2017 EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-1ER Rev.01
ETSI EN 301 511 V12.5.1	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-7ER Rev.01
ETSI EN 301 908-1 V13.1.1 ETSI EN 301 908-2 V13.1.1	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-8ER Rev.01
ETSI EN 301 908-1 V13.1.1 ETSI EN 301 908-13 V13.1.1	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-9ER Rev.01
ETSI EN 300 328 V2.2.2	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-4ER Rev.01 HK2101060051-3ER Rev.01 HK2101060051-2ER Rev.01
ETSI EN 301 893 V2.1.1	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-5ER Rev.01
ETSI EN 300 440 V2.2.1	Shenzhen HUAK Testing Technology Co., Ltd	HK2101060051-6ER Rev.01

Limitations / Restrictions

Operating Temperature range is -10 ~ 40 degree Celsius.

The SRD receiver fulfills the requirements of category 2.

Notes

1. This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with PHOENIX TESTLAB.
2. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/them being placed on the market.
3. The manufacturer shall take all measures necessary so that the manufacturing process and its monitoring ensure conformity of the manufactured radio equipment with the approved type described in the EU-type examination certificate and with the requirements of Directive 2014/53/EU that apply to it.
4.  The manufacturer shall affix the CE marking to each item of radio equipment that is in conformity with the type described in the EU-type examination certificate and satisfies the applicable requirements of the Directive.
5. The manufacturer shall draw up a written EU declaration of conformity for each radio equipment type and keep it at the disposal of the national authorities for 10 years after the radio equipment has been placed on the market. The EU declaration of conformity shall identify the radio equipment type for which it has been drawn up. A copy of the EU declaration of conformity shall be made available to the relevant authorities upon request.