

AGC

Date: Mar.26, 2019

Page: 1 of 10

Applicant: SEASKY ORNAMENTS CO., LIMITED

Address: No.36 Chuangye Rd, Lanxi Industrial Zone, Lanxi, Jinhua City, Zhejiang, China

#### Report on the submitted samples said to be:

| Sample Name                  | : | PU ANTI STRESS TSHIRT SHAPE KEYCHAIN   |
|------------------------------|---|--|
| Buyer                        | : | S.A.R.L WEEMATCH   |
| Labeled Age Grading          | : | Not stated   |
| Requested Age Grading        | : | 3+   |
| Age Group Applied in Testing | : | 3+   |
| Test site                    | : | 1,6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu,<br>Xixiang, Baoan District, Shenzhen, Guangdong, China |
| Sample Receiving Date        | : | Mar.19, 2019   |
| Testing Period               | : | Mar.19, 2019 to Mar.26, 2019   |
| Sample receiving state       | : | Normal   |
| Test Requested               | : | Please refer to next pages.  |
| Test Method                  | : | Please refer to next pages.  |
| Test Result                  | : | Please refer to next pages.  |

Approved by:

Liujinliang, Jay.Liu / Liulinwen, Lewis

Laboratory Supervisor / Technical Director



The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 400 089 2118 Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



AGC

Date: Mar.26, 2019

Page: 2 of 10

# Test Requested:Conclusion(1) For compliance with the European Standard on Safety of Toys:EN71-1: 2014+A1:2018 – Mechanical and Physical Properties(Except clause 7)PassEN71-2:2011+A1:2014 – Flammability of ToysPassPassEN71-3:2013+A3:2018 – Migration of Certain ElementsPassPass(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toysSee the result pages

The results spowern thin test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-out.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No.171, Meihus Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



Date: Mar.26, 2019

Page: 3 of 10

Test Result(s):

GC

## (1)-1:EN71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

| Clause | Description  | Result |
|--------|--|--------|
| 4      | GENERAL REQUIREMENTS   | 2.0    |
| 4.1    | Material cleanliness   | Pass   |
| 4.2    | Assembly   | N/A    |
| 4.3    | Flexible plastics sheeting   | N/A    |
| 4.4    | Toy bags   | N/A    |
| 4.5    | Glass  | N/A    |
| 4.6    | Expanding materials  | N/A    |
| 4.7    | Edges  | Pass   |
| 4.8    | Points and metallic wires  | Pass   |
| 4.9    | Protruding parts   | N/A    |
| 4.10   | Parts moving against each other  |        |
| 4.10.1 | Folding and sliding mechanisms   | N/A    |
| 4.10.2 | Driving mechanisms   | N/A    |
| 4.10.3 | Hinges   | N/A    |
| 4.10.4 | Springs  | N/A    |
| 4.11   | Mouth-actuated toys and other toys intended to be put in the mouth                   | N/A    |
| 4.12   | Balloons   | N/A    |
| 4.13   | Cords of toy kites and other flying toys   | N/A    |
| 4.14   | Enclosures   | N/A    |
| 4.15   | Toys intended to bear the mass of a child  | N/A    |
| 4.16   | Heavy immobile toys  | N/A    |
| 4.17   | Projectiles  | N/A    |
| 4.18   | Aquatic toys and inflatable toys   | N/A    |
| 4.19   | Percussion caps specifically designed for use in toys and toys using percussion caps | N/A    |
| 4.20   | Acoustics  | N/A    |
| 4.21   | Toys containing a non-electrical heat source   | N/A    |
| 4.22   | Small balls  | N/A    |

The results spower in this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.

## No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2; No. 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



GC

Date: Mar.26, 2019

Page: 4 of 10


| Clause | Description   | Result |
|--------|---|--------|
| 4.23   | Magnets   | N/A    |
| 4.24   | Yo-yo balls   | N/A    |
| 4.25   | Toys attached to food   | N/A    |
| 4.26   | Toy Disguise Costumes   | N/A    |
| 4.27   | Flying toys   | N/A    |
| 5      | TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS                    | 20     |
| 5.1    | General requirements  | N/A    |
| 5.2    | Filling materials   | N/A    |
| 5.3    | Plastic sheeting  | N/A    |
| 5.4    | Cords, chains and electrical cables in toys                   | N/A    |
| 5.5    | Liquid-filled toys  | N/A    |
| 5.6    | Speed limitation of electrically driven toys                  | N/A    |
| 5.7    | Glass and porcelain   | N/A    |
| 5.8    | Shape and size of certain toys                                | N/A    |
| 5.9    | Toys comprising monofilament fibres                           | N/A    |
| 5.10   | Small balls   | N/A    |
| 5.11   | Play figures  | N/A    |
| 5.12   | Hemispheric-shaped toys                                       | N/A    |
| 5.13   | Suction cups  | N/A    |
| 5.14   | Straps intended to be worn fully or partially around the neck | N/A    |
| 5.15   | Sledges with cords for pulling                                | N/A    |
| 6      | PACKAGING   | N/A    |
| 7      | Warnings, markings and instructions for use                   | N/A#   |

#### Note:

As per client's requirement, the sample(s) was evaluated for use by children 3+ N/A=Not Application

#= As per client's request, clause 7 was not assessed.

The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-onlt.com.



Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



GC

Date: Mar.26, 2019

Page: 5 of 10

## (1)-2:EN71 Part 2:2011+A1:2014 - Flammability of Toys

| Clause | Description  | Result |
|--------|--|--------|
| 4      | Requirements   | G      |
| 4.1    | General  | Pass   |
| 4.2    | Toys to be worn on the head  | 16     |
| 4.2.1  | General  | N/A    |
| 4.2.2  | Beards, moustaches, wigs, etc, made from hair, pile or material with similar features<br>(e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to<br>50 mm from the surface of the toy | N/A    |
| 4.2.3  | Beards, moustaches, wigs etc. made from hair, pile or material with similar features<br>(e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm<br>from the surface of the toy         | N/A    |
| 4.2.4  | Full or partial moulded head masks   | N/A    |
| 4.2.5  | Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3 | N/A    |
| 4.3    | Toys disguise costumes and other toys intended to be worn by a child in play   | N/A    |
| 4.4    | Toys intended to be entered by a child   | N/A    |
| 4.5    | Soft Filled Toys (animals and dolls, etc) with a piled or textile surface  | N/A    |

The results spowers this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.



Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No. 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



GC

Date: Mar.26, 2019

Page: 6 of 10

### (1)-3 EN 71-3:2013+A3:2018 - Migration of Certain Elements.

Category III: Scrapped - off toy material

Test method: With reference to EN 71-3:2013+A3:2018, Analysis was performed by ICP-OES, GC-MS,

LC-ICP-MS.

Unit: mg/kg

| 5 - G - 1                  | . R  | Result(s) | 6 - 6 |       | 1          |
|----------------------------|------|-----------|-------|-------|------------|
| Tested Item(s)             | 1-1  | 1-2       | 1-3   | MDL   | Limit      |
| Aluminium (Al) (M)         | N.D. | N.D.      | N.D.  | 50    | 200        |
| Antimony (Sb) (M)          | N.D. | N.D.      | N.D.  | 2.0   |            |
| Arsenic (As) (M)           | N.D. | N.D.      | N.D.  | 0.5   | - 6        |
| Barium (Ba) (M)            | N.D. | N.D.      | N.D.  | 50    | 10° .      |
| Boron (B) (M)              | N.D. | N.D.      | N.D.  | 50    | K          |
| Cadmium (Cd) (M)           | N.D. | N.D.      | N.D.  | 0.3   | G C        |
| Chromium III (Cr(III)) (M) | N.D. | N.D.      | N.D.  | 0.2   | 5000       |
| Chromium VI (Cr(VI)) (M)   | N.D. | N.D.      | N.D.  | 0.005 |            |
| Cobalt (Co) (M)            | N.D. | N.D.      | N.D.  | 2.5   |            |
| Copper (Cu) (M)            | N.D. | N.D.      | N.D.  | 50    |            |
| Lead (Pb) (M)              | N.D. | N.D.      | N.D.  | 0.25  | See Remark |
| Manganese (Mn) (M)         | N.D. | N.D.      | N.D.  | 50    |            |
| Mercury (Hg) (M)           | N.D. | N.D.      | N.D.  | 1.0   | 16         |
| Nickel (Ni) (M)            | N.D. | N.D.      | N.D.  | 10    | Sec. 1     |
| Selenium (Se) (M)          | N.D. | N.D.      | N.D.  | 5     | M          |
| Strontium (Sr) (M)         | N.D. | N.D.      | N.D.  | 50    | 100        |
| Tin (Sn) (M)               | N.D. | N.D.      | N.D.  | 50    | 5 N        |
| Organic Tin* (M)           | N.D. | N.D.      | N.D.  | 0.15  | 1 24       |
| Zinc (Zn) (M)              | N.D. | N.D.      | N.D.  | 50    |            |
| Conclusion                 | Pass | Pass      | Pass  | /     | 6          |

Note: 1. N.D.= Not Detected (lower than method detection limit)

2.MDL = Method detection limit

3.mg/kg = milligram per kilogram

4.M = Migration

5.\* = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.

The results spowern thin test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.sgc-colt.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No.171, Meihus Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



# **Test Report**

## Report No.: AGC02891190304-001

Date: Mar.26, 2019

Page: 7 of 10

Permissible Limit for Different Materials

| Item                      | Category III<br>In scraped-off toy<br>material | Category II<br>In liquid or sticky toy<br>material | Category I<br>In dry, brittle, powder-like or<br>pliable toy material |
|---------------------------|--|--|---|
| Aluminium (Al) (M)        | 70000  | 1406   | 5625  |
| Antimony (Sb) (M)         | 560  | 11.3   | 45  |
| Arsenic (As) (M)          | 47   | 0.9  | 3.8   |
| Barium (Ba) (M)           | 18750  | 375  | 1500  |
| Boron (B) (M)             | 15000  | 300  | 1200  |
| Cadmium (Cd) (M)          | 17   | 0.3  | 1.3   |
| Chromium III(Cr(III)) (M) | 460  | 9.4  | 37.5  |
| Chromium VI (Cr(VI)) (M)  | 0.2  | 0.005  | 0.02  |
| Cobalt (Co) (M)           | 130  | 2.6  | 10.5  |
| Copper (Cu) (M)           | 7700   | 156  | 622.5   |
| Lead (Pb) (M)             | 23   | 0.5  | 2.0   |
| Manganese (Mn) (M)        | 15000  | 300  | 1200  |
| Mercury (Hg) (M)          | 94   | 1.9  | 7.5   |
| Nickel (Ni) (M)           | 930  | 18.8   | 75  |
| Selenium (Se) (M)         | 460  | 9.4  | 37.5  |
| Strontium (Sr) (M)        | 56000  | 1125   | 4500  |
| Tin (Sn) (M)              | 180000   | 3750   | 15000   |
| Organic Tin (M)           | 12   | 0.2  | 0.9   |
| Zinc (Zn) (M)             | 46000  | 938  | 3750  |

The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-beit.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No. 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



AGC

Date: Mar.26, 2019

Page: 8 of 10

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys Summary table:

| - G <sup>2</sup> G           | On product | On packaging |
|------------------------------|------------|--------------|
| Washing/Cleaning instruction | /          | /            |
| CE mark                      | Absent     | Absent       |
| Manufacturer's name          | Absent     | Absent       |
| Manufacturer's address       | Absent     | Absent       |
| Importer's name              | Absent     | Present      |
| Importer's address           | Absent     | Present      |
| Product ID                   | Absent     | Absent       |

#### Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

The results spowers this text report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.apc-bett.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 8612 E-mail: agc01@agc-cert.com @ 400 089 2118 Add: Building 2, No.171, Meihus Road, Shangmeilin, Futian District, Shenzhen, Guangdong China

# **Test Report**

## Report No.: AGC02891190304-001

Date: Mar.26, 2019

Page: 9 of 10

#### **Sample Description**

GC

| 1-1 | Yellow PU                        |
|-----|----------------------------------|
| 1-2 | Transparent plastic (suspension) |
| 1-3 | Metal chain                      |

## **Test Flow Chart**

 Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:

| Da                               | ta 🔶   | Analysis by ICP-OES       | ← Filtration                         |
|----------------------------------|--|---------------------------|--------------------------------------|
| ) Test Flow Chart fo             | r Migration of Chromi                            | um(III) and Chromium(VI): |                                      |
| Cutting/Prepara                  |  | Sample measurement        | Diluted hydrochloric acid extraction |
| ~0                               |  |                           | ↓<br>Filtration                      |
| D                                | ata 🔶  | Analysis by LC-ICP-MS     |                                      |
|                                  | or Migration of Organic<br>Sample<br>measurement | 00 00 I                   |                                      |
| • Test Flow Chart fo<br>Cutting/ | or Migration of Organic                          | Tin Compounds:            |                                      |

The results spowern thin test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.sgc-colt.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: ugc01@agc-cert.com @ 480 089 2118 Add: Building 2, No. 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



# **Test Report**

## Report No.: AGC02891190304-001

Date: Mar.26, 2019

Page: 10 of 10

## The photo of the sample



AGC authenticate the photo on original report only \*\*\* End of Report\*\*\*

The results spowern thinkest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-ball.com.

# No.18 C

Attestation of Global Compliance Std. & Tech.

G

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 480 089 2118 Add: Building 2, No 171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China