

GX53 BULB 530LM 5W 2700K NON-DIMM 100 BEAM FROSTED INTEGRAL

ILGX53N001



Integral LED GX53 lamps are an ideal retrofit lamp for GX53 fittings in kitchen units, display cabinets and under-shelf lighting. These highly efficient lamps offer significant energy savings and long life compared to halogen equivalents.

Details

Quick Order Code:	432812
Barcode:	5055788222934
Category:	Lamps
Range Name:	GX53
Product Type:	GX53
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	75
Product Width (mm):	25
Product Weight (g):	65
Material:	Aluminium, Polycarbonate
Base Term:	GX53
Bulb Base:	GX53
Construction:	SMD, Plastic Body
Globe Finish:	Frosted
Globe Type:	GX53
Bulb Fixing:	Under Shelf Lighting, Display Cabinets
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, Outdoor, General Lighting

Electrical Data

Power (W):	5
Power Consumption (w):	5
Power Factor:	0.53
Wattage equivalent (W):	40
Amperage (mA):	42

Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	530
Luminous efficacy (lm/W):	106
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700K - Warm
Colour Temperature Name:	Warm
Beam Angle:	110
Colour Rendering Index (CRI):	80
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Energy Rating:	A+
New Energy Rating:	F
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-15
Maximum Operating Temperature (°C):	45



Packaging

Package Weight (g):	65
Package Length (mm):	75
Package Width (mm):	75

Portal.integral-led.com

Package Depth (mm):

26

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE