


DOUXE

DTS-01 – TV wall mount



Instruction Manual

1. Introduction

Congratulations on your product purchase and thank you for choosing Douxe products. This is the Douxe DTS-01 – TV wall mount. It is a fully adjustable mount designed to support up to 35kg (77lbs) in load capacity for TV sizes between 17”- 60”. It can be installed on wood studs or concrete wall surfaces. The retractable mounting arm has three joints that provide horizontal swivel action ($\pm 90^\circ$ and $\pm 180^\circ$). It also provides a $-5^\circ \sim +8^\circ$ tilt for optimal viewing comfort.

To ensure proper installation and avoid property damage or personal injury, please read the following instructions carefully. Please keep this manual in a safe place for future reference.

2. Warnings and Safety Instructions

- Please do not begin installation until you have thoroughly read and understood these instructions.
- Do not exceed the maximum load capacity for this product – 35kg(77lbs).
- Improper installation may cause property damage and/or personal injury.
- Use only recommended mounting surfaces: wood stud and solid flat concrete/brick. For installation on any other surface, use suitable hardware (not included).
- Do not install on surfaces that are prone to vibration, movement, or impact. Do not install near heat sources or air-conditioning.

- This product contains small parts that may constitute choking hazards. Please keep these items as well as the product packaging away from children.

3. Safety Information

- Please make use of proper safety equipment during installation.
- To enable proper support and handling, it is recommended that two people perform this installation.
- Please consult a qualified contractor or installation specialist in the case of any uncertainty or ambiguity.

4. Receiving your shipment


When receiving your shipment, make sure that the contents are consistent with the packing list. Notify your distributor of any missing items. If the equipment appears to be damaged, file a claim immediately with the carrier and notify your distributor at once, giving a detailed description of any damage. Save the damaged packing container to substantiate your claim.

5. Contents of Package

Extended arms



Extendible mount



A. M4x25 screws (x4)



B. M5x25 screws (x4)



C. M6x25 screws (x4)



D. 6 Flat washer (x4)



E. 12mm Plastic sleeve (x4)



F. 10mm Wrench



G. M7x70 Self-tap screw (x4)



H. 10x60 Plastic Anchor (x4)



L. M6x12 Screws (x4)



L. M6 nut (x4)





6. Product Specification

Material	Metal
Surface Finish	Powder Coated
Color	Black
Recommended Screen Size	17" - 60"
Installation	Wooden, solid and plaster wall
Rated Weight Capacity	35kgs/77lbs
Distance to Wall	62 - 424 mm
Tilt	+5°/-15°
Swivel	180°
Rotation	±3°
Max.VESA	400×400mm

7. Installation Instructions

Step 1

Remove clips and plastic cover as shown.





or

F

Step 2A

For wood stud wall mounting.





1
Find and mark the
exact location of
mounting holes



2
Drill pilot holes

Step 2B


For solid brick and concrete mounting.



Drill pilot holes


Step 3A

Installing of TV with interface.




Step 3B

Installing of TV with interface.




VESA: 400x200~400x400mm




Step 4

Installing the display




Step 5

Cable management



Tilt angles adjustment



8. Maintenance and Cleaning

Clean the TV wall mount with a clean, dry cloth. Do not use detergents and make sure that the TV wall mount does not get wet.

9. Storage

Store the TV wall mount in a clean and dry place. Do not store the device in extremely high or extremely low temperatures.

10. Disposal - Recycle

Contribute to a cleaner living environment! Do not dispose of the TV wall mount with the household waste. For proper recycling, please contact your local authority or your household waste disposal service for further details on your nearest designated collection point.

11. Service and Warranty

Douxé provides a 1-year warranty on its products. To get service during the warranty period, the product needs to be returned with a proof of purchase. Product defects must be reported within 1 year from the date of purchase. This warranty does not cover: damages caused by misuse or incorrect repair; parts subject to wear; defects that the customer was aware of at the time of purchase; damages or defects caused by customer neglect; damages or defects caused by third parties.

12. Disclaimer

Changes reserved; specifications are subject to change without stating grounds for doing so.

Douxé II
Koperstraat 26
3067GL Rotterdam
The Netherlands
KVK: 80934382

Contact:
Info@douxé.nl

1. Introductie

Gefeliciteerd met uw aankoop en bedankt voor het kiezen van Douxe producten. Dit is de Douxe DTS-01 - TV muurbeugel. Het is een volledig verstelbare muurbeugel ontworpen om tot 35kg (77lbs) te dragen voor TV's tussen 17" - 60". Hij kan worden geïnstalleerd op houten balken of betonnen muren. De intrekbare montagearm heeft drie scharnieren die horizontaal kunnen draaien ($\pm 90^\circ$ en $\pm 180^\circ$). Hij kan ook $+5^\circ \sim -15^\circ$ worden gekanteld voor optimaal kijkcomfort.

Lees de volgende instructies zorgvuldig door om een juiste installatie te garanderen en schade aan eigendommen of persoonlijk letsel te voorkomen. Bewaar deze handleiding op een veilige plaats voor toekomstig gebruik.

2. Veiligheidsinstructies

- Begin niet met de installatie voordat u deze instructies grondig hebt gelezen en begrepen.
- Overschrijd het maximale draagvermogen voor dit product - 35kg (77lbs) niet.
- Onjuiste installatie kan materiële schade en/of persoonlijk letsel veroorzaken.
- Gebruik alleen aanbevolen montageondergronden: houten balken en massief vlak beton/baksteen. Gebruik voor installatie op andere oppervlakken geschikte hardware (niet meegeleverd).
- Niet installeren op oppervlakken die gevoelig zijn voor trillingen, beweging of schokken. Niet installeren in de buurt van warmtebronnen of airconditioning.

- Dit product bevat kleine onderdelen die verstikkingsgevaar kunnen opleveren. Houd deze onderdelen en de verpakking van het product uit de buurt van kinderen.

3. Veiligheidsinformatie

- Maak gebruik van de juiste veiligheidsuitrusting tijdens de installatie.
- Om een goede ondersteuning en hantering mogelijk te maken, wordt aanbevolen dat twee personen deze installatie uitvoeren.
- Raadpleeg in geval van onzekerheid of onduidelijkheid een gekwalificeerde aannemer of installatiespecialist.

4. Ontvangst van uw zending


Controleer bij ontvangst van uw zending of de inhoud overeenkomt met de paklijst. Breng uw verdeler op de hoogte van eventuele ontbrekende items. Als de apparatuur beschadigd blijkt te zijn, dient u onmiddellijk een claim in te dienen bij de vervoerder en uw distributeur onmiddellijk op de hoogte te stellen, met een gedetailleerde beschrijving van de schade. Bewaar de beschadigde verpakking om uw claim te staven.

5. Inhoud van het pakket

verlengde armen



uit trekbare steun



A. M4x25 schroeven(x4)



B. M5x25 schroeven (x4)



C. M6x25 schroeven(x4)



D. 6 Platte ring(x4)



E. 12mm Plastic huls(x4)



F. 10mm Moersleutel



G. M7X70 zelftappende schroef (x4)



H. 10x60 Plastic anker x4



K. M6x12 schroever(x4)



L. M6 moer (x4)





6. Product Specificaties

Materiaal	Metaal
Afwerking oppervlak	Poeder Gecoat
Kleur	Zwart
schermgrootte	17" - 60"
Installatie op	Houten4 massieve en gipswand
Max3 Gewicht	35kgs/77lbs
Lengte vanaf de muur	62 - 424 mm
Kantelen	+5°/-15°
Draaibaar	180°
Rotatie	±3°
Max.VESA	400×400mm

7. Installatie instructies

Stap 1

Verwijder de clips en de plastic afdekking zoals afgebeeld





F



Stap 2A

Voor montage op een houten steunbalk





1
Find and mark the exact location of mounting holes



2
Drill pilot holes

Stap 2B


Voor montage in baksteen en beton



Drill pilot holes


Stap 3A

Installatie van TV met interface



Stap 3


Installatie van TV met interface



VESA: 400x200~400x400mm




(A/B/C)+D,E




Stap 4

Installeer het scherm




Stap 5

Kabelmanagement



Instelbare kantelhoeken



8. Onderhoud en reiniging

Maak de TV-muurbeugel schoon met een schone, droge doek. Gebruik geen schoonmaakmiddelen en zorg ervoor dat de TV-muurbeugel niet nat wordt.

9. Opslag

Bewaar de TV-wandsteun op een schone en droge plaats. Bewaar het apparaat niet bij extreem hoge of extreem lage temperaturen.

10. Verwijdering - Recycling

Draag bij aan een schonere leefomgeving! Gooi de TV-muurbeugel niet weg met het huishoudelijk afval. Neem voor de juiste recycling contact op met uw gemeente of uw afvalverwerkingsbedrijf voor meer informatie over het dichtstbijzijnde inzamelpunt.

11. Service en Garantie

Douxé geeft 1 jaar garantie op haar producten. Om tijdens de garantieperiode service te krijgen, moet het product met een aankoopbewijs worden teruggestuurd. Defecten aan het product moeten binnen 1 jaar na de aankoopdatum worden gemeld. Deze garantie dekt niet: schade veroorzaakt door verkeerd gebruik of onjuiste reparatie; onderdelen die aan slijtage onderhevig zijn; defecten die de klant bij aankoop kende; schade of defecten veroorzaakt door verwaarlozing door de klant; schade of defecten veroorzaakt door derden.

12. Disclaimer

Wijzigingen voorbehouden; specificaties kunnen zonder opgaaf van redenen worden gewijzigd.

Douxé II
Koperstraat 26
3067GL Rotterdam
Nederland
KVK: 80934382

Contact: info@douxé.nl