

C&R/AFL Laboratory Malledijk 18 P.O.Box 200 3200 AE Spijkenisse Dir Tel +31 (0)88 214 45 15

Email: nl.consumerproducts@sgs.com

WB Design Attn: Mrs. Willemijn Bezemer Rijksstraatweg 7 2988 BA Ridderkerk The Netherlands

# **ANALYTICAL REPORT SP18-046784**

The analysis of the sample said to be: Toys

Article description : Puppets

Packaging : -

Instructions for use/assembly : Not Provided

Article no : Manufacturer : Country of Origin : Labelled Age Grading : Requested Age : SGS Assessed Age for testing\* : 0+

Date sample received : 06-12-2018

Docorintion

Testing Period : 06-12-2018 till 18-12-2018

(\* Based on ISO/TR 8124-8)



Sample	<u>Description</u>
001	Puppet (total product)
002	White textile
003	Blue textile stripes
004	White cord
005	Label textile
006	Pink textile

## **Test Requested**

Cample

EN 71-1 Safety of Toys - Mechanical and physical properties EN 71-1:201
EN 71-2 Safety of Toys - Flammability EN 71-3:201
EN 71-3 Safety of Toys - Migration of Certain Elements CAT III EN 71-3:201
Conclusion-EN71-1 Labelling requirement 2014 Directive 200

 Method
 Result

 EN 71-1:2014
 PASS

 EN 71-2:2011+A1(2014)
 PASS

 EN 71-3:2013+A1(2014)
 PASS

 Directive 2009/48/EC
 See page 2

Report no.: SP18-046784

Page 1 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Nederland B.V.



#### Results

#### EN 71-1

Clause 4 General Requirements	001
(EN 71-1 [Clause 4:2014])	
4.1 Material cleanliness	PASS
4.7 Edges	PASS
4.8 Points and wires	PASS
Clause 5 Toys intended for children under 36 mths	001
(EN 71-1 [Clause 5:2014])	
5.1 General Requirements	N/A
5.2 Soft-filled toys and soft filled parts of a toy	PASS
Clause 6 Packaging	001
(EN 71-1 [Clause 6:2014])	
6 Packaging	N/A
Clause 7 Warning and instructions for use	001
(EN 71-1 [Clause 7:2014])	
7.1 General	PASS

#### EN 71-1 Labelling

Safety of Toys - Labelling requirements	001
(Directive 2009/48/EC)	
Washing/Cleaning instruction	Absent
Washing/Cleaning instruction location	Absent
CE Mark	Absent
CE Mark Location	Absent
Importer's Name & Address	Absent
Importer's Name & Address Location	Absent
Manufacturer's Name & Address	Absent
Manufacturer's Name & Address location	Absent
Product ID	Absent
Product ID location	Absent

<sup>\*</sup> Importer is seen as manufacturer if no manufacturer is named

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

### EN 71-2

EN 71-2 Safety of Toys - Flammability	001
(EN 71-2:2011+A1(2014))	
4.1 General requirements	PASS
4.5 Soft Filled Toys	PASS
Flame Rate	13,26
Conclusion EN 71-2	PASS

Report no.: SP18-046784

Page 2 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### EN 71-3 Safety of Toys - Migration of Certain Elements CAT III

Category III: Scraped-off materials

Method: In accordance with EN71-3:2013+A1(2014). Analysis of general elements is performed by ICP-MS. If confirmation of Chromium (III) and Chromium (VI) has been performed, Chromium (III) was obtained by calculation, Chromium (VI) was

analyzed by IC-UV/VIS and organic tin was analyzed by GC-MS.

		mg/kg			Permissible
		002	003	004	Limit (mg/kg)
Weight of the sample	g	>0,10	>0,10	>0,10	
Soluble Aluminium	Āl	<50	<50	<50	70.000
Soluble Antimony	Sb	<10	<10	<10	560
Soluble Arsenic	As	<10	<10	<10	47
Soluble Barium	Ba	<50	<50	<50	18.750
Soluble Boron	В	<50	<50	<50	15.000
Soluble Cadmium	Cd	<5,0	<5,0	<5,0	17
Soluble Chromium	Cr	0,21	<0,15	<0,15	
Soluble Chromium (III)	Cr(III)	<5,0	<5,0	<5,0	460
Soluble Chromium (VI)	Cr(VI)	<0,18	<0,18	<0,18	0,2
Soluble Cobalt	Со	<10	<10	<10	130
Soluble Copper	Cu	<50	<50	<50	7.700
Soluble Lead	Pb	<10	<10	<10	160
Soluble Manganese	Mn	<50	<50	<50	15.000
Soluble Mercury	Hg	<10	<10	<10	94
Soluble Nickel	Ni	<10	<10	<10	930
Soluble Selenium	Se	<10	<10	<10	460
Soluble Strontium	Sr	<50	<50	<50	56.000
Soluble Tin	Sn	<0,20	<0,20	<0,20	180.000
Soluble Organic Tin	Org_Tin	<4,9	<4,9	<4,9	12
Soluble Zinc	Zn	<50	<50	<50	46.000
Conclusion		PASS	PASS	PASS	

Note:

- NC = Not conducted
- INCONCLUSIVE = Confirmation test is recommended.
- Confirmation test of soluble chromium (III) and chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN71-3:2013+A1(2014). Confirmation shall be subcontracted within The SGS group.
- If soluble chromium is <0,18 mg/kg, it is assumed that chromium (III) is <5 mg/kg and chromium (VI) is <0,18 mg/kg.
- Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN71-3:2013+A1(2014). Confirmation shall be subcontracted within The SGS group.
- If soluble tin is <4,9 mg/kg, it is assumed that soluble organic tin is <12 mg/kg.
- NA = Not applicable; As received, test portion of the subsample is less than 10 mg, therefore such component was not tested for migration of certain elements, as specified in EN71-3:2013+A1(2014).
- The measurement uncertainty has been applied to reach the conclusion.
- The results only apply to the items tested.

		mg/kg		Permissible
		005	006	Limit (mg/kg)
Weight of the sample	g	>0,10	>0,10	
Soluble Aluminium	Al	<50	<50	70.000
Soluble Antimony	Sb	<10	<10	560
Soluble Arsenic	As	<10	<10	47
Soluble Barium	Ba	<50	<50	18.750
Soluble Boron	В	<50	<50	15.000
Soluble Cadmium	Cd	<5,0	<5,0	17
Soluble Chromium	Cr	<0,15	0,26	
Soluble Chromium (III)	Cr(III)	<5,0	<5,0	460
Soluble Chromium (VI)	Cr(VI)	<0,18	<0,18	0,2
Soluble Cobalt	Co	<10	<10	130
Soluble Copper	Cu	<50	<50	7.700
Soluble Lead	Pb	<10	<10	160
Soluble Manganese	Mn	<50	<50	15.000
Soluble Mercury	Hg	<10	<10	94
Soluble Nickel	Ni	<10	<10	930
Soluble Selenium	Se	<10	<10	460
Soluble Strontium	Sr	<50	<50	56.000
Soluble Tin	Sn	0,34	<0,20	180.000
Soluble Organic Tin	Org_Tin	<4,9	<4,9	12
Soluble Zinc	Zn	<50	<50	46.000
Conclusion		PASS	PASS	

Report no.: SP18-046784

Page 3 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Note:

- NC = Not conducted
- INCONCLUSIVE = Confirmation test is recommended.
- Confirmation test of soluble chromium (III) and chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN71-3:2013+A1(2014). Confirmation shall be subcontracted within The SGS group.
- If soluble chromium is <0,18 mg/kg, it is assumed that chromium (III) is <5 mg/kg and chromium (VI) is <0,18 mg/kg.
- Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN71-3:2013+A1(2014). Confirmation shall be subcontracted within The SGS group.

  - If soluble tin is <4,9 mg/kg, it is assumed that soluble organic tin is <12 mg/kg.
- NA = Not applicable; As received, test portion of the subsample is less than 10 mg, therefore such component was not tested for migration of certain elements, as specified in EN71-3:2013+A1(2014).
- The measurement uncertainty has been applied to reach the conclusion.
- The results only apply to the items tested.

Report no.: SP18-046784

Page 4 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Nederland B.V.



Sample: 001

Description: Puppet (total product)



Sample: 002

Description: White textile



Sample: 003

Description: Blue textile stripes



Sample: 004

Description: White cord



Report no.: SP18-046784

Page 5 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exporate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Nederland B.V.



Sample: 005

Description: Label textile



Sample: 006

Description: Pink textile



Spijkenisse, 18 December 2018 C&R/AFL Laboratory

E.A.M. van Meurs Laboratory Manager

Report no.: SP18-046784

Page 6 of 6

Unless otherwise agreed, orders are executed in accordance with the latest version of the SGS Nederland ('the Company') General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excnerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Nederland B.V.