



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE ~~APPROVAL GRANTED~~⁽¹⁾ / ~~APPROVAL EXTENDED~~⁽⁴⁾ /
~~APPROVAL REFUSED~~⁽⁴⁾ / ~~APPROVAL WITHDRAWN~~⁽⁴⁾ / ~~PRODUCTION DEFINITELY~~
~~DISCONTINUED~~⁽⁴⁾ OF A TYPE OF PROTECTIVE HELMET WITHOUT / WITH⁽¹⁾ ONE / MORE⁽¹⁾
VISOR TYPE(S) WITHOUT / WITH⁽¹⁾ ONE / MORE⁽⁴⁾ SPECIFIC ACCESSORY TYPE(S)
PURSUANT TO UN REGULATION NO. 22.06



Approval No: E11*22R06/02*0949*02

Reason(s) for extension:

Deletion of duplicated Trade Marks: VEGA, ROMER

Addition of new Trade Marks

Addition of new business name

1. Trade mark HSWHEEL, JRT, JARRET, ILM, GILLE, ROCC, BEFAST, PEND, FTS, ISPEED, MAXXE, TRENG, SPADA, CGM, ROCKOT, LEVEL, SKAP, NITRO, TRENDY, KENNY, VITO, TROPHY, TAKACHI, AKITO, SWIFT, STING, EOLE, KSK, TORX, YONGHENG, RSX, VEGA, WEBER, CLAW, GMAC, STORMER, GEAR, HAWK, SHOT RACE, ESUGI, XO SPORT HELMETS, RMT HELME, RACING MOTO TECHNOLOGY HELMET, NEXOSPORTSSA, POLARIS, R HELMET, ROMER, SHAFT, SHIRO, AMOTO, BLACK, NEXO, TEKNO, MOTOHOLIC, CORSA, BIKE IT, AUBOA, DEXTER, MARKO, CHECK, LANDI, PILOT, APRO, SPACE, STEALTH, FRANK THOMAS, W-TEC, SHAD, DURALEU HELMETS, JEB'S HELMETS, DAENRISE, HVA HELMET, TWL, SPARX
2. Type: HS391
3. Sizes: XS(53-54), S(55-56), M(57-58), L(59), XL(60), XXL(61)
4. Manufacturer's name: NINGBO HESHUN MOTORCYCLE PRODUCTS CO., LTD
5. Address: Dongmenqiao Road, Dapeng Village, Longshan Town, Cixi City, Zhejiang Province 315311, P.R. China
6. If applicable, name of manufacturer's representative: Not applicable

7. Address: Not applicable
8. Brief description of helmet: See Manufacturer's documentation
9. Helmet without lower face cover (J) / ~~with protective lower face cover (P) / with non protective lower face cover (NP) / with detachable or movable lower face cover (P/J)~~⁽¹⁾
10. Type of visor or visors: HS09
11. Brief description of visor or visors and inner visor if any: See Manufacturer's documentation
12. Helmet ready for specific accessory (SA) / ready for universal accessories (UA)⁽¹⁾ not applicable
13. Accessories included in the helmet homologation and functionality: not applicable
14. If UA helmet, speakers (S or S45) / Microphone (M) / Front mounting (F) / Side mounting (L), Rear mounting (R)⁽¹⁾ not applicable
15. Submitted for approval on: 28th March 2024
16. Technical service responsible for conducting approval tests: OMEGA S.r.l.
17. Date of report issued by that service: 28th March 2024
18. Number of report issued by that service: VCA007950
19. Comments: none
20. Approval ~~GRANTED~~ / EXTENDED / ~~REFUSED~~ / ~~WITHDRAWN~~⁽¹⁾
21. Place: BRISTOL
22. Date: 24 APRIL 2024

23. Signature:



C McCABE
Chief Technical and Statutory Operations Officer

21. The following documents, bearing the approval number shown above, are available on request:

(1) Strike out what does not apply



Vehicle
Certification
Agency

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

APPROVAL NUMBER: E11*22R06/02*0949*02

INFORMATION PACKAGE CONTENTS

INDEX REVISION NUMBER: 00

Conformity of Production (COP) Declaration COP Confirmed

Assessment Method Control Plans & COP Audit

Date of Initial Clearance March 2021

Date of Last Clearance September 2023

Total number of sheets: 15 (Fifteen)

Reasons for Revision: See manufacturer's documentation

Revision Date
&
Office Stamp

0. GENERAL

Reasons for extension:

Deletion of duplicated Trade Marks: **VEGA, ROMER**

Addition of new Trade Marks

Addition of new business name

- | | | | |
|------|--|---|---|
| 0.1. | Trade Marks | : | HSWHEEL, JRT, JARRET, ILM, GILLE, ROCC, BEFAST, PEND, FTS, ISPEED, MAXXE, TRENG, SPADA, CGM, ROCKOT, LEVEL, SKAP, NITRO, TRENDY, KENNY, VITO, TROPHY, TAKACHI, AKITO, SWIFT, STING, EOLE, KSK, TORX, YONGHENG, RSX, VEGA, WEBER, CLAW, GMAC, STORMER, GEAR, HAWK, SHOT RACE, ESUGI, XO SPORT HELMETS, RMT HELME, RACING MOTO TECHNOLOGY HELMET, NEXOSPORTSSA, POLARIS, R HELMET, ROMER, SHAFT, SHIRO, AMOTO, BLACK, NEXO, TEKNO, MOTOHOLIC, CORSA, BIKE IT, AUBOA, DEXTER, MARKO, CHECK, LANDI, PILOT, APRO, SPACE, STEALTH, FRANK THOMAS, W-TEC, SHAD, DURALEU HELMETS, JEB'S HELMETS, DAENRISE, HVA HELMET, TWL, SPARX |
| 0.2. | Type | : | HS391 |
| | Business name | : | HS381, PD391, JOP02, MCJCM50 |
| | Version | : | 1- With visor 2-Without visor |
| 0.3. | Name and address of manufacturer | : | NINGBO HESHUN MOTORCYCLE PRODUCTS CO., LTD
Dongmenqiao Road, Dapeng Village, Longshan Town, Cixi City,
Zhejiang Province 315311, P.R. China |
| 0.4. | Name and address(es) of assembly plant(s) | : | NINGBO HESHUN MOTORCYCLE PRODUCTS CO., LTD
Dongmenqiao Road, Dapeng Village, Longshan Town, Cixi City,
Zhejiang Province 315311, P.R. China |
| 0.5. | Location and method of affixing of the approval mark | : | Sewing on the retention system (See Annex 5) |
| 0.6 | Name of his representative | : | not applicable |

1. Technical description

1.1. Description of Protective helmet

- | | | | |
|-------|---------------------------|---|---|
| 1.1.1 | Type of Protective helmet | : | J |
| 1.1.2 | Type of lower face cover | : | OPEN FACE |
| 1.1.3 | Size(s) (in cm) | : | XS (53-54); S (55-56); M (57-58); L (59)
XL (60); XXL (61) |

1.2. VISOR

- | | | | |
|--------|----------------------------------|---|--|
| 1.2.1. | Type | : | HS09 (See Annex 3) |
| 1.2.2. | Method of fixation to the helmet | : | Insert into a rigid plastic fixation system directly (See Annex 3) |

- 1.2.3. Material : PC
- 1.2.4. Surface treatment : HARDENING TREATMENT
- 1.2.5. Colour : Dark brown

- 1.3. **Shell** : See Annex 2
- 1.3.1. Material : ABS
- 1.3.2. Composition of the border join on the shell : PVC
- 1.3.3. Ventilations : N/A
- 1.3.3.1 Number of ventilations : N/A
- 1.3.3.2 Position on the shell : N/A
- 1.4. **Description of protective padding** : See Annex 4
- 1.4.1 Composition : EPS
- 1.4.2 Density and weight

Size (cm)	Shell Size	Comfort padding thickness (Main) [mm]	Protective padding density (Main+Chin+Top) [Kg/m ³]	Protective padding weight (Main+Chin+Top) [gr]
XS (53-54)	ONE SIZE	12	40+45+20	83+60+25
S (55-56)		10	40+45+20	83+60+25
M (57-58)		8	40+45+20	83+60+25
L (59)		10	55+50+20	97+60+25
XL (60)		8	55+50+20	97+60+25
XXL (61)		6	55+50+20	97+60+25


- 1.5. **Description of comfort padding**
- 1.5.1. Composition of
- Comfort padding : Sponge
- Comfort tissue : Nylon
- Protection of the back of the neck : Sponge, leather, textile
- Lateral packing : Sponge, EPS
- Lower face cover : N/A

- | | | | |
|----------|---|---|---|
| 1.6. | Description of retention system | : | See Annex 5 |
| 1.6.1. | Chin strap | | |
| 1.6.1.1. | Material | : | Nylon |
| 1.6.1.2. | Width | : | 22mm |
| 1.6.2. | Retention system | : | Quick Release mechanism with 22 mm chin strap |
| 1.6.3. | Comfort padding of the retention system | | |
| 1.6.3.1. | Composition | : | Leather and textile |
| 1.6.3.2. | Thickness | : | 3mm |
| 1.6.3.3. | Fixing system to the shell | : | By means of a metallic piece fixed to the shell by rivets |

Drawing list:

Annex1: Drawing of the general assembly	Page 4-5
Annex2: Drawing of the shell	Page 6
Annex3: Drawing of visor	Page 7
Annex4: Drawing of Protective padding	Page 8-12
Annex5: Drawing of the retention system	Page 13
Annex6: Drawing of the comfort padding	Page 14
Annex7: Helmet Picture and markings	Page 15


Drawing of the general assembly (Version 1)



Version 1-with visor

Part No.	Subject or name	Material
1	SHELL	ABS
2	Protective padding	EPS
3	Visor	PC
4	Peak	ABS
5	Buckle	Nylon and metal
6	Rivets	metal
7	Bottom rubber strip	PVC


Drawing of the general assembly (Version 2)



Version 2 – without visor

Part No.	Subject or name	Material
1	SHELL	ABS
2	Protective padding	EPS
3	Peak	ABS
4	Buckle	Nylon and metal
5	Rivets	metal
6	Bottom rubber strip	PVC


Drawing of the shell



Unit:mm


Subject or name	Material
Shell	ABS

Drawing of visor




Unit: mm

Number	Name	Parameter	Number	Name	Parameter
1	Visor material	Polycarbonate	2	ECE Marking	 06xxxxxx
	Visor thickness	2.0±0.1 mm			
Descript ion	HS09		Code No.:	HS09-1	



Drawing of Protective padding (Version 1) M-XS


Main and Chin



Unit:mm

Drawing of Protective padding (Version 2) L-XXL


Main and Chin






Unit:mm

Drawing of Protective padding (Version 1) M-XS

Main and Chin




TOP OUT PROTECTIVE PADDING
(XS-XXL)



Unit:mm

Drawing of the retention system



Unit: mm

Drawing of the comfort padding



Helmet picture and markings



Helmet Documental Extension UNECE n°22 Series 06

Job Number	[VCA007950]				
Report	Code:	HS391 Extension 2 28032024			
	Date:	28 March 2024			
Manufacturer	Name:	NINGBO HESHUN MOTORCYCLE PRODUCTS CO., LTD			
	Address:	Dongmenqiao Road, Dapeng Village, Longshan Town, Cixi City, Zhejiang Province 315311, P.R. China			
Representative	[it does not apply]				
Sample	Helmet model:	HS391			
	Approval n°:	E11*22R06/02*0949*02			
	Stickers from n°:	N/A	to n°:	N/A	Batch n°: N/A
	Arrival date:	28 Marc 2024	Testing date:	28 Marc 2024	

(1) DELETE out what does not apply

Essential Technical Data

SIZE RANGE

SHELL MATERIAL

WEIGHT

RETENTION SYSTEM

REFLECTIVE BANDS

SEE ENCLOSED TECHNICAL DOCUMENTATION

Reason for extension:

Reasons for extension:


Deletion of duplicated Trade Marks: VEGA, ROMER

Addition of new Trade Marks

Addition of new business name


Laboratory Technician

(Adolfo Garlando)



Laboratory Manager

(Juan Pablo Cuesta)



Job Number: [VCA007950]



M07 rev.2 21042020





HELMET IMAGES



Front



Side 1



Side 2



Rear

END OF REPORT

Job Number: [VCA007950]



M07 rev.2 21042020



This report concerns only the tested samples and it cannot be partially reproduced without prior written permission from OMEGA s.r.l.
Strada Comunale Savonesa n.9 / 15057 Tortona (AL) / Italy / Tel. 0039-0131-860220 / VAT 01828300069

24-Apr-24
3/3