AREBOS

Floor pool cleaner

AR-HE-BR01



Please follow all security measures in this user's manual to ensure a secure use.

Thank you for trusting in AREBOS.

List of contents

1. Safety instructions	3
2. Technical Details	3
3. Construction	3
4. Operation	4
4.2 Operation of the pool vacuum pool cleaner4.3 Assembling and operating the landing net4.4 Brush assembly and operation	4 5
5. Storage	5
6. Disposal instructions	6
6.1 Disposal of the packaging6.2 Disposal of old equipment	

Please read and save these instructions. Read through this user's manual carefully before using this product. Protect yourself and others by observing all safety information, warnings and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.

1. Safety instructions

- Do NOT allow children to play with or use the product, its use is for adults only.
- Do not operate the pump when there are people in the pool.
- Strong suction and extraction. While the pump is in operation, keep your hands and hair away from the suction.
- Switch off the filter pump, disconnect it from the power supply before adjusting, cleaning, removing or servicing the pump.
- If the pool is not being used, remove the product.
- Keep the pull-out aluminium handle away from overhead power lines.
- Failure to follow these safety precautions may result in property damage, electric shock, explosion, serious injury or death.

These product warnings, instructions and safety rules cover many, but not all, possible risks and hazards. Please use common sense when enjoying water activities.

Model	AR-HE-BR01
Dimensions	Width brush head: 35 cm Length of holding bar: 140-350 cm (height adjustable) Length of hose: 11 m Hose connection diameter: 3.7 cm
Colour	Blue

2. Technical Details

3. Construction

1. Insert the dirt bag into the lower part of the dirt container.

2. Attach the upper part of the dirt container to the lower part of the dirt container. Turn the upper part clockwise to the right to secure it to the lower part of the dirt container.

- 3. Attach the desired cleaning accessories to the lower part of the dirt container:
 - Use the flat vacuum cleaner to pick up heavy and/or medium sized particles, such as sand,

stones, etc. and to clean the corners / edges of the pool.

- Use the Vacuum Cleaner Brush to suck in fine and/or small deposits, such as Dirt and dead algae on the pool floor.

Note: Make sure that the edge on the top of the dirt container matches the groove on the vacuum cleaner.

4. Attach one end of the suction hose to the bottom of the dirt container. Make sure that the end of the hose covers the seal on the base.

5. Press the plastic clip and connect the telescopic rod to the dirt container lower part. Align the plastic clip so that it twists into the shaft with the holes and the spring jumps into the pre-drilled holes. Adjust the length of the handle by unlocking, extending and locking the individual areas accordingly.

6. Screw the adapter from the inside of the pool to the screw connection.

7. You can now pour the assembled product into the water.

8. Fill the hose with water by slowly immersing it in the water to remove the trapped air from the hose.

Tip: Start at the end of the hose closest to the dirt container bottom and slowly dip the hose vertically into the water, section by section.

9. When the hose is full of water, the water will flow out of the other end.

10.Quickly connect the other end of the hose to the adapter.

11.Turn on the pump. To remove trapped air from the hose and pump, turn the vent valve once or twice to open the valve if necessary. For details, please refer to the pump manual.

Important: Never let the pump run dry. This will cause the filter pump to overheat and may cause damage. Keep the pool vacuum cleaner constantly under water during use, otherwise air will enter the hose. This will cause the pump to run dry and may damage it.

12. when the dirt bag is full and the vacuum cleaner only sucks slightly, switch off the pump and remove the vacuum cleaner from the water. Empty the dirt bag by reversing steps 1 to 3. Check that the dirt bag and the pool cleaner housing are clean before reusing them. Repeat steps 1 to 3 to reassemble the components.

Note: If you find that the vacuum cleaner is weakly vacuuming but the dirt bag is clean, make sure that the pump is running, that there is no blockage and/or that air is trapped in the water circuit.

4. Operation

4.1 Before use

- Vent the hoses and pump before use.
- Always keep the lower part of the dirt container under water during use.
- Remove the dirt container base, hose and adapter and insert the filter strainer when only the filter pump is running and the pool is not in use.
- Check and empty the dirt bag during and after each use.

4.2 Operation of the pool vacuum pool cleaner

1. The filter pump is an airtight system. To remove trapped air from the hose and pump, turn the vent valve counterclockwise once or twice to open the valve.

2. As soon as you notice that water is coming out of the air outlet valve, close the air outlet valve again, but not too tightly.

3. Connect the pump to the mains and switch on the pump.

4. Now you can drive slowly with quiet movements over the pool floor until the pool foil is free of all impurities.

Important: If the vacuum pool cleaner is weak, check whether there is still air in the hose. If the vacuum pool cleaner still sucks too weakly, please read the operating instructions of your pump again under chapter "Filter pump does not carry any water or the flow rate is very low". Also check whether the dirt bag and the filter cartridge are clean.

5. Make sure that the filter pump is switched off and disconnect the mains plug from the socket. Remove the vacuum cleaner from the pool.

6. Disassemble the pool vacuum cleaner by reversing the assembly instructions. Clean the dirt bag if necessary.

7. Keep the vacuum cleaner in a safe place.

4.3 Assembling and operating the landing net

1. The landing net requires the same grip as the pool vacuum cleaner.

2. The landing net is equipped with a plastic clip, which is inserted in the end of the handle. Align the clip to fit the holes drilled in the rod. Gently press the tips of the clip together so that the bar slides into the landing net and the clip jumps into the pre-drilled holes.

3. Lightly brush the skimmer over the pool surface to remove leaves and other dirt.

4.4 Brush assembly and operation

1. The hand brush needs the same handle as the pool vacuum cleaner.

2. The brush head has a plastic clip at the end of the handle. Align the clip to fit the holes drilled in the rod. Gently press the tips of the clip together so that the bar slides into the landing net and the clip jumps into the pre-drilled holes.

3. Clean the sides and bottom of the pool film until it is free of deposits and dirt.

5. Storage

- Make sure that the pump is switched off and unplug the cable.
- Disassemble the pool vacuum cleaner, hand net or hand brush by reversing the assembly instructions.
- Clean all accessories thoroughly and allow them to dry thoroughly in the air.
- The original packaging can be used as a storage container. Store the product in a cool, dry place.

6. Disposal instructions

6.1 Disposal of the packaging

• Please refer to the guidelines and standards for appropriate disposal of the packaging valid in your region. In part, the package may consist of plastic bags - watch this respect, with special care to ensure that this is not out of the reach of children. There is a risk of suffocation!

6.2 Disposal of old equipment

• Old equipment must be disposed of in accordance with the guidelines and regulations of the local waste disposal department.

Our customer service number: +49 (0) 931-45232700

Canbolat Vertriebs GmbH • Gneisenaustraße 10-11 • 97074 Würzburg

Imprint

Product name: Floor pool cleaner Article number: 4260551580925 Model number: AR-HE-BR01

If the product has any modification not allowed by us, this declaration loses its validity.

Date/Manufacturer Signature/Location:

Würzburg, 06.08.2019

Identification of the signatory: Korhan Canbolat, head of the company

Authorised representative for the technical documentation: Korhan Canbolat

Office address: Canbolat Vertriebs GmbH Gneisenaustraße 10-11 D-97074 Würzburg

Return address can be found in the imprint: https://www.arebos.de/impressum/

VAT identification number: DE 263752326 Court of the Commercial Register is Würzburg, HRB 10082 WEEE Reg.-No. DE 61617071