



Product Service

CERTIFICATE

No. Z1A 076833 0012 Rev. 00

Holder of Certificate: **Anhui Qidi Sports Equipment Co.,Ltd.**
 Dongpo Industrial Zone, Zhongxi Town
 242300 Ningguo City, Anhui
 PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Trampoline**
Trampoline with safety net

Tested according to: EK2/AK2.2 02.4-1:2015
 EN 71-1:2014
 EN 71-14:2014/A1:2017
 PPP 25080D:2016
 PPP 53214G:2015
 PPP 63097B:2015
 AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 703001320203-05

Valid until: 2023-09-20

Date, 2018-10-09

(Xiaodong Wang)



Product Service

CERTIFICATE

No. Z1A 076833 0012 Rev. 00

Factories: 076833

Model(s): QDTR-6.(X)-3W, QDTR-6.(5)-3W-1, QDTR-8.(X)-3W-Y, QDTR-8.(X)-3W, QDTR-10.(X)-3W-Y, QDTR-10.(X)-4W, QDTR-12.(X)-4W-Y, QDTR-12.(X)-6W, QDTR-13.(X)-4W, QDTR-13.(X)-6W, QDTR-14.(X)-4W-Y, QDTR-14.(X)-6W, QDTR-15.(X)-5W, QDTR-16.(X)-6W. (X=0-9, Y=0, 1)
Remark: Different value of X represent the different model number for the same product. Y=0 represent the outer net structure. Y=1 represent the inner net structure.

Parameters:

Trampolines for domestic use, consisting of steel structure, bed, padding, safety net, intended for outdoor use by one person at a time. Intended for children above 36 months.

Model:	QDTR-6.(X)-3W	QDTR-6.(5)-3W-1	QDTR-8.(X)-3W-0 QDTR-8.(X)-3W-1
Frame dimensions (mm):	Ø1920 x H2010	Ø2070 x H2010	Ø2530 x H2150
Net weight (kg):	29	31	37
Max. user's weight (kg):	50	50	50
Model:	QDTR-8.(X)-3W	QDTR-10.(X)-3W-0 QDTR-10.(X)-3W-1	QDTR-10.(X)-4W
Frame dimensions (mm):	Ø2550 x H2450	Ø3140 x H2450	Ø3140 x H2450
Net weight (kg):	43.7	44	50
Max. user's weight (kg):	150	120	150
Model:	QDTR-12.(X)-4W-0 QDTR-12.(X)-4W-1	QDTR-12.(X)-6W	QDTR-13.(X)-4W
Frame dimensions (mm):	Ø3750 x H2660	Ø3750 x H2660	Ø4055 x H2660
Net weight (kg):	64	76	68
Max. user's weight (kg):	160	180	160
Model:	QDTR-13.(X)-6W	QDTR-14.(X)-4W-0 QDTR-14.(X)-4W-1	QDTR-14.(X)-6W
Frame dimensions (mm):	Ø4055 x H2660	Ø4360 x H2690	Ø4360 x H2690
Net weight (kg):	68	75	76
Max. user's weight (kg):	160	160	160
Model:	QDTR-15.(X)-5W	QDTR-16.(X)-6W	
Frame dimensions (mm):	Ø4660 x H2690	Ø4965 x H2760	
Net weight (kg):	85	96	
Max. user's weight (kg):	160	160	

CERTIFICATE

No. Z1A 076833 0012 Rev. 00



QDTR-6.(X)-3W



QDTR-6.(5)-3W-1



QDTR-8.(X)-3W-Y (Y=0)



QDTR-8.(X)-3W-Y (Y=1)



QDTR-8.(X)-3W



QDTR-10.(X)-3W-Y (Y=0)



QDTR-10.(X)-3W-Y (Y=1)



QDTR-10.(X)-4W



QDTR-12.(X)-4W-Y (Y=0)



QDTR-12.(X)-4W-Y (Y=1)



QDTR-12.(X)-6W



QDTR-13.(X)-4W



QDTR-13.(X)-6W



QDTR-14.(X)-4W-Y (Y=0)



QDTR-14.(X)-4W-Y (Y=1)



QDTR-14.(X)-6W



QDTR-16.(X)-6W



QDTR-15.(X)-5W



Product Service

ZERTIFIKAT

Nr. Z1A 076833 0012 Rev. 00

Fertigungsstätte: 076833

Modell(e): QDTR-6.(X)-3W, QDTR-6.(5)-3W-1, QDTR-8.(X)-3W-Y, QDTR-8.(X)-3W, QDTR-10.(X)-3W-Y, QDTR-10.(X)-4W, QDTR-12.(X)-4W-Y, QDTR-12.(X)-6W, QDTR-13.(X)-4W, QDTR-13.(X)-6W, QDTR-14.(X)-4W-Y, QDTR-14.(X)-6W, QDTR-15.(X)-5W, QDTR-16.(X)-6W. (X=0-9, Y=0, 1)
 Remark: Different value of X represent the different model number for the same product. Y=0 represent the outer net structure. Y=1 represent the inner net structure.

Kenndaten:

Trampolin für den Hausgebrauch mit Stahlrahmen, Sprungtuch, Polsterung und Sicherheitsnetz; nur für den Gebrauch im Freien durch eine Person, geeignet für Kinder ab 36 Monaten.

Modell:	QDTR-6.(X)-3W	QDTR-6.(5)-3W-1	QDTR-8.(X)-3W-0 QDTR-8.(X)-3W-1
Rahmenabmaß (mm):	Ø1920 x H2010	Ø2070 x H2010	Ø2530 x H2150
Nettogewicht (kg):	29	31	37
Maximales Nutzergewicht (kg):	50	50	50
Modell:	QDTR-8.(X)-3W	QDTR-10.(X)-3W-0 QDTR-10.(X)-3W-1	QDTR-10.(X)-4W
Rahmenabmaß (mm):	Ø2550 x H2450	Ø3140 x H2450	Ø3140 x H2450
Nettogewicht (kg):	43.7	44	50
Maximales Nutzergewicht (kg):	150	120	150
Modell:	QDTR-12.(X)-4W-0 QDTR-12.(X)-4W-1	QDTR-12.(X)-6W	QDTR-13.(X)-4W
Rahmenabmaß (mm):	Ø3750 x H2660	Ø3750 x H2660	Ø4055 x H2660
Nettogewicht (kg):	64	76	68
Maximales Nutzergewicht (kg):	160	180	160
Modell:	QDTR-13.(X)-6W	QDTR-14.(X)-4W-0 QDTR-14.(X)-4W-1	QDTR-14.(X)-6W
Rahmenabmaß (mm):	Ø4055 x H2660	Ø4360 x H2690	Ø4360 x H2690
Nettogewicht (kg):	68	75	76
Maximales Nutzergewicht (kg):	160	160	160
Modell:	QDTR-15.(X)-5W	QDTR-16.(X)-6W	
Rahmenabmaß (mm):	Ø4660 x H2690	Ø4965 x H2760	
Nettogewicht (kg):	85	96	
Maximales Nutzergewicht (kg):	160	160	

ZERTIFIKAT

Nr. Z1A 076833 0012 Rev. 00



QDTR-6.(X)-3W



QDTR-6.(5)-3W-1



QDTR-8.(X)-3W-Y (Y=0)



QDTR-8.(X)-3W-Y (Y=1)



QDTR-8.(X)-3W



QDTR-10.(X)-3W-Y (Y=0)



QDTR-10.(X)-3W-Y (Y=1)



QDTR-10.(X)-4W



QDTR-12.(X)-4W-Y (Y=0)



QDTR-12.(X)-4W-Y (Y=1)



QDTR-12.(X)-6W



QDTR-13.(X)-4W



QDTR-13.(X)-6W



QDTR-14.(X)-4W-Y (Y=0)



QDTR-14.(X)-4W-Y (Y=1)



QDTR-14.(X)-6W



QDTR-16.(X)-6W



QDTR-15.(X)-5W

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
ZERTIFIKAT ◆ **CERTIFICATE** ◆ 認證證書 ◆ **СЕРТИФИКАТ** ◆ **CERTIFICADO** ◆ **CERTIFICAT**

A4 / 07.17