

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

3.1.2.1. Manufacturer: Yongkang Weite Motor Co., Ltd.
 3.1.2.2. Electronic motor code (as marked on the engine or other means of identification):
 SJ60V50H1000W 000011
 3.3.3.4. 15/30 minutes power: 1.0 kW
 3.1.3.1. Manufacturer: N.A.
 3.1.3.2. Application code (as marked on the engine or other means of identification): N.A.
 3.3.1. Electric vehicle configuration: pure electric/~~hybrid electric/manpower electric~~
 3.3.5.2. Category of hybrid electric vehicle:~~off-vehicle charging/not off-vehicle charging~~—N.A.
 3.9.2. Maximum assistance factor: N.A.

Maximum speed

1.8. Maximum speed of vehicle: 25 km/h (CV*: N.A.)
 3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N.A.

Drive-train and control

3.5.3.9. Transmission (type): W
 3.5.4. Gear ratios: N.A.
 3.5.4.1. Final drive ratio: N.A.
 3.5.4.2. Overall gear ratio in highest gear: N.A.

Installation of tyres

6.18.1.1. Tyre size designation:
 Axle 1: 225/55-8 57J Axle 2: 225/55-8 57J
 Minimum Load capacity index:
 Axle 1: 16 Axle 2: 41
 Minimum speed category symbol:
 Axle 1: B Axle 2: B
 Recommended pressure:
 Axle 1: 225 kpa Axle 2: 225 kpa
 Rim size:
 Axle 1: 7.00 x 8 Axle 2: 7.00 x 8
 Sidecar wheel: N.A.

Bodywork

6.20.2.1. Door configuration and number of doors: N.A.
 6.16.1. Number of seating position: 2
 6.16.1.1. Location and arrangement: N.A.

Coupling devices

7.2.8. Type-approval number of coupling-device : N.A.

Environmental performance

4.0.1. Environmental step: Euro 5 (~~3/4/5/5+~~)⁽⁴⁾
 4.0.6. Sound level measured according to: N.A.
 4.0.6.1. Stationary: N.A. dB(A) (CV*: N.A.)
 4.0.6.2. Drive-by : N.A. dB(A) (CV*: N.A.)
 4.0.6.3. Limit value for Lurban: N.A. dB(A) (CV*: N.A.)

3.2.15. Exhaust emissions measured according to N.A.

3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:
 CO: N.A. mg/km (CV*: N.A.)
 THC: N.A. mg/km (CV*: N.A.)
 NMHC: N.A. (CV*: N.A.)
 NOx: N.A. mg/km (CV*: N.A.)
 HC+Nox: N.A. (CV*: N.A.)
 PM: N.A. (CV*: N.A.)

3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
 HC: N.A. ppm at normal idling speed and: N.A. ppm at high idle speed (CV*: N.A.)
 CO: N.A. %vol at normal idling speed and: N.A. %vol at high idle speed (CV*: N.A.)

3.2.15.3. Smoke corrected absorption coefficient: N.A. (CV*: N.A.)

Energy efficiency

4.0.2. Fuel consumption: N.A.l or kg /100km (CV*: N.A.)
 4.0.3. CO2 emissions: N.A. g/km (CV*: N.A.)
 4.0.4. Energy consumption: 25 Wh/km (CV*: N.A.)
 4.0.5. Electric range: 84 km (CV*: N.A.)

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

9.1. Remarks: N.A.
 9.2. Exemptions: N.A.