

# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°** 0075/6041/162/07/24/1729

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** TISECO BVBA  
Industriezone Huttegem 2, 8570 Anzegem  
Belgium

## Description

**PPE Type :** *protective oven glove against thermal risks*


**Product reference :** 01120240, 31028OM-SUNF

**Article code :** /

**Oven glove description :** OVEN GLOVE

**Available sizes :** 01120240(Oven glove length 28cm),  
31028OM-SUNF(Oven glove length 30cm)

**Pictures :**



**Reference standard :**

**Levels of performance / class of protection**

« X » indicates that the oven glove has not been submitted to the test or the test method appears not to be suitable for the oven glove design or material.  
« 0 » indicates that the oven glove falls below the minimum performance level for the individual hazard.

**EN ISO 21420:2020**

-

**EN 407:2020**

**X 2 X X X X**

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from AUGUST 2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V 57.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by  
William GELAS  
Certification manager



**Date of first issue:** 02 August 2024

**Date of end of validity:** 20 June 2029



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkail - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chausserie Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**MANUFACTURER'S TECHNICAL FILE TO THE**  
**PPE REGULATION 2016/425**

Reference of the product	:	01120240, 31028OM-SUNF
Article code	:	/
Technical file index	:	01
Last update	:	AUGUST 2024

## IDENTIFICATION

Reference of the product :	:	01120240, 31028OM-SUNF
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	AUGUST 2024

### **Manufacturer :**

TISECO BVBA

Industriezone Huttegem 2, 8570 Anzegem

Belgium

tel : +32 (0) 56 77 25 71, +32 (0) 495 03 09 23

fax :

### **Factory :**

Zhaoqing Taiyang Household Items Co., Ltd

No. 29 Workshop, Jiguang Road, Chengzhong District, Sihui City, Guangdong

China

tel: 86-758-3322682, 86-758-3811125

fax:

## OVEN GLOVE DESCRIPTION

### General oven glove description and intended use:

OVEN GLOVE

This oven glove is designed against thermal risks .

Type of coating finish : no coating

### Visual description (picture back and palm sides) :



### Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

## Oven glove constitution :

	Reference	Color	Material	Surfacic mass (g/m <sup>2</sup> )	Gauges	Thickness
Palm	TY-01	BLACK, GREEN	COTTON	180		
Back	TY-01	BLACK	(01120240) COTTON	180		
	TY-02	WHITE	(01120240) WATERBORNE PIGMENT PRINTING			0.1mm
	TY-01	OFF WHITE/ YELLOW/ RED/ BROWN/ GREEN	(310280M-SUNF) PRINTING PATTERN - COTTON	180		
Lining	TY-03 + TY-04 + TY-03	WHITE + WHITE + WHITE	LINING-PALM/BACK/CUFF - COMPLEX: POLYESTER NON-WOVEN + POLYCOTTON FILLING + POLYESTER NON-WOVEN (CONTACT SKIN)	18(TY-03) + 520(TY-04) + 18(TY-03)		
Cuff	TY-01	BLACK, GREEN	COTTON	180		
	TY-01	OFF WHITE/ YELLOW/ RED/ BROWN/ GREEN	(310280M-SUNF) PRINTING PATTERN - COTTON	180		
	TY-02	WHITE	(01120240) WATERBORNE PIGMENT PRINTING			0.1mm
Binding	TY-01	BLACK, GREEN	CUFF BINDING/HANG STRAP - COTTON	180		

## PROTECTION SCOPE

This oven glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This oven glove is designed against thermal risks .

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN ISO 21420 : 2020

Dexterity : NA

Available size range: 01120240(Oven glove length 28cm), 310280M-SUNF(Oven glove length 30cm)

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Oven glove size	Oven glove length (mm)
One size	01120240(Oven glove length 28cm)
One size	310280M-SUNF(Oven glove length 30cm)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the oven glove has not been submitted to the test or the test method appears not to be suitable for the oven glove design or material.

« 0 » indicates that the oven glove falls below the minimum performance level for the individual hazard.

### Thermal hazard EN 407:2020

Mechanical strength	
Tear strength resistance (N)	≥ 10

Thermal protections	Performance levels
Limited flame spread	X
Contact heat	2
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

## TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	D240306266_1 D240306267_1	
EN 407	D240306266_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Oven glove's reference : 01120240, 31028OM-SUNF

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

### Marking example :



### Method of marking on the oven glove :

Stitched label at cuff inside

### Packaging suitable for transport:

NA

### PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the oven glove shall be visually controlled, in case of deterioration the oven gloves must be scrapped (abrasion, cut, tear, ...).

### Cleaning instructions:

5 cleaning cycles



## MEANS OF CONTROL

1. We choose the good suppliers to provide us material with good quality. At the same time, when we received the each batch raw materials we should test some items according to relevant standard, such as EN ISO 21420 and relevant EU regulation; the bad material cannot meet requirement will be rejected.
2. when we received the raw materials for mass production every time, the material QC will check them serious to ensure they are of good quality.
3. Make samples before production, make sure samples meet the requirement of client and we test the glove for each batch as the requirement EN407 mechanical risk, EN ISO 21420, and other chemical items, then start to produce; it's very important for us.
4. Regular daily check the quality of products in the whole process; any unacceptable defects are found, the gloves will be discarded; QC for each step will perform inspection in accordance with our requirement strictly.
5. Confirm packing specification before packing and regularly check and keep records.
6. According to QA inspection procedures, QA will perform final inspection on some cartons of glove randomly. Then the goods can be shipped in case no any problems.
7. When do bulk production, we shall pick up some gloves from each batch to test contact heat of EN407, AZO of EN ISO 21420 to control the quality.

## INSTRUCTIONS FOR USE

### TISECO BVBA

Industriezone Huttegem 2, 8570 Anzegem  
Belgium

Oven glove reference : 01120240, 31028OM-SUNF

Article code: /  
User notice index : 01

Last update : AUGUST 2024

#### Oven glove description :

##### OVEN GLOVE

This oven glove is a personal protective equipment belonging to the category II.  
It meets the requirements of the PPE Regulation 2016/425 : Innocuousness, comfort, solidity.  
It has been subject to a UE-type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

The oven glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: NA

Available size range: 01120240(Oven glove length 28cm), 31028OM-SUNF(Oven glove length 30cm)

A different hand sizing system from the one defined in EN ISO 21420 Annex B is used:

Oven glove size	Oven glove length (mm)
One size	01120240(Oven glove length 28cm)
One size	31028OM-SUNF(Oven glove length 30cm)

#### Information about marking

« X » indicates that the oven glove has not been submitted to the test or the test method appears not to be suitable for the oven glove design or material.

« 0 » indicates that the oven glove falls below the minimum performance level for the individual hazard.



The CE marking means that this product meets the requirements of the regulation 2016/425

#### Thermal risk - EN 407:2020

Protection against heat without flame



X2XXXX

Levels of performance



Limited flame spread	X	(on 4 max)
Contact heat	2	(on 4 max)
Convective heat	X	(on 4 max)
Radiant heat	X	(on 4 max)
Small splashes of molten metal	X	(on 4 max)
Large quantities of molten metal	X	(on 4 max)

Read carefully the instructions for use provided with the product

#### Protection limit :

The oven glove's area of protection is palm side of the oven glove.

This oven glove cannot be used in an environment with air temperature more than 100°C

This oven glove provides a protection for a limited contact time with hot products.

The field of use of hand protective equipment for domestic risks is : kitchen use for Microwave and oven.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

No flame protection is claimed. This oven glove shall not be in contact with naked flame.

For multilayer oven gloves or multilayer hands protective equipment for thermal domestic risks with different layers of material, the performance levels are warranted only for the whole product.

#### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

Cleaning instructions : 5 cleaning cycles.



#### PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the oven glove shall be visually controlled, in case of deterioration the oven gloves must be scrapped (abrasion, cut, tear, ...).

#### Declaration of conformity :

Available with product.

01120240



EN407



X2XXXX

2024/05

Size: 28cm

2028/05



TISECO BVBA

Industriezone Huttegem 2  
8570 Anzegem, Belgium