

THORGEON

WE HIGHLIGHT YOUR SUCCESS

03 THORGEON ENERGY METERS

05 THORGEON SENSORS

09 THORGEON HOME LIGHTING FITTINGS

10 THORGEON TECHNICAL LIGHTING FITTINGS

13 THORGEON TRIPROOF LUMINAIRE

14 THORGEON EMERGENCY LIGHTING

15 THORGEON LED BULBS

23 THORGEON CONVENTIONAL BULBS

25 THORGEON FLOODLIGHTS

28 THORGEON FLASHLIGHTS

30 THORGEON LED MIRROR LIGHT

33 THORGEON LED PROFILE SYSTEM

35 THORGEON CIRCUIT BREAKERS

36 THORGEON LED TABLE LAMPS

37 THORGEON DIMMERS

38 THORGEON TOOLS

39 THORGEON MOSQUITO KILLER



ENERGY METER

1 Phase 40A - 01001

1 Hz A
230 V PHASE 50-60 5(40)

DIN IP 20 DISPLAY SERIAL



CE EAC www.thorgeon.com
Manufactured in PRC

100 pcs
Item size: 18 x 95 x 67 mm
Item box size: 330 x 240 x 300 mm



ENERGY METER

3 Phase 80A - 01002

3 Hz A^{3x}
230/400~ V PHASE 50-60 5(80)

DIN IP 20 BATTERY DISPLAY SERIAL



CE EAC www.thorgeon.com
Manufactured in PRC

45 pcs
Item size: 90 x 90 x 68 mm
Item box size: 400 x 300 x 370 mm



ENERGY METER

3 Phase 100A - 01003

3 Hz A^{3x}
230/400~ V PHASE 50-60 5(100)

DIN IP 20 BATTERY DISPLAY SERIAL



CE EAC www.thorgeon.com
Manufactured in PRC

45 pcs
Item size: 90 x 90 x 68 mm
Item box size: 400 x 300 x 370 mm



CURRENT TRANSFORMATOR ENERGY METER

CT 3 Phase 3.1.5(6)A - 01004

3 Hz A^{3x}
230/400~ V PHASE 50-60 3x1,5(6)

DIN IP 20 BATTERY DISPLAY



CE EAC www.thorgeon.com
Manufactured in PRC

60 pcs
Item size: 90 x 90 x 68 mm
Item box size: 400 x 460 x 300 mm



ENERGY METER

MID 1 Phase 0.25-5(50)A - 01005

1 Hz A
240 V PHASE 50 0.25-5(50)

DIN IP 20 DISPLAY SERIAL



CE EAC www.thorgeon.com
Manufactured in PRC

120 pcs
Item size: 18 x 95 x 67 mm
Item box size: 400 x 520 x 200 mm



ENERGY METER

MID 3 Phase 0.25-5(80)A - 01006

3 Hz A^{3x}
230/400~ V PHASE 50 0.25-5(80)

DIN IP 20 BATTERY DISPLAY SERIAL



CE EAC www.thorgeon.com
Manufactured in PRC

45 pcs
Item size: 90 x 90 x 68 mm
Item box size: 400 x 300 x 370 mm



MOD BUS ENERGY METER

3 phase 80A MID 2-Tariff - 01007

3 Hz A
 230 V PHASE 50 80
 BATTERY TARIFF 5x
 230/400~ V
 DIN IP 54 DISPLAY SERIAL



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
 90 x 90 x 68 mm
 Item box size
 400 x 300 x 370 mm
 45 pcs



SOCKET ENERGY METER

01008

230 V 50 Hz A IP 20
 DISPLAY PRICE CALCULATOR



ERL CE www.thorgeon.com
Manufactured in PRC

Item size
 80 x 72 x 149 mm
 Item box size
 400 x 300 x 370 mm
 45 pcs



MICROWAVE SWITCH SENSOR

02001

LED POWER 1000 W 360° 1-8 m -20 °C +40 °C
 220-240 V 50-60 2000 IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 12 min ± 2 min SENSITIVITY adjustable



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø115 x 25 mm
 Package size 625 x 220 x 265 mm
 50 pcs



MICROWAVE SWITCH SENSOR

02002

LED POWER 300 W 180°/360° 5-15 m -20 °C +40 °C
 220-240 V 50-60 1200 IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 12 min ± 2 min SENSITIVITY adjustable



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 40 x 108 x 70 mm
 Package size 340 x 235 x 270 mm
 100 pcs



PIR MOTION SENSOR

02003

LED POWER 300 W 180° 12 m -20 °C +40 °C
 220-240 V 50-60 1200 IP 44 INDOOR OUTDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 7 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 86,4 x 60,4 x 95 mm
 Package size 480 x 415 x 227 mm
 50 pcs



PIR MOTION SENSOR

02004

LED POWER 400 W 180° 12 m -20 °C +40 °C
 220-240 V 50-60 800 IP 44 INDOOR OUTDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 15 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 55,5 x 68,2 x 80,2 mm
 Package size 445 x 345 x 190 mm
 50 pcs



PIR MOTION SENSOR

02005

LED POWER 300 W 180° 12 m -20 °C +40 °C
 220-240 V 50-60 1200 IP 65 INDOOR OUTDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 5 sec MAX: 7 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 80 x 12,4 x 52 mm
 Package size 440 x 395 x 225 mm
 50 pcs



PIR MOTION SENSOR

02006

LED POWER 1000 W 360° 1-8 m -20 °C +40 °C
 220-240 V 50-60 2000 IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 15 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø115 x 24,3 mm
 Package size 625 x 220 x 265 mm
 20 pcs



PIR MOTION SENSOR

02007

LED POWER 400 W 360° 6 m -20 °C +40 °C

220-240 V 50-60 Hz 800 W max IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 15 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø45 x 85 mm Package size 44x 43 x 22,5 mm 50 pcs



PIR MOTION SENSOR

02008

LED POWER 300 W 360° 6 m -20 °C +40 °C

220-240 V 50-60 Hz 1200 W max IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 7 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø115 x 24 mm Package size 653 x 385 x 268 mm 50 pcs



PRESENCE SENSOR

02009

LED POWER 300 W 360° 20 m -20 °C +40 °C

220-240 V 50-60 Hz 1000 W max IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 30 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 102,5 x 102,5 x 58,3mm Package size 565 x 385 x 232 mm 20 pcs



SHORT DISTANCE IR SENSOR

02010

220-240 V 50-60 Hz 500 W max IP 20

5-6 m INDOOR -20 °C +40 °C



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 33,5 x 78,2 x 18 mm Package size 410 x 295 x 285 mm 100 pcs



TWILIGHT SENSOR

02011

LED POWER 300 W 20 INDOOR/OUTDOOR -20 °C +40 °C

220-240 V 50-60 Hz IP 65 DIN LUX



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 90 x 70 x 38 mm Package size 515 x 330 x 323 mm 50 pcs



TWILIGHT SENSOR

02012

LED POWER 300 W INDOOR/OUTDOOR -20 °C +40 °C

220-240 V 50-60 Hz IP 44 1200 W max

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 30 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 40 x 70 x 108 mm Package size 405 x 286 x 260 mm 50 pcs



PIR MOTION SENSOR

02013

- LED POWER 300 W
- 180°/360°
- 12 m
- 20 °C
- +40 °C
- 220-240 V
- 50-60 Hz
- 1200 W max
- IP 65
- INDOOR OUTDOOR
- LUX adjustable < 3-2000
- MIN: 10 sec ± 5 sec
- MAX: 7 min ± 2 min



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size 80 x 12,4 x 52 mm
Package size 440 x 395 x 225 mm
30 pcs



PRESENCE SENSOR

02014

- LED POWER 300 W
- 360°
- 20 m
- 20 °C
- +40 °C
- 220-240 V
- 50-60 Hz
- 1000 W max
- IP 65
- INDOOR OUTDOOR
- LUX adjustable < 3-2000
- MIN: 10 sec ± 3 sec
- MAX: 30 min ± 2 min



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size 102,5 x 102,5 x 58,3mm
Package size 565 x 385 x 232 mm
20 pcs



PHOTOELECTRIC SMOKE ALARM

02015

- ≥85/3m dB
- 1 x 9V
- IP 20
- INDOOR
- TEST
- 10 YEAR
- 10 °C
- +50 °C
- TEST button
- Low battery indication



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size Ø115 x 25 mm
Package size 625 x 220 x 265 mm
20 pcs

BS EN 14604 : 2005



PIR MOTION SENSOR


02016

- LED POWER 300 W
- 180°
- 12 m
- INDOOR OUTDOOR
- 50-60 Hz
- 20 °C
- +40 °C
- 1200 W max
- 220-240 V
- IP 65
- MIN: 10 sec ± 5 sec
- MAX: 7 min ± 2 min
- LUX adjustable < 3-2000



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size 80 x 12,4 x 52 mm
Package size 440 x 395 x 225 mm
30 pcs



MICROWAVE SWITCH SENSOR

02017

- LED POWER 1000 W
- 1-8 m
- INDOOR
- 20 °C
- +40 °C
- 360°
- 220-240 V
- 50-60 Hz
- 2000 W max
- IP 20
- MIN: 10 sec ± 3 sec
- MAX: 12 min ± 2 min
- LUX adjustable < 3-2000
- SENSITIVITY adjustable



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size Ø115 x 25 mm
Package size 625 x 220 x 265 mm
20 pcs



TWILIGHT SENSOR

02018

- LED POWER 300 W
- 15
- INDOOR OUTDOOR
- 20 °C
- +40 °C
- 220-240 V
- 50-60 Hz
- IP 65
- LUX
- LUX adjustable < 2-100



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size 48 x 63,4 x 27,3 mm
Package size 42,1 x 47,9 x 26,5mm
? x ? x ? mm
20 pcs



MICROWAVE SWITCH SENSOR

O2019

LED POWER 300 W 360°/180° 5-15 m -20 °C +40 °C

220-240 V 50-60 Hz 300/1200 W max IP 20 INDOOR

LUX adjustable < 5/30/150/2000 MIN: 5 sec ± 3 sec MAX: 10 min ± 2 min



CE EAC www.thorgeon.com Manufactured in PRC

Item size 39,4 x 55,5 x 25,5 mm
Package size ? x ? x ? mm
30 pcs



TWILIGHT SENSOR

O2020

LED POWER 300 W 360° 6 m -20 °C +40 °C

220-240 V 50-60 Hz 800 W max IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10sec ± 3 sec MAX: 12 min ± 1 min SENSITIVITY adjustable



CE EAC www.thorgeon.com Manufactured in PRC

Item size Ø76 x 75,4 mm
Package size ? x ? x ? mm
20 pcs

BUILT-IN

Installing Height WALL: 1.5-3.5M



PIR MOTION SENSOR

O2021

LED POWER 300 W 360° 6 m -20 °C +40 °C

220-240 V 50-60 Hz 1200 W max IP 20 INDOOR

LUX adjustable < 3-2000 MIN: 10 sec ± 3 sec MAX: 7 min ± 2 min



CE EAC www.thorgeon.com Manufactured in PRC



LED DIAMOND LIGHT

03013

LED POWER 40 W
 COLOR 2700-6500 K
 LUMENS 2950
 120°
 INDOOR
 -20 °C
 +50 °C

30000 H
50-60
220-240 V
IP 20
RA 80
10-100%



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
 Ø400 x 105 mm
 Package size
 650 x 445 x 455 mm



LED DIAMOND LIGHT

03014

LED POWER 100 W
 COLOR 2700-6500 K
 LUMENS 5900
 120°
 INDOOR
 -20 °C
 +50 °C

30000 H
50-60
220-240 V
IP 20
RA 80
10-100%



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
 Ø 600 x 105 mm
 Package size
 650 x 445 x 455 mm



LED DIAMOND LIGHT

03015

LED POWER 100 W
 COLOR 2700-6500 K
 LUMENS 5800
 120°
 INDOOR
 -20 °C
 +50 °C

30000 H
50-60
220-240 V
IP 20
RA 80
10-100%



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
 Ø 800 x 150 mm
 Package size
 840 x 683 x 825 mm



LED DIAMOND LIGHT

03016

LED POWER 72 W
 COLOR 2700-6500 K
 LUMENS 5100
 120°
 INDOOR
 -20 °C
 +50 °C

30000 H
50-60
220-240 V
IP 20
RA 80
10-100



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
 470 x 470 x 70 mm
 Package size
 512 x 560 x 560 mm



Ø255 mm



MICROWAVE LED SENSOR LAMP

03001

LED POWER 10 W LUMENS 800 180°/360° 4-16 m INDOOR OUTDOOR

220-240 V 50-60 IP 44 IK 10 50000 H

MIN: 10 sec ± 3 sec MAX: 7 min ± 2 min SENSITIVITY adjustable LUX adjustable 5/15/50/2000 (choice)



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø 255 x 90 mm Package size 580 x 580 x 298 mm

10 pcs



Ø265,5 mm



CIRCULAR LED LAMP

03011

LED POWER 16 W COLOR 4000 K LUMENS 1450 INDOOR OUTDOOR IP 65

220-240 V 50-60 -20 °C +40 °C IK 10 50000 H



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø 265,5 x 40 mm Package size 525 x 285 x 285 mm

10 pcs



Ø265,5 mm



MICROWAVE LED SENSOR LAMP

03012

LED POWER 16 W COLOR 4000 K LUMENS 1450 180°/360° 4-16 m INDOOR OUTDOOR

220-240 V IP 65 50-60 IK 10 -20 °C +40 °C 50000 H

LUX adjustable 5/15/50/2000 (choice) SENSITIVITY adjustable MIN: 10 sec ± 3 sec MAX: 7 min ± 2 min



CE ENEC www.thorgeon.com Manufactured in PRC

Item size Ø 265,5 x 40 mm Package size 525 x 285 x 285 mm

10 pcs



595 mm

595 mm

Driver INCLUDED



OFFICE LED PANEL

03017

LED POWER 40 W COLOR 4000 K LUMENS 4000 120° IP 20 INDOOR -20 °C +40 °C

220 - 240 V 50-60 30000 H RA 80 EYE-PROTECTION FLICKER-FREE



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 595 x 595 x 9 mm Package size 600 x 600 x 100 mm

1 pcs



595 mm

595 mm

Driver INCLUDED



OFFICE LED PANEL

03018

LED POWER 40 W COLOR 3000 K LUMENS 4000 120° IP 20 INDOOR -20 °C +40 °C

220 - 240 V 50-60 30000 H RA 80 EYE-PROTECTION FLICKER-FREE



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 595 x 595 x 9 mm Package size 600 x 600 x 100 mm

1 pcs



595 mm

595 mm

Driver INCLUDED



OFFICE LED PANEL

03019

LED POWER 40 W COLOR 4000 K LUMENS 4000 120° IP 20 INDOOR -20 °C +40 °C

220 - 240 V 50-60 50000 H RA 80 EYE-PROTECTION FLICKER-FREE



CE ENEC www.thorgeon.com Manufactured in PRC

Item size 595 x 595 x 9 mm Package size 600 x 600 x 100 mm

1 pcs



OFFICE LED PANEL

03035

- LED POWER: 36 W
- COLOR: 4000 K
- LUMENS: 3960
- Beam angle: 120°
- IP 20
- INDOOR
- 20 °C
- +40 °C
- 220 - 240 V
- 50-60 Hz
- 30000 H
- RA 80
- EYE-PROTECTION
- FLICKER-FREE



CE ENEC
www.thorgeon.com
Manufactured in PRC
Item size: 595 x 595 x 9 mm
Package size: 600 x 600 x 100 mm
1 pcs



OFFICE LED PANEL

03036

- LED POWER: 36 W
- COLOR: 3000 K
- LUMENS: 3960
- Beam angle: 120°
- IP 20
- INDOOR
- 20 °C
- +40 °C
- 220 - 240 V
- 50-60 Hz
- 30000 H
- RA 80
- EYE-PROTECTION
- FLICKER-FREE



CE ENEC
www.thorgeon.com
Manufactured in PRC
Item size: 595 x 595 x 9 mm
Package size: 600 x 600 x 100 mm
1 pcs



OFFICE LED PANEL

03020

- LED POWER: 40 W
- COLOR: 4000 K
- LUMENS: 4000
- Beam angle: 120°
- IP 20
- INDOOR
- 20 °C
- +40 °C
- 220 - 240 V
- 50-60 Hz
- 30000 H
- RA 80
- EYE-PROTECTION
- FLICKER-FREE



CE ENEC
www.thorgeon.com
Manufactured in PRC
Item size: 295 x 1195 x 9 mm
Package size: 300 x 1300 x 130 mm
1 pcs



OFFICE LED PANEL

03021

- LED POWER: 40 W
- COLOR: 3000 K
- LUMENS: 4000
- Beam angle: 120°
- IP 20
- INDOOR
- 20 °C
- +40 °C
- 220 - 240 V
- 50-60 Hz
- 30000 H
- RA 80
- EYE-PROTECTION
- FLICKER-FREE



CE ENEC
www.thorgeon.com
Manufactured in PRC
Item size: 295 x 1195 x 9 mm
Package size: 300 x 1300 x 130 mm
1 pcs




OFFICE LED PANEL

03022

- LED POWER: 20 W
- COLOR: 4000 K
- LUMENS: 2000
- Beam angle: 120°
- IP 20
- INDOOR
- 20 °C
- +40 °C
- 220 - 240 V
- 50-60 Hz
- 30000 H
- RA 80
- EYE-PROTECTION
- FLICKER-FREE



CE ENEC
www.thorgeon.com
Manufactured in PRC
Item size: 295 x 595 x 9 mm
Package size: 300 x 600 x 100 mm
1 pcs



MOUNTED FRAME 60x60

03023

FIT FOR 595*595 PANEL LIGHT



CE ENEC www.thorgeon.com
Manufactured in PRC



Item size

600 x 600 x 9 mm

Package size

652 x 57 x 55 mm



CONCEALED FRAME 60x60 (rigips)

03037

FIT FOR 595*595



CE ENEC www.thorgeon.com
Manufactured in PRC




Item size

600x 600 x 9 mm

Package size

652 x 57 x 55 mm



MOUNTED FRAME 30x120

03024

FIT FOR 1195*295 PANEL LIGHT



CE ENEC www.thorgeon.com
Manufactured in PRC




Item size

300 x 1200 x 50 mm

Package size

1252 x 57 x 55 mm



GYPSUM (SPRING)

03025



CE ENEC www.thorgeon.com
Manufactured in PRC



Item size

80 x 80 x 30 mm

Package size

450 x 200 x 200 mm



METAL CABLE (SUSPENDED KITS)

03026

Wire's length: 1 meter



CE ENEC www.thorgeon.com
Manufactured in PRC




Item size

150 x 70 x 20 mm

Package size

280 x 220 x 190 mm



SCHOOL DESK LUMINAIRE

03032



LED POWER Hz
T8 1200mm 220 - 240 V 50-60 G13



CE ENEC www.thorgeon.com
Manufactured in PRC



Item size

1230 x 360 x 500 mm


Package size

1241 x 166 x 95 mm



WATERPROOF LUMINAIRE 120cm

03040




LED POWER 17/33W
COLOR 3000K
LUMENS 2000/4000
Hz 50-60
Volt 175-265V
Beam 120°
Light Ra80
Temp 50000
Dimm NO DIMM
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 0.795 kg



1 pcs
 Item size 1210 x 54 x 53 mm
 Package size 1215 x 56 x 56 mm

WATERPROOF LUMINAIRE 120cm

03041




LED POWER 17/33W
COLOR 4200K
LUMENS 2000/4000
Hz 50-60
Volt 175-265V
Beam 120°
Light Ra80
Temp 50000
Dimm NO DIMM
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 0.795 kg



1 pcs
 Item size 1210 x 54 x 53 mm
 Package size 1215 x 56 x 56 mm

WATERPROOF LUMINAIRE 120cm

03044 PHILIPS driver inside



LED POWER 33W
COLOR 4200K
LUMENS 4000
Hz 50-60
Volt 175-265V
Beam 120°
Light Ra80
Temp 50000
Dimm 10-100%
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 0.925 kg



1 pcs
 Item size 1210 x 54 x 53 mm
 Package size 1215 x 56 x 56 mm

WATERPROOF LUMINAIRE 150cm

03042



LED POWER 33/50W
COLOR 3000K
LUMENS 4000/6000
Beam 120°
Light Ra80
Temp 50-60
Volt 175-265V
Temp 50000
Dimm NO DIMM
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 0.970 kg



1 pcs
 Item size 1210 x 54 x 53 mm
 Package size 1215 x 56 x 56 mm

WATERPROOF LUMINAIRE 150cm

03043



LED POWER 33/50W
COLOR 4200K
LUMENS 4000/6000
Beam 120°
Light Ra80
Temp 50-60
Volt 175-265V
Temp 50000
Dimm NO DIMM
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 0.970 kg



1 pcs
 Item size 1510 x 54 x 53 mm
 Package size 1515 x 56 x 56 mm

WATERPROOF LUMINAIRE 150cm


03045 PHILIPS driver inside



LED POWER 50W
COLOR 4200K
LUMENS 6000
Beam 120°
Light Ra80
Temp 50-60
Volt 175-265V
Temp 50000
Dimm 10-100%
Temp 15000
IP IP65
IK IK08
Temp -20°C +40°C
Env INDOOR OUTDOOR
Class Class II
Wiring Through wiring 4
Weight 1.100 kg



1 pcs
 Item size 1510 x 54 x 53 mm
 Package size 1515 x 56 x 56 mm



EMERGENCY LED

03027

LED POWER 3 W COLOR 6000 K LUMENS 50 IP 40 30 M

H_z 50-60 220 - 240 V 3 H 24 H 0 °C +25 °C



www.thorgeon.com Manufactured in PRC

Item size 209 x 171 x 43 mm
Package size 540 x 390 x 380 mm
30 pcs



EMERGENCY LED

03028


LED POWER 5 W COLOR 6000 K LUMENS 50 IP 65 30 M

H_z 50-60 220 - 240 V 3 H 24 H 0 °C +25 °C



www.thorgeon.com Manufactured in PRC

Item size 311 x 62,9x 110,5 mm
Package size 800 x 350 x 190 mm
10 pcs



LED EMERGENCY LUMINAIRE

03029

LED POWER 3.0W(AC) 3.0W(DC) COLOR 6000 K LUMENS 220 IP 20

H_z 50-60 220 - 240 V 3 H 24 H 0 °C +25 °C



www.thorgeon.com Manufactured in PRC

Item size Ø 130 x 57 mm
Package size 300 x 700 x 350 mm
40 pcs



LED EMERGENCY LUMINAIRE

03030

LED POWER 5.0W(AC) 3.0W(DC) COLOR 6000 K LUMENS 220 IP 20

H_z 50-60 220 - 240 V 3 H 24 H 0 °C +25 °C



www.thorgeon.com Manufactured in PRC

Item size Ø 130 x 56,4 mm
Package size 300 x 700 x 350 mm
40 pcs



LED EMERGENCY LUMINAIRE

03031

LED POWER 5.0W(AC) 3.0W(DC) COLOR 6000 K LUMENS 180 IP 20


H_z 50-60 220 - 240 V 3 H 24 H 0 °C +25 °C



www.thorgeon.com Manufactured in PRC


Item size Ø 130 x 56,4 mm
Package size 300 x 700 x 350 mm
40 pcs

ALL EMERGENCY LED HAVE UNIVERSAL CONNECTION





		ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W [mW]	L [mm]	H [mm]
 	04002	LED	4751029890559	10	240	E27	A60	3000	806	806	A+	50	55	100
	04014	LED	4751029893116	10	240	E27	A60	4000	806	806	A+	60	113	100
	04003	LED	4751029890566	12	240	E27	A60	3000	1055	1055	A+	60	116	100
	04015	LED	4751029893123	15	240	E27	A60	3000	1521	1521	A+	60	116	100
 	04006	LED	4751029890504	7	240	E27	B35	3000	470	470	A+	37	100	100
	04020	LED	4751029893178	8	175-260	E27	B35	3000	550	550	A+	37	100	100
 	04007	LED	4751029890511	7	240	E14	B35	3000	470	470	A+	45	100	100
	04019	LED	4751029893161	8	175-260	E14	B35	3000	550	550	A+	37	100	100
 	04008	LED	4751029890528	7	240	E27	P45	3000	470	470	A+	45	81	100
	04018	LED	4751029893154	8	175-260	E27	P45	3000	550	550	A+	45	81	100
 	04009	LED	4751029890535	7	240	E14	P45	3000	470	470	A+	45	81	100
	04017	LED	4751029893147	8	175-260	E14	P45	3000	470	470	A+	45	81	100
 	04010	LED	4751029890573	5	175-260	GU10	GU10	3000	400	400	A+	50	55	100
	04021	LED	4751029893185	5	175-260	GU10	GU10	4000	400	400	A+	50	55	100
	04011	LED	4751029890580	7	175-260	GU10	GU10	3000	550	550	A+	50	55	100
	04022	LED	4751029893192	7	175-260	GU10	GU10	4000	550	550	A+	50	55	100

		ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W [mW]	L [mm]	H [mm]
 <div style="display: flex; flex-direction: column; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-bottom: 5px;">120</div> <div style="font-size: 8px; margin-bottom: 5px;">Lm/W</div> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-bottom: 5px;">150</div> <div style="font-size: 8px;">Lm/W</div> </div>	04027	TUBE	4751029893246	9	240	T8	T8	4000	1080	1080	A+	28	600	100
	04028	TUBE	4751029893253	18	240	T8	T8	4000	2160	2160	A+	28	1200	100
	04030	TUBE	4751029893277	16	240	T8	T8	4000	2400	2400	A++	28	1200	100
	04029	TUBE	4751029893260	22	240	T8	T8	4000	2640	2640	A+	28	1500	100
	04031	TUBE	4751029893284	24	240	T8	T8	4000	3700	3700	A++	28	1500	100



SODIUM LAMPS



ID	TYPE	EAN	W	V	☰	💡	K	Lm	A	EEL	↔	↑ H _{max}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05001	SN-T	4751029890627	70	90	E27	T38	2000	6000	0.98	A+	36	156	12000	19000	28000	12
05002	SN-T	4751029890634	100	100	E40	T46	2000	9000	1.2	A+	47	209	12000	20000	28000	12
05003	SN-T	4751029890641	150	100	E40	T46	2000	15000	1.8	A+	47	209	12000	20000	28000	12
05004	SN-T	4751029890658	250	100	E40	T46	2000	28000	3	A+	47	255	12000	20000	28000	12
05005	SN-T	4751029890665	400	100	E40	T46	2000	48000	4.6	A+	47	286	12000	20000	28000	12
05058	SN-T	4751029892003	600	100	E40	T46	2000	86500	10.6	A+	66	279	12000	20000	28000	12
05038	SN-T	4751029891570	1000	100	E40	T76	2000	13000	10.6	A++	66	390	8000	14000	20000	12

AGRO SODIUM LAMPS



ID	TYPE	EAN	W	V	☰	💡	K	Lm	A	EEL	↔	↑ H _{max}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05006	SN-T AGRO	4751029890672	400	128	E40	T46	2000	57000	4	A+	47	205	18000	25000	20000	12
05007	SN-T AGRO	4751029890689	600	190	E40	T76	2000	85550	5.45	A++	47	205	9500	30000	32000	12

SODIUM LAMPS WITH IGNITOR



ID	TYPE	EAN	W	V	☰	💡	K	Lm	A	EEL	↔	↑ H _{max}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05039	SN-I	4751029891587	70	105	E27	ED90	2000	5440	0,84	A	71	156	8000	16000	28000	40
05035	SN-I	4751029891549	110	105	E27	ED90	2000	9600	1,32	A	71	156	7000	15000	28000	40
05036	SN-I	4751029891556	220	115	E40	ED90	2000	19000	2,2	A	91	227	12000	16000	26000	20
05037	SN-I	4751029890634	350	115	E40	ED90	2000	34000	3,6	A	122	290	12000	16000	26000	15



ID	TYPE	EAN	W	V	☰	💡	K	Lm	A	EEL	↔	↑ H _{max}
05033	SX-T	4751029891471	18	55	BY22d	T54	1800	1800	0,35	A+	54	216
05032	SX-T	4751029891464	35	70	BY22d	T54	1800	4800	0,60	A+	54	311
05034	SX-T	4751029891488	55	109	BY22d	T54	1800	8000	0,59	A+	54	425
05186	SX-T	4751029893307	90	112	BY22d	T65/68	1800	12500	0,94	A+	65/68	528
05187	SX-T	4751029893314	135	164	BY22d	T65/68	1800	21500	0,95	A+	65/68	775



05 METAL-HALIDE LAMPS



ID	TYPE	EAN	W	V	⌀	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05057	MH-T	4751029891822	150	220	E40	T46	4000	16300	0,98	A	47	255	3000	6000	12000	18
05008	MH-T	4751029890696	250	128	E40	T46	4500	20500	9,1	A	47	255	3000	6000	12000	18
05009	MH-T	4751029890702	400	125	E40	T46	4500	32000	16,5	A	47	286	3000	6000	12000	18



ID	TYPE	EAN	W	V	⌀	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05010	MH-T	4751029890719	1000	220	E40	4300	35000	8,25	A	57	378	2000	6000	10000	4



ID	TYPE	EAN	W	V	⌀	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05011	MH-T	4751029890726	2000	380	E40	4200	189000	9,1	A	100	425	2000	6000	10000	4
05019	MH-T	4751029890825	2000	220	E40	4200	180000	16,5	A	100	425	2000	6000	10000	4



ID	TYPE	EAN	W	V	⌀	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05012	MH-BU	4751029890733	250	128	E40	ED90	4500	18000	0,84	A	91	226	3000	6000	12000	20
05013	MH-BU	4751029890740	400	125	E40	ED90	4500	32500	1,32	A+	122	290	3000	6000	12000	15
05020	MH-BP	4751029890832	250	128	E40	ED90	4500	20500	2,2	A+	47	155	3000	6000	12000	20
05021	MH-BP	4751029890849	400	128	E40	ED90	4500	32500	3,6	A+	121	284	3000	6000	12000	15



ID	TYPE	EAN	W	V	⌀	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05025	MH-NDL	4751029890924	70	220	E27	ED17	4000	5100	0,98	A	55	75	2000	4000	6000	20
05026	MH-WDL	4751029890931	70	220	E27	ED17	2900	4700	1,2	A	55	80	2000	4000	6000	20
05027	MH-NDL	4751029890948	100	220	E27	ED17	4000	8500	1,2	A	55	80	2000	4000	6000	20
05028	MH-WDL	4751029890955	100	220	E27	ED17	2900	8000	1,2	A	55	88	2000	4000	6000	20
05029	MH-NDL	4751029890962	150	220	E27	ED17	4000	12000	1,8	A	55	75	2000	4000	6000	20
05030	MH-WDL	4751029890979	150	220	E27	ED17	2900	11600	1,8	A	55	88	2000	4000	6000	20



ID	TYPE	EAN	W	V	⌀	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	↑ H _{min}	t[h]/5%	t[h]/20%	t[h]/50%	♻️
05219	MH-WDL	4751029893970	70	220	E27	ED17	3200	5300	0,98	A	55	75	3500	6000	10000	20
05220	MH-WDL	4751029893987	100	220	E27	ED17	3200	8500	1,2	A	55	80	3500	6000	10000	20
05221	MH-NDL	4751029893994	100	220	E27	ED17	3800	8500	1,2	A	55	80	3500	6000	10000	20
05222	MH-WDL	4751029894007	150	220	E27	ED17	3200	12000	1,2	A	55	88	3500	6000	10000	20
05024	MH-NDL	4751029890917	70	220	E27	ED17	2900	5600	0,98	A	55	75	2000	4000	6000	20
05031	MH-NDL	4751029890986	150	220	E27	ED17	4000	12500	1,8	A	55	85	2000	4000	6000	20

MERCURY LAMPS



ID	TYPE	EAN	W	V	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	$\downarrow H_{min}$	t[h]/5%	t[h]/20%	t[h]/50%	⊕
05014	HPL	4751029890757	50	85	E27	4200	1770	0,61	A	70	155	3500	6000	10000	40
05015	HPL	4751029890764	80	105	E27	4200	3600	0,8	A	71	155	3500	6000	10000	40
05016	HPL	4751029890771	125	115	E27	4200	6200	1,15	A	76	173	3500	6000	10000	40
05017	HPL	4751029890788	250	125	E40	4200	12700	2,1	A	91	226	3750	7500	10000	20
05018	HPL	4751029890795	400	130	E40	4200	22000	3,25	A	122	290	3750	7500	10000	15
05022	HPL	4751029891856	700	110	E40	4200	42000	5,4	A	155	339	1500	5300	8000	6
05023	HPL	4751029890863	1000	115	E40	4200	52500	7,5	A	182	396	1500	5300	8000	6

MIX (ML) MERCURY LAMPS



ID	TYPE	EAN	W	V	⊘	K	Lm	A	EEL	$\frac{W}{lm}$	$\downarrow H_{min}$	t[h]/5%	t[h]/20%	t[h]/50%	⊕
05053	HPL MIXED	4751029891761	160	230	E27	4200	3200	0,74	A	767	173	3000	5000	8000	40
05054	HPL MIXED	4751029891778	250	230	E40	4200	5500	1,18	A	90	215	3000	5000	8000	20
05056	HPL MIXED	4751029891785	250	230	E40	4200	5500	1,2	A	90	226	2000	5000	10000	20
05055	HPL MIXED	4751029891792	400	230	E40	4200	13000	2,29	A	122	290	3000	5000	8000	15



HALOGEN LAMPS



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W _{max}	↑ H _{max}	🌐
05188	CERAM CR-T	4751029893338	40	240	B15D	T13	2800	590	D	13	64	100
05206	CERAM CR-T	4751029893673	53	240	B15D	T13	2800	840	D	13	87	100
05189	CERAM CR-T	4751029893345	60	240	B15D	T13	2800	980	D	13	64	100
05213	CERAM CR-T	4751029893871	60	240	B15D	T13	2800	980	D	13	87	100
05190	CERAM CR-T	4751029893352	70	240	B15D	T13	2800	1180	D	13	80	100
05191	CERAM CR-T	4751029893369	100	240	B15D	T13	2800	1800	D	13	84	100
05192	CERAM CR-T	4751029893376	150	240	B15D	T13	2800	2780	D	13	84	100
05193	CERAM CR-T	4751029893383	205	240	B15D	T13	2800	4200	D	13	84	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W _{max}	↑ H _{max}	🌐
05194	CERAM CR-T	4751029893390	70	240	E27	T32	2800	1180	D	32	105	100
05195	CERAM CR-T	4751029893406	100	240	E27	T32	2800	1800	D	32	105	100
05196	CERAM CR-T	4751029893413	150	240	E27	T32	2800	2780	D	32	105	100
05197	CERAM CR-T	4751029893420	205	240	E27	T32	2800	4200	D	32	105	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W _{max}	↑ H _{max}	🌐
05209	CERAM CR-T	4751029893727	40	240	E14	T13	2800	590	D	19	65	2400
05205	CERAM CR-T	4751029893635	52	240	E14	T13	2800	800	D	19	65	2400
05210	CERAM CR-T	4751029893734	60	240	E14	T13	2800	980	D	19	68	2400
05204	CERAM CR-T	4751029893642	70	240	E14	T13	2800	1180	D	19	65	2400
05201	CERAM CR-T	4751029893567	105	240	E14	T13	2800	1800	D	19	68	2400
05202	CERAM CR-T	4751029893574	130	240	E14	T13	2800	2400	C	19	85	2400
05211	CERAM CR-T	4751029893741	150	240	E14	T13	2800	2870	C	19	85	2400
05203	CERAM CR-T	4751029893581	175	240	E14	T13	2800	3300	C	19	85	2400
05212	CERAM CR-T	4751029893758	205	240	E14	T13	2800	4200	C	19	85	2400



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W _{max}	↑ H _{max}	🌐
05214	ECO	4751029893901	18	240	B15D	C35	2700	205	D	35	97	2400
05216	ECO	4751029893925	28	240	B22	C35	2700	370	D	35	97	2400
05217	ECO	4751029893932	28	240	B15D	C35	2700	370	D	35	97	2400



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	W _{max}	↑ H _{max}	🌐
05215	ECO	4751029893918	18	240	E14	C35	2800	205	D	35	97	2400



REFLECTOR LAMPS



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05124	REFLECTOR CLEAR	4751029892522	25	240	E14	R39	2700	140	E	39	62	100
05125	REFLECTOR CLEAR	4751029892539	30	240	E14	R39	2700	170	E	39	62	100
05127	REFLECTOR CLEAR	4751029892553	40	240	E14	R50	2700	270	E	39	62	100
05128	REFLECTOR CLEAR	4751029892560	60	240	E14	R50	2700	580	E	39	62	100
05129	REFLECTOR CLEAR	4751029892577	40	240	E27	R63	2700	270	E	39	62	100
05130	REFLECTOR CLEAR	4751029892584	60	240	E27	R63	2700	580	E	39	62	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05199	HALOGEN	4751029893499	50	240	GU10	PAR20	2500	400	D	63	62	100
05175	HALOGEN	4751029893031	75	240	GU10	PAR20	2800	700	D	63	62	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05142	HALOGEN	4751029892706	10	12	G4	MR11	2500	120	C	35	35	100
05143	HALOGEN	4751029892713	20	12	G4	MR11	2500	350	C	35	35	100
05144	HALOGEN	4751029892720	35	12	G4	MR11	2500	595	C	35	35	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05145	HALOGEN	4751029892737	20	12	Gu5.3	MR16	2500	350	C	50	53	100
05146	HALOGEN	4751029892744	35	12	Gu5.3	MR16	2500	595	C	50	53	100
05147	HALOGEN	4751029892751	50	12	Gu5.3	MR16	2500	900	C	50	53	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05061	HALOGEN	4751029892126	20	230	GU10	MR16	2500	135	D	50	53	100
05234	HALOGEN	4751029894526	25	230	GU10	MR16	2500	190	D	50	53	100
05060	HALOGEN	4751029892027	50	230	GU10	MR16	2500	360	D	50	53	100
05059	HALOGEN	4751029892010	35	230	GU10	MR16	2500	240	D	50	53	100



ID	TYPE	EAN	W	V	☰	💡	K	Lm	EEL	↔ W (mm)	↑ H (mm)	📏
05148	HALOGEN	4751029892768	100	240	R7S	R7S	2800	1400	E	10	78	100
05149	HALOGEN	4751029892775	150	240	R7S	R7S	2800	2400	E	10	78	100
05152	HALOGEN	4751029892805	200	240	R7S	R7S	2800	3300	E	10	118	100
05153	HALOGEN	4751029892812	300	240	R7S	R7S	2800	4000	E	10	118	100
05154	HALOGEN	4751029892829	500	240	R7S	R7S	2800	8500	E	10	118	100
05155	HALOGEN	4751029892836	750	240	RS7	RS7	2700	12000	E	10	189	100
05156	HALOGEN	4751029892843	1000	240	RS7	RS7	2700	16500	E	10	189	100
05158	HALOGEN	4751029892867	1500	240	RS7	RS7	2700	25000	E	10	189	100



HALOGEN LAMPS



ID	TYPE	EAN	W	V	Ⓜ	💡	K	Lm	EEL	W _{max}	↑ H _(mm)	Ⓢ
05200	HALOGEN	4751029893512	18	240	E27	P45	2700	205	C	45	79	100
05171	HALOGEN	4751029892997	28	240	E14	G45	2700	370	C	45	79	100
05172	HALOGEN	4751029893000	42	240	E14	G45	2700	625	C	45	79	100
05173	HALOGEN	4751029893017	28	240	E27	G45	2700	370	C	45	72	100
05174	HALOGEN	4751029893024	42	240	E27	G45	2700	625	C	45	72	100
05167	HALOGEN	4751029892959	28	240	E14	C35	2700	370	C	35	97	100
05168	HALOGEN	4751029892966	42	240	E14	C35	2700	625	C	35	97	100
05169	HALOGEN	4751029892973	28	240	E27	C35	2700	370	C	35	94	100
05170	HALOGEN	4751029892980	42	240	E27	C35	2700	625	C	35	94	100
05163	HALOGEN	4751029892911	42	240	E27	A55	2700	625	C	55	98	100
05164	HALOGEN	4751029892928	52	240	E27	A55	2700	815	C	55	98	100
05165	HALOGEN	4751029892935	70	240	E27	A55	2700	1175	C	55	98	100
05166	HALOGEN	4751029892942	105	240	E27	A55	2700	1900	C	55	98	100



ID	TYPE	EAN	W	V	Ⓜ	💡	K	Lm	EEL	W _{max}	↑ H _(mm)	Ⓢ
05139	HALOGEN	4751029892676	5	12	G4	G4	2800	60	D	10	33	100
05140	HALOGEN	4751029892683	10	12	G4	G4	2800	120	D	10	33	100
05141	HALOGEN	4751029892690	20	12	G4	G4	2800	350	D	10	33	100



ID	TYPE	EAN	W	V	Ⓜ	💡	K	Lm	EEL	W _{max}	↑ H _(mm)	Ⓢ
05159	HALOGEN	4751029892874	20	240	G9	G9	3000	210	D	12	45	100
05160	HALOGEN	4751029892881	40	240	G9	G9	3000	460	D	12	45	100
05161	HALOGEN	4751029892898	60	240	G9	G9	3000	650	D	12	45	100



ID	TYPE	EAN	W	V	Ⓜ	💡	BEAM	K	Lm	EEL	W _{max}	↑ H _(mm)	TIME	Ⓢ
05043	HALOGEN	4751029891624	75	230	GU10	GZ10	24°	2800	520	D	110	70	2000h	50



ID	TYPE	EAN	W	V	Ⓜ	💡	BEAM	K	Lm	EEL	W _{max}	↑ H _(mm)	TIME	Ⓢ
05049	HALOGEN	4751029891686	50	230	E27	PAR20	25°	2700k	400	D	63	83	2000h	100
05047	HALOGEN	4751029891662	75	230	E27	PAR30	30°	2700k	700	D	122	131	2000h	100
05048	HALOGEN	4751029891679	100	230	E27	PAR30	30°	2700k	1150	D	122	131	2000h	100
05045	HALOGEN	4751029891648	75	230	E27	PAR38	30°	2700k	700	D	95	92	2000h	100
05046	HALOGEN	4751029891655	100	230	E27	PAR38	30°	2700k	1150	D	95	92	2000h	100



ID	TYPE	EAN	W	V	Ⓜ	💡	BEAM	K	Lm	EEL	W _{max}	↑ H _(mm)	TIME	Ⓢ
05050	HALOGEN	4751029891358	120	24	E27	PAR38	25°	2700k	1545	D	63	83	2000h	100



SPECIAL STANDARD LAMPS



ID	TYPE	EAN	W	V	⌀	⊕	K	Lm	A	EEL	W _{max}	H _{max}	⊕
05092	CLEAR	4751029892218	40	240	B22	A55		305					100
05093	CLEAR	4751029893048	60	240	B22	A55		530					100
05096	FROSTED	4751029892249	40	240	B22	A55		290					100
05097	FROSTED	4751029892256	60	240	B22	A55		510					100



ID	TYPE	EAN	W	V	⌀	⊕	K	Lm	A	EEL	W _{max}	H _{max}	⊕
05075	FROSTED	4751029890191	40	240	E27	A55		290					100
05076	FROSTED	4751029890207	60	240	E27	A55		510					100
05123	CLEAR	4751029892515	7	240	E27	A55		60					100
05177	CLEAR	4751029892515	25	240	E27	A55		195					100
05178	CLEAR	4751029890023	40	240	E27	A55		305					100
05179	CLEAR	4751029890030	60	240	E27	A55		530					100
05180	CLEAR	4751029890047	75	240	E27	A55		680					100
05181	CLEAR	4751029890054	100	240	E27	A55		1080					100



ID	TYPE	EAN	W	V	⌀	⊕	K	Lm	A	EEL	W _{max}	H _{max}	⊕
05072	CLEAR	4751029890153	25	240	E14	B35		100					100
05076	CLEAR	4751029890160	40	240	E14	B35		330					100
05088	FROSTED	4751029890320	25	240	E14	B35		100					100
05089	FROSTED	4751029890337	40	240	E14	B35		330					100








ID	TYPE	EAN	W	V	⌀	⊕	K	Lm	A	EEL	W _{max}	H _{max}	⊕
05135	CLEAR	4751029892638	25	240	E14	B35		100					100
05136	CLEAR	4751029892645	40	240	E14	B35		330					100
05137	FROSTED	4751029892652	25	240	E14	B35		100					100
05138	FROSTED	4751029892669	40	240	E14	B35		330					100








ID	TYPE	EAN	W	V	⌀	⊕	K	Lm	A	EEL	W _{max}	H _{max}	⊕
05080	FROSTED	4751029890245	40	240	E27	G45		330					100
05081	FROSTED	4751029890252	60	240	E27	G45		540					100
05137	FROSTED	4751029892652	25	240	E14	B35		100					100
05138	FROSTED	4751029892669	40	240	E14	B35		330					100

SPECIAL STANDARD LAMPS









ID	TYPE	EAN	W	V			K	Lm	A	EEL			
05230	CLEAR	4751029894205	15	24	E14	T22	2300	100			22	48	100
05231	CLEAR	4751029894212	25	24	E14	T22	2300	200			22	48	100
05226	OVEN BULB	4751029894168	15	240	E14	T22	2300	100			22	48	100
05227	OVEN BULB	4751029894175	25	240	E14	T22	2300	200			22	48	100



ID	TYPE	EAN	W	V			K	Lm	A	EEL			
05224	CLEAR	4751029894144	15	240	E14	ST26	2300	100			26	57	100
05225	CLEAR	4751029894151	25	240	E14	ST26	2300	200			26	57	100



ID	TYPE	EAN	W	V			K	Lm	A	EEL			
05228	CLEAR	4751029894182	25	240	E14	T25L	2500	200			25	86	100
05229	CLEAR	4751029894199	40	240	E14	T25L	2500	350			25	86	100



THORGEON CCTV LED FLOODLIGHT

- ONVIF, P2P, RTSP protocol support
- Remote-activated Siren
- PIR motion activated LED Floodlights
- Outdoor Wi-Fi camera
- HD 1080P 2.0 Megapixel resolution
- Night vision 10m, with floodlight will be about 15m
- Call 112, 911 and custom SOS
- Built-in Microphone and speaker



CCTV LED FLOODLIGHT

03033

- ONVIF, P2P, RTSP protocol support
- Remote-activated Siren
- PIR motion activated LED Floodlights
- Outdoor Wi-Fi camera
- HD 1080P 2.0 Megapixel resolution
- Night vision 10m, with floodlight will be about 15m
- Call 112, 911 and custom SOS
- Built-in Microphone and speaker

LED POWER 10 W	LUMENS 800	COLOR 3000 K	VOLTAGE 110-260	BEAM ANGLE 120°	RANGE 5-8 m
1080P HD	COMPUTER/MOBILE CONTROL	IP 66	20000	INDOOR OUTDOOR	AP HOTSPOT
SOUND ALARM	110 DB	2-WAY TALK	NIGHT VISION	NIGHT&DAY FULL COLOR	-28°C +65°C
MULTI-USER VIEWING	LIVE VIEW	64GB CARD	ENCRYPTION PROTECTION	-28°C +65°C	

4 751029 893550

www.thorgeon.com
Manufactured in PRC

Item size
137 x 130 x 130 mm
Package size
137 x 130 x 130 mm

1 pcs



MINI PIR LED FLOODLIGHT

03002

LED POWER 20 W	COLOR 4000 K	LUMENS 2000	RANGE 3 - 5 M	BEAM ANGLE 120°
50 Hz	220 - 240 V	IP 65	RA 80	IK 09
MIN: 10 sec	MAX: 10 min	LUX adjustable	< 3 - 1000	

4 751029 890993

www.thorgeon.com
Manufactured in PRC

Item size
136 x 55 x 95 mm
Package size
475 x 320 x 250 mm

30 pcs



MINI PIR LED FLOODLIGHT

03003

LED POWER 30 W	COLOR 4000 K	LUMENS 3000	RANGE 4 - 6 M	BEAM ANGLE 120°
50 Hz	220 - 240 V	IP 65	RA 80	IK 09
MIN: 10 sec	MAX: 10 min	LUX adjustable	< 3 - 1000	

4 751029 891006

www.thorgeon.com
Manufactured in PRC

Item size
170 x 65 x 120 mm
Package size
475 x 320 x 250 mm

20 pcs



MINI PIR LED FLOODLIGHT

03004

LED POWER 50 W	COLOR 4000 K	LUMENS 5000	RANGE 4 - 6 M	BEAM ANGLE 120°
50 Hz	220 - 240 V	IP 65	RA 80	IK 09
MIN: 10 sec	MAX: 10 min	LUX adjustable	< 3 - 1000	

4 751029 891013

www.thorgeon.com
Manufactured in PRC

Item size
203 x 65 x 142 mm
Package size
475 x 320 x 250 mm

20 pcs



MINI PIR LED FLOODLIGHT

03010

LED POWER 10 W	COLOR 4000 K	LUMENS 1000	RANGE 3 - 5 M	BEAM ANGLE 120°
50 Hz	220 - 240 V	IP 65	RA 80	IK 09
MIN: 10 sec	MAX: 10 min	LUX adjustable	< 3 - 1000	

4 751029 891365

www.thorgeon.com
Manufactured in PRC

Item size
136 x 55 x 95 mm
Package size
475 x 320 x 250 mm

30 pcs



MINI LED FLOODLIGHT

03005

LED POWER 10 W	COLOR 4000 K	LUMENS 1000	120°	30000 H
Hz 50	220 240 V	IP 65	RA 80	IK 09



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
105 x 35 x 75 mm
Package size
475 x 320 x 250 mm

40 pcs



MINI LED FLOODLIGHT

03006

LED POWER 20 W	COLOR 4000 K	LUMENS 2000	120°	30000 H
Hz 50	220 240 V	IP 65	RA 80	IK 09



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
105 x 35 x 95 mm
Package size
475 x 320 x 250 mm

30 pcs



MINI LED FLOODLIGHT

03007

LED POWER 30 W	COLOR 4000 K	LUMENS 3000	120°	30000 H
Hz 50	220 240 V	IP 65	RA 80	IK 09



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
170 x 46 x 120 mm
Package size
475 x 320 x 250 mm

20 pcs



MINI LED FLOODLIGHT

03008

LED POWER 50 W	COLOR 4000 K	LUMENS 5000	120°	30000 H
Hz 50	220 240 V	IP 65	RA 80	IK 09



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
203 x 46 x 102 mm
Package size
475 x 320 x 250 mm

20 pcs



MINI LED FLOODLIGHT

03009

LED POWER 100 W	COLOR 4000 K	LUMENS 10000	120°	30000 H
Hz 50	220 240 V	IP 65	RA 80	IK 09



CE ENEC www.thorgeon.com
Manufactured in PRC

Item size
334 x 70 x 228 mm
Package size
425 x 365 x 265 mm

5 pcs



PORTABLE FLASHLIGHT

06001



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
Ø 30 x 115 mm
Package size
530 x 245 x 285 mm

30 pcs



ZOOM FLASHLIGHT

06002



CE EAC www.thorgeon.com
Manufactured in PRC


Item size
180 x 110 x 75 mm
Package size
440 x 385 x 430 mm

20 pcs



STRONG FLASHLIGHT

06003



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
Ø 13 x 150 mm
Package size
440 x 385 x 430 mm

20 pcs



STRONG FLASHLIGHT

06004



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
Ø 25 x 160 mm
Package size
440 x 385 x 430 mm

30 pcs



STRONG FLASHLIGHT

06005



CE EAC www.thorgeon.com
Manufactured in PRC


Item size
Ø 40 x 150 mm
Package size
440 x 385 x 430 mm

20 pcs



STRONG FLASHLIGHT

06006



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
Ø 13 x 150 mm
Package size
440 x 385 x 430 mm

30 pcs



STRONG FLASHLIGHT

06007

HEADBAND

LED POWER 3W
LUMENS 130
RANGE 75 M
IP IP 65
BATTERY 1*AA
TEMPERATURE -20 °C +50 °C
OPERATION 13 H



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 Ø 16 x 150 mm
 Package size
 475 x 320 x 250 mm



STRONG FLASHLIGHT

06008

LED POWER 3W
LUMENS 500
RANGE 20 M
OPERATION 4 H
FUNCTION 2.1A
BATTERY 3600 MAH



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 110 x 65 x 35 mm
 Package size
 330 x 190 x 260 mm



LED WORK FLASHLIGHT

06009

MAIN LED
LED POWER 4X0.5W
LUMENS 200
OPERATION 3 H
COLOR 6500K
IP IP 20
BATTERY 1600 MAH
TEMPERATURE 50-60 °C
OPERATION 3 H
TORCH LED
LED POWER 2W
LUMENS 150
OPERATION 4 H
TEMPERATURE -10 °C +45 °C
BATTERY 110 3H



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 175 x 20 x 35 mm
 Package size
 105 x 145 x 190 mm



LED WORK FLASHLIGHT

06010

MAIN LED
LED POWER 10W
LUMENS 1000
OPERATION 3 H
COLOR 6500K
IP IP 54
BATTERY 6600 MAH
TEMPERATURE 50-60 °C
OPERATION 3H
TORCH LED
LED POWER 3W
LUMENS 220
OPERATION 12 H
TEMPERATURE -10 °C +45 °C
BATTERY 385 3H



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 218 x 58 x 45 mm
 Package size
 124 x 55 x 232 mm



LED WORK FLASHLIGHT

06011

MAIN LED
LED POWER COB 5W
LUMENS 500
OPERATION 3 H
COLOR 6500K
IP IP 54
BATTERY 2500 MAH
TEMPERATURE 50-60 °C
OPERATION 3H
TORCH LED
LED POWER 3W
LUMENS 200
OPERATION 10 H
TEMPERATURE -10 °C +45 °C
BATTERY 195 3H



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 180 x 31 x 35 mm
 Package size
 100 x 36 x 188 mm



LED WORK FLASHLIGHT

06012

MAIN LED
LED POWER 6X0.5W
LUMENS 300
OPERATION 3-4 H
COLOR 6500K
IP IP 20
BATTERY 2200 MAH
TEMPERATURE 50-60 °C
OPERATION 310 4-5H
TORCH LED
LED POWER 1W
LUMENS 100
OPERATION 6 H
TEMPERATURE -10 °C +45 °C
BATTERY 310 4-5H



CE EAC www.thorgeon.com
Manufactured in PRC

Item size
 273 x 63 x 45 mm
 Package size
 306 x 30 x 125 mm



LED WORK FLASHLIGHT

06013

LED POWER 4X2W LUMENS 200 3 H

COLOR 6500K IP 20 1800 MAH 50-60 Hz -10 °C +45 °C 150 ~4H



CE EAC www.thorgeon.com
Manufactured in PRC



Item size 123 x 60 x 35 mm
Package size 160 x 40 x 170 mm



RECHARGEABLE LI-ION BATTERIE

06014

CORRENT: 0,5-0,75 A

3,7 V 750 MAH LI-ION



CE EAC www.thorgeon.com
Manufactured in PRC



RECHARGEABLE LI-ION BATTERIE

06015

CORRENT: 0,5-0,75 A

3,7 V 2600 MAH LI-ION



CE EAC www.thorgeon.com
Manufactured in PRC



RECHARGEABLE LI-ION BATTERIE

06016

CORRENT: 0,5-0,75 A

3,7 V 3400 MAH LI-ION



CE EAC www.thorgeon.com
Manufactured in PRC



LED MIRROR LIGHT

03049



30 cm CHROME

LED POWER 5 **LUMENS** 446 **COLOR** 3800-4200 K **VOLTAGE** 220-240V **FREQUENCY** 50 Hz
ANGLE 180° **DIMMABLE** NO DIMM **RA** Ra80 **LIFE** 30000 **TEMPERATURE** 15000
ON/OFF >1 sek **PROTECTION** IP 44 **EFFICIENCY** 0.255 **TEMPERATURE** 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 110 x 42 mm
Package size
310 x 121 x 45 mm

LED MIRROR LIGHT

03060



30 cm MATT BLACK

LED POWER 5 **LUMENS** 446 **COLOR** 3800-4200 K **VOLTAGE** 220-240V **FREQUENCY** 50 Hz
ANGLE 180° **DIMMABLE** NO DIMM **RA** Ra80 **LIFE** 30000 **TEMPERATURE** 15000
ON/OFF >1 sek **PROTECTION** IP 44 **EFFICIENCY** 0.255 **TEMPERATURE** 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 110 x 42 mm
Package size
310 x 121 x 45 mm

LED MIRROR LIGHT

03050



60 cm CHROME

LED POWER 9 **LUMENS** 800 **COLOR** 3800-4200 K **VOLTAGE** 220-240V **FREQUENCY** 50 Hz
ANGLE 180° **DIMMABLE** NO DIMM **RA** Ra80 **LIFE** 30000 **TEMPERATURE** 15000
ON/OFF >1 sek **PROTECTION** IP 44 **EFFICIENCY** 0.510 **TEMPERATURE** 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 110 x 42 mm
Package size
610 x 121 x 45 mm

LED MIRROR LIGHT

03061



60 cm MATT BLACK

LED POWER 9 **LUMENS** 800 **COLOR** 3800-4200 K **VOLTAGE** 220-240V **FREQUENCY** 50 Hz
ANGLE 180° **DIMMABLE** NO DIMM **RA** Ra80 **LIFE** 30000 **TEMPERATURE** 15000
ON/OFF >1 sek **PROTECTION** IP 44 **EFFICIENCY** 0.510 **TEMPERATURE** 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 110 x 42 mm
Package size
610 x 121 x 45 mm

LED MIRROR LIGHT

03051



90 cm CHROME

LED POWER 12 **LUMENS** 1000 **COLOR** 3800-4200 K **VOLTAGE** 220-240V **FREQUENCY** 50 Hz
ANGLE 180° **DIMMABLE** NO DIMM **RA** Ra80 **LIFE** 30000 **TEMPERATURE** 15000
ON/OFF >1 sek **PROTECTION** IP 44 **EFFICIENCY** 0.847 **TEMPERATURE** 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
900 x 110 x 42 mm
Package size
910 x 121 x 50 mm



LED MIRROR LIGHT

03046



30 cm CHROME

LED POWER 5
LUMENS 354
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.276 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 105 x 42 mm
Package size
312x 112 x 54 mm

LED MIRROR LIGHT

03058



30 cm MATT BLACK

LED POWER 5
LUMENS 354
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.276 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 105 x 42 mm
Package size
312x 112 x 54 mm

LED MIRROR LIGHT

03062



30 cm WHITE

LED POWER 5
LUMENS 354
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.276 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 105 x 42 mm
Package size
312x 112 x 54 mm

LED MIRROR LIGHT

03047



60 cm CHROME

LED POWER 9
LUMENS 635
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.552 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 105 x 42 mm
Package size
605x 117 x 54 mm

LED MIRROR LIGHT

03059



60 cm MATT BLACK

LED POWER 9
LUMENS 635
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.552 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 105 x 42 mm
Package size
605x 117 x 54 mm

LED MIRROR LIGHT

03063



60 cm WHITE

LED POWER 9
LUMENS 635
COLOR 3800-4200 K
Hz 220-240V 50
120° NO DIMM Ra80 30000 15000
>1 sek IP 44 0.552 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 105 x 42 mm
Package size
605x 117 x 54 mm



LED MIRROR LIGHT

03064



30 cm MATT BLACK

LED POWER 5 **LUMENS** 245 **COLOR** 3800-4200 K **Hz** 220-240V 50
 120° NO DIMM Ra80 30000 15000
 >1 sek IP 44 0.423 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
300 x 143 x 42 mm
Package size
312x 160 x 54 mm

LED MIRROR LIGHT

03053



60 cm WHITE

LED POWER 9 **LUMENS** 440 **COLOR** 3800-4200 K **Hz** 220-240V 50
 120° NO DIMM Ra80 30000 15000
 >1 sek IP 44 0.847 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 143 x 42 mm
Package size
612x 160 x 54 mm

LED MIRROR LIGHT

03065



60 cm MATT BLACK

LED POWER 9 **LUMENS** 440 **COLOR** 3800-4200 K **Hz** 220-240V 50
 120° NO DIMM Ra80 30000 15000
 >1 sek IP 44 0.847 0 °C +40 °C



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

1 pcs

Item size
600 x 143 x 42 mm
Package size
612x 160 x 54 mm



KITCHEN LED LIGHT

07028



CE ENEC FC
www.thorgeon.com
Manufactured in PRC

- COLOR**
4000 K
- LUMENS**
380
- IP 20**
- DIMM**
0-100%
- DIMM**
20-100%
- 7200 mAh**
- 33 h**
- 0 °C**
- +40 °C**
- Ra80**
- Motion Activated**

Item size
605 x 132 x 42 mm
Package size
620x 140 x 90 mm

1 pcs

MINI LED PROFILE

DEMO DISPLAY
FOR FREE
IN CASE OF
MOQ ORDER
OVER 300 €



- IP 20**
- INDOOR**
- 0 °C**
- +45 °C**

			W max		
07001	150mm	DC24V	3W	2700K	180
07002	250mm	DC24V	4W	2700K	240
07003	300mm	DC24V	5W	2700K	300
07004	500mm	DC24V	8W	2700K	480
07005	600mm	DC24V	9W	2700K	540
07006	900mm	DC24V	14W	2700K	840
07007	1000mm	DC24V	15W	2700K	900
07008	1200mm	DC24V	17W	2700K	1020

LED DRIVER



	W max		A
07009	40W	24V- AC220-240V	1.67
07010	60W	24V- AC220-240V	2.5
07011	80W	24V- AC220-240V	3.34



CE ENEC FC

ACCESSORIES



▶ Touch switch (07012)

Touch to turn on the light.



Manufactured in PRC




◀ Sensor switch (07013)

Infrared induction switch, the range of infrared induction \cong 15cm.



Manufactured in PRC



▲ Left corner connector (07022)

Support to turn left around the corner.
To connect two light bars together left "L".



Manufactured in PRC



▲ Right corner connector (07023)

Support to turn right around the corner.
To connect two light bars together right "L".



Manufactured in PRC



▲ " + " corner connector (07025)

Support to turn up and down & right and left.
To connect 4 light bars together like "+".



Manufactured in PRC



▲ Solid "L" corner connector (07026)

Support the connection in the spacial vertical corner.



Manufactured in PRC



▲ "T" corner connector (07024)

Support to turn left & right.
To connect three light bars together like "T".



Manufactured in PRC



Extension cable 1m (07019)

To add the distance between the power and the switch.
The common length of the extension cable is 1M.



Manufactured in PRC



▲ Input power line (07021)

Plug and play switch.



Manufactured in PRC



▲ Hand by hand connector (07018)

To connect two light bars together when there is a distance between them.
The common length of the connecting cable is 0.5M.



Manufactured in PRC



IV4 adapter junction cable (07020)

Support 4 lines output while 1 power input.
To connect 4 light bars in parallel.



Manufactured in PRC



◀ Dimmer switch (07014)

Adjust the brightness from 5% to 100%,
two kinds of dimming methods:
touch for section dimming and press for linear dimming.



Manufactured in PRC



The fixing clip-45° (07027)

For installing the light in the 90° corner.



Manufactured in PRC



Wall clips (07015)

For installing the light.



Manufactured in PRC



Middle connector (07017)

Connect two lighting bars together.



Manufactured in PRC



3M (07016)

Stick the light on the wall.



Manufactured in PRC



CIRCUIT BREAKER

08001

A Hz
10 50-60 240/415V IP 20 -5 °C +40 °C INDOOR



CE EAC www.thorgeon.com
Manufactured in PRC

200
pcs

Item size
Ø41,4 x 82mm
Package size
450 x 230 x 365 mm



CIRCUIT BREAKER

08002

A Hz
16 50-60 240/415V IP 20 -5 °C +40 °C INDOOR



CE EAC www.thorgeon.com
Manufactured in PRC

200
pcs

Item size
Ø41,4 x 82mm
Package size
450 x 230 x 365 mm



CIRCUIT BREAKER

08003

A Hz
20 50-60 240/415V IP 20 -5 °C +40 °C INDOOR



CE EAC www.thorgeon.com
Manufactured in PRC

200
pcs

Item size
Ø41,4 x 82mm
Package size
450 x 230 x 365 mm



CIRCUIT BREAKER

08004

A Hz
25 50-60 240/415V IP 20 -5 °C +40 °C INDOOR



CE EAC www.thorgeon.com
Manufactured in PRC

200
pcs

Item size
Ø41,4 x 82mm
Package size
450 x 230 x 365 mm



CIRCUIT BREAKER

08005

A Hz
32 50-60 240/415V IP 20 -5 °C +40 °C INDOOR



CE EAC www.thorgeon.com
Manufactured in PRC

200
pcs

Item size
Ø41,4 x 82mm
Package size
450 x 230 x 365 mm



MAKEUP MIRROR

09005

- LED POWER**
9W
- COLOR**
2800K-4200K
- LUMENS**
350LM
- DIMM**
10%-100%
- INDOOR**
- Hz**
50-60
- V**
220-240 V
- MAH**
3000 MAH
- TEMP**
0 °C
- TEMP**
+40 °C
- TIME**
5H



CE EAC www.thorgeon.com
Manufactured in PRC

8 pcs
Item size
41 x 38 x 37 mm
Package size
515 x 547 x 415 mm



LED TABLE LAMP

09001

- LED POWER**
9W
- COLOR**
2800K-4200K
- LUMENS**
350LM
- DIMM**
10%-100%
- WIRELESS CHARGER**
- Hz**
50-60
- V**
220-240 V
- INDOOR**
- TEMP**
0 °C
- TEMP**
+40 °C
- TIME & DATA**



CE EAC www.thorgeon.com
Manufactured in PRC

20 pcs
Item size
500 x 150 x 200 mm
Package size
470 x 340 x 390 mm



LED TABLE LAMP

09002

- LED POWER**
7W
- COLOR**
2800K-4200K
- LUMENS**
350LM
- DIMM**
10%-100%
- RGB / TOUCH LIGHT**
- Hz**
50-60
- V**
220-240 V
- INDOOR**
- TEMP**
0 °C
- TEMP**
+40 °C
- 21A**



CE EAC www.thorgeon.com
Manufactured in PRC

20 pcs
Item size
500 x 150 x 200 mm
Package size
540 x 300 x 330 mm



LED TABLE LAMP

09003

- LED POWER**
12W
- COLOR**
2800K-4200K
- LUMENS**
350LM
- DIMM**
10%-100%
- RGB**
- Hz**
50-60
- V**
220-240 V
- INDOOR**
- TEMP**
0 °C
- TEMP**
+40 °C
- TIME & DATA**



CE EAC www.thorgeon.com
Manufactured in PRC

30 pcs
Item size
500 x 150 x 200 mm
Package size
540 x 207 x 105 mm



UNIVERSAL DIMMER

10001



CE ENEC www.thorgeon.com
Manufactured in PRC

MAX 10 LAMPS (FOR 1 DIMMER)
COMPATIBLE WITH MOST GERMANY BRANDS



Item size
69,8 x 69,8 x 24 mm
1 pcs



WiFi LED DIMMER

10002



CE ENEC www.thorgeon.com
Manufactured in PRC

MAX 10 LAMPS (FOR 1 DIMMER)
COMPATIBLE WITH MOST GERMANY BRANDS



Item size
69,8 x 69,8 x 24 mm
1 pcs



ZIGBEE DIMMER

10003




CE ENEC www.thorgeon.com
Manufactured in PRC

COMPATIBLE WITH PHILIPS HUE, AMAZON ALEXA AND GOOGLE HOME



Item size
69,8 x 69,8 x 24 mm
1 pcs



Z-WAVE DIMMER

10004



CE ENEC www.thorgeon.com
Manufactured in PRC

COMPATIBLE WITH FIBARO



Item size
69,8 x 69,8 x 24 mm
1 pcs



UNIVERSAL
KEY 6in1
11001



CE EAC www.thorgeon.com
Manufactured in PRC

440
pcs

Item size
57 x 32 x 50 mm
Package size
600 x 530 x 530 mm



UNIVERSAL
KEY 10in1
11002



CE EAC www.thorgeon.com
Manufactured in PRC

500
pcs

Item size
95 x 25 x 95 mm
Package size
670 x 400 x 280 mm




UNIVERSAL
KEY 5 in1
11003



CE EAC www.thorgeon.com
Manufactured in PRC

500
pcs

Item size
95 x 25 x 95 mm
Package size
670 x 400 x 280 mm



MOSQUITO KILLER

13001



CE EAC   www.thorgeon.com
Manufactured in PRC



Item size
420 x 230 mm



THORGEON

www.thorgeon.nl info@thorgeon.nl

