



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)				
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Desktop				
Commercial name *	ThinkCentre M70q Gen 3				
Model number *	11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,11X6,11X9,11XB,11Y5,11Y6.				
Issue date *	2021-12-30				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information	ENERGY STAR; EPEAT; TCO				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,11X6,11X9, 11XB,11Y5,11Y6.	Logo	Lenovo
Issue date *	2021-12-30		

Produc	t environmental attributes - Legal requirements	Require	ment	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	X	\blacksquare	
	Comment: Legal reference has no maximum concentration value.		ш	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	_		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		$\overline{}$	
F 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\square		$\overline{}$
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\square		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and			
	https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The product complies with the Eco design requirements for energy-related products,	X		
	(see legal reference).		ш	ш
	Required information is; given in item P15 or added to this document,	\square		
	available at: https://www.lenovo.com/us/en/compliance/eco-			_
	declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\boxtimes		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	\boxtimes		
	(see legal reference).			
DC	Comment: Legal reference has no maximum concentration values. Treatment information			
P6 1*	Information Information Information Information Information for recyclers/treatment facilities is available (see legal reference).			
r0.1	miormation for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,11X6,11X9, 11XB,11Y5,11Y6.	Logo	Lenovo
Issue date *	2021-12-30		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7 P7.1*	Design, Disassembly, recycling Parts that have to be treated separately are easily separable	<u> </u>		
P7.1				
	Plastic materials in covers/housing have no surface coating.		$\underline{\underline{X}}$	Щ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		ᆜ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		ᆜ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		片	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime Ungrading can be done a g with processor mamory cards or drives			
	Upgrading can be done e.g. with processor, memory, cards or drives		井	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		Щ
P7.9	Spare parts are available after end of production for: 5 years			Щ
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	$\neg \neg$	\square	$\overline{}$
P7.13	Insulation materials of internal electrical cables are PVC free.	-	\overline{X}	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	J		
D7 45	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	1 📙	M	Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_	_	_
	according ISO 1043-4:	\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0,1%:	· 🖂		\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	Ш
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or b) The weight of recycled material is g.			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,11X6,11X9, 11XB,11Y5,11Y6.	Logo		Lenovo
Issue date *	2021-12-30			

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)				
P7.21*	Biobased plastic m	naterial content is used	I in the product (See N	OTE B7):			
		c parts' weight > 25 g,	s below shall be answ the biobased plastic m	ered; naterial content (calcula	ted as a percentage of		
		the biobased plastic r	naterial is g.				
P7.22*		ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp	ium mercury content pe	er lamp: mg		
P8	Batteries		•		· ·		
P8.1*	Battery chemical c	omposition: Lithium Id	on/Lithium Manganes	e Dioxide			
P9		tion (See NOTE B8)					
P9.1			s or energy consumpti				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	135 W	135 W	135 W	Full load		
Categor	Category I1						
Short Idle Enabled	State - WOL	8.2 W	8.2 W	8.2 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	5.7 W	5.6 W	5.6 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)) - WOL Enabled	1.1 W	1.1 W	1.1 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) -	WOL Enabled	0.5 W	0.5 W	0.5 W	Use for ENERGY STAR V8 registration (P _{off})		
Off (S5) -	WOL Disabled	0.27 W	0.27 W	0.27 W	Use for ErP		
Categor	ry 12						
Short Idle Enabled	State - WOL	10.1 W	8.5 W	9.9 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	8.1 W	6.9 W	6.1 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)) - WOL Enabled	1.1 W	1.1 W	1.1 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) -	WOL Enabled	0.5 W	0.5 W	0.5 W	Use for ENERGY STAR V8 registration (P _{off})		
	WOL Disabled	0.25 W	0.25 W	0.25 W	Use for ErP		
wall outlet but dis	ad supply / charger plugged in the sconnected from the product.)	W	W	W			
PTEC * Typical En	ergy Consumption	W	W	W			
ETEC *	ergy Consumption	i1: 31.6 kWh/year I2: 38.6 kWh/year	11: 31.3 kWh/yeari2: 33.3 kWh/year	i1: 31.5 kWh/year i2: 36.2 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_idle} x 0.15+ P _{short_idle} x 0.35)		
					Enabled; Pidle: Idle State - WOL Enabled		
		·	Efficiency Marking Pro	otocol) * : VI			
Display res	solution * : me	egapixels					
Default tim		ve mode: 25 minutes					
P9.2*	Information about t	the energy save function	on is provided with the	product.			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm} \\$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P9.3	Energy efficien	cy class (monitors only): N/A									
P10	Emissions										
	Noise emission – Declared according to ISO 9296 (See NOTE B9)										
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)							
	Idle	* HDD:Idle	* 3.4								
1	Operation	* HDD: Operating	* 3.5								
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$		n desktop – idle)							
	Other mode										
	Measured according to: ☐ ISO 7779 ☐ ECMA-74										
		Other (only if not covered by I	ECMA-74)								

Model nun	del number * 11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,11X6,11X9, 11XB,11Y5,11Y6.								Lenovo.			
Issue date	* 2	021-12-30										
	environme	ntal attribu	ıtes - Market	require	ments	(continued)			R	equire		met
Item										Yes	No	n.a.
	Electroma	gnetic emis	sions									
P10.4	Computer of program(s)	. ,	s the requireme	ent for lov	v frequei	ncy electroma	gnetic fields o	of the following	voluntary			
P12			uting products									
P12.1*	The display	/ meets the e	ergonomic requi	irements	of ISO 9	9241-307 for v	isual display	technologies.				\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.											
P13		and docum										
P13.1*	Product pa	ckaging mate	erial type(s): Co erial type(s): EF erial type(s): Po	PE	weig	ht (kg): 0.492 ht (kg): 0.083 ht (kg): 0.015						
P13.2*	Product pla	stic primary	packaging is fre	ee from F	PVC.					\boxtimes		
P13.3*			orrugated fiberber content: 70 °		ckaging,	specify the o	contained pe	rcentage of m	inimum post-			
P13.4*	Specify me	dia for user anic, Paper	and product do	cumentat	tion (tick	box):						
P13.5	User and p		this item if pape mentation on pa							\boxtimes		
	Totally chic	rine_free								\square		
	•	chlorine-free								H		
		chlorine-free								H		
B44			•									
P14	Voluntary			C 41 C - 11 -			(-)					
P14.1	rne produc	neets the	requirements of	i the iolic	wing voi	untary prograi	n(s):					
	ENERGY S Eco-label: Eco-label:	EPEAT TCO	Criteria v Criteria v Criteria v	ersion: 1	1680.1-2			Product catego Product catego Product catego	ory: Desktop			
P15												
P9			of specific con							1:	_	
	Test item	Category	CPU	Memory	HDD	SSD (M.2)	Graphics	power supply	Sleep mode			
	ES 1 2											
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:								on			
P9			fied Notebook .gov/index.cfn						v code=CO			
	Only Mach	ine Types 1	1T3,11T4.11U	0,11X2.1	1X6.11L	IS,11Y5 com	oly with EPE	AT and Energ	y Star			
	Only Machine Types 11T3,11T4,11U0,11X2,11X6,11US,11Y5 comply with EPEAT and Energy Star											

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M70q Gen 3	Logo
Model Number	11T3,11T4,11TY,11U0,11UB,11UC,11UD,11UE,11US,11UU,11X2,	
	11X6,11X9,11XB,11Y5,11Y6.	Lenovo
Issue Date	2021-12-30	
Additional information	ENERGY STAR; EPEAT; TCO	

	Product environmental attributes						
(d)	year of manufacture:				2022		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
·)	Etec value (kWh) per ErP Lot 3 Categorenable	ory and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]		64		64		
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)		
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)		
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	No #: (Yes / No)		
	Category of discrete graphics Card(s)		N/A		N/A		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		32.5		39.66		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		N/A		N/A		
g)	Idle state power demand (Watts);			I .	B: 8.4 D: 10.51		
n)	Sleep mode power demand (Watts);						
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
)	Off mode power demand (Watts);						
k)	Off mode with WOL enabled power demand (Watts) (where enabled);				B: 0.53 D: 0.49		
l)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50%	100% Avera	age				
n)	External power supply efficiency (if applicable)*:						
	Average active efficiency: 89%						
o)	"internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):						

·1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
, 1)	N/A	
-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: 80 plus program	
-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A	
)-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	IEC 62623 Ed. 1.0, 2012-10	
1)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on Energy Star Computer V8.0/Power on->Wait 5 minutes->Stable condition(long idle)	
-)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual	
	Set the power plan	
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	turn off the display: After 10 minutes	
	put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan:	
	To took the power plan.	
	Right-click the battery status icon and select Power Options .	
s)	 Right-click the battery status icon and select Power Options. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
s)	 Right-click the battery status icon and select Power Options. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or	
s)	 Right-click the battery status icon and select Power Options. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
s)	Right-click the battery status icon and select Power Options . Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual	
s)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have	
s)	1. Right-click the battery status icon and select Power Options . 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
s)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes	
s)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes	
s)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard.	
s)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: turn off the display: After 10 minutes put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan:	
	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference.	
t)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference.	25
t)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	N/A
t) u) v)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	
t) u) v)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	N/A
t) u) v) w)	1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Based on user manual Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: • turn off the display: After 10 minutes • put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard. To reset the power plan: 1. Right-click the battery status icon and select Power Options. 2. Choose or customize a power plan of your preference. Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality:	N/A

(z)		system, — in	s: — test voltage in V and frequency in formation and documentation on the in		
		Test	voltage in V and frequency in Hz: 23	0V/50Hz	
	Instrument	t Name Range Used or *****		Make and Model**	
AC Power S Power M Digital W		, ,		NF; EC1000S	
				YOKOGAWA; WT310	
		atch	Full Range	CASIO; HS-70W	
	Ambient M	1onitor -10~60°C; 0~100&RH		Testo; 622	
Addition	al Notebook Batter	v Informati	on:		
Audition	ar Notebook Datter		s] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery	[ies] in this product cannot be easily users themselves. 1)	7. 7	
Internal/built-in Battery					
External/	detachable Battery				
Bios Backup Battery					
Other:					
Additiona	Il information				
ymynaτopha s baterías de měnu bateria de ugeren kan il er Akku/die A sutajad ei sa uπαταρία[-ες //les batterie(-risnik ne mo. batteria/le b etotāji paši ne o gaminio ba ermék akkur batterija/batte tteriet [ene] i batterij(en)	e este producto no pueden s s/baterií v tomto výrobku bé kke uden videre udskifte bat kkus dieses Produkts kann/l la selle toote akut/akusid ise] στο προϊόν αυτό δεν μπορ s présente(s) dans ce produ že lako zamijeniti Bateriju sa atterie in questo prodotto no evar nomainīt šā ražojuma a terijos [baterijų] pats vartotoj	podykt не може eer sustituidas fåd neměli provádět teriet/batterierne können nicht ohr hölpasati asendioύν να αντικατασίτι ne peuvent ětr am u ovom proizvan può/possono ekumulatoru(-us). jas negali lengva elhasználó nem t 'jistghux tiġ/ijigu t erstattes av brue e gebruiker niet (да се замени[ят] лесно от самите потребитег cilmente por los propios usuarios. sami uživatelė. i dette produkt. le weiteres vom Benutzer selbst ausgetauscht w lada. σταθούν εύκολα από τους ίδιους τους χρήστες e facilement remplacée(s) par les utilisateurs eu vodu. lessere facilmente sostituita/e dall'utente. li pakeisti. udja egyedül egyszerűen kicserélni. sostitwita/i mill-utenti stess. likerne selv. lenakkelijk vervangbaar.	verden.	

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.