

# Skipoo Kattenluik

NL p.2-8  
EN p.9-16

## Handleiding



Lees deze instructies vóór gebruik om schade aan je nieuwe Skipoo product te voorkomen.

# Specificaties

**Productnaam:** Skipoo Kattenluik

**Modelnummer:** DOOR1014-1029

**Materiaal:** Kunststof

**Kleur:** Zwart & Wit

**Gewicht:** 440 gram

**Buitenmaat:** 23,5cm x 27cm x 5,5cm

**Binnenmaat:** 18cm x 19,5cm x 5,5cm

**RoHS**    



## SKIPOO

**Skipoo by MFT Trading**

Zoggelsestraat 15 A

5384 LL Heesch

## Kattenluik Diagram



## Productoverzicht



Frame  
voorkant



Frame  
achterkant



Schroeven  
(Lange & korte)



Dubbelzijdige  
tape



Afdekdopjes

# Instructies voor gebruik



De kat kan niet naar buiten



De kat kan niet naar binnen




Helemaal gesloten




Volledig open

# Installatie Kattenluik


Nodig: potlood, liniaal, elektrische zaag, boormachine en schroevendraaier.




Bepaal de positie van het kattenluik en markeer deze positie met een potlood.



Boor gaten (12 mm) in alle hoeken en snij het gat uit met een elektrische zaag.




Als de tunnel te dik is, gebruik dan een snijmachine om de tunnel door te snijden langs de lijn A of B.




Gebruik schuurpapier rond de randen nadat het gat is uitgesneden.

## Installatie Kattenluik



Plaats het kattenluik in positie met de dubbelzijdige tape. Bevestig de schroeven en draai deze aan met een schroevendraaier.



Plaats de afdekdopjes op de schroefgaten en druk deze aan. Het Skipoo kattenluik is nu klaar voor gebruik!

## Goed om te weten!

-  Als de huisdeur geen massief houten deur is of het is een composiet deur, maak dan eerst van tevoren een houten strip klaar om de deuropening af te dichten.
-  Vergeet niet om tijdens de installatie de voorzijde van het kattenluik te beschermen om krassen te voorkomen.
-  Als de buiten temperatuur onder -20 graden Celsius ligt, bevestig beschermfolie op het kattenluik om te voorkomen dat deze kan breken.
-  Draag bij installatie ten alle tijde een veiligheidsbril.
-  Sta niet toe dat uw kat door het gesloten luik heen probeert te duwen, hierdoor kan het slot beschadigen.



# Veelgestelde vragen



## Wat als de tunnel te lang is?

Mocht de tunnel te lang zijn, gebruik dan een snijmachine (of zaag) om de tunnel in te korten langs de aangegeven lijnen A of B (zie illustraties installatie)



## Mijn kat durft niet door het kattenluik heen, wat nu?

Probeer het luikje open te houden met een stukje tape, zodat uw kat zonder te duwen door het luik heen kan gaan en hierdoor vertrouwen opbouwt met het kattenluik.



## Waarom zit er een kleine inkeping aan de onderzijde?

Dit is het schuifontwerp wat ervoor zorgt dat de tunnel in te korten is mocht dit nodig zijn. Zo kan het kattenluik passend gemaakt worden voor iedere deur tot een maximale dikte van 5,5 cm.



## Hoe installeer ik het Skipoo kattenluik?

Het Skipoo kattenluik is eenvoudig te installeren met behulp van de installatie stappen en de illustraties in deze handleiding.



## Wat zijn de voordelen van een kattenluik?

Het grootste voordeel voor u is natuurlijk dat uw kat zelfstandig het huis of de kamer kan verlaten & binnenkomen, zonder dat u hiervoor hoeft te helpen. Daarnaast zijn er ook vele voordelen voor uw kat. Denk aan: Verbetering van de gezondheid, vermindering van stress, meer beweging en daarmee dus ook minder kans op overgewicht.  
Happy cat = Happy life!



# Skipoo Cat Flap

## User Manual



Please read these instructions before use to avoid damage to your new Skipoo product.

# Specifications

**Product name:** Skipoo Kattenluik

**Model number:** DOOR1014-1029

**Material:** Plastic

**Color:** Black & White

**Weight:** 440 gram

**Outer size:** 23,5cm x 27cm x 5,5cm

**Inner size:** 18cm x 19,5cm x 5,5cm

**RoHS**    




## SKIPOO

**Skipoo by MFT Trading**

Zoggelsestraat 15 A

5384 LL Heesch

## Cat Flap Diagram



## Product overview



Front door  
frame



Back door  
frame



Screws  
(Long & short)



Double-sided  
tape



Screw caps

# Operating Instructions



The cat can't go outside



The cat can't go inside




Totally closed




Completely open

# Installation Cat Flap


Required: Pencil, Ruler, Electric Saw, Drill and Screwdriver




Define the position of the cat flap and mark this position with a pencil.



Drill holes (12mm) in all the corners and cut out the hole with an electric saw.




If the tunnel is too thick, use a cutting machine to cut through the tunnel along the line A or B.




After the hole is cut out, use sandpaper around the edges.

## Installation Cat Flap



Place the cat flap in position by using the double-sided tape. Put the screws in place and tighten them with a screwdriver.



Place the screw caps on the screw holes and press on them. The Skipoo cat flap is now ready for use!

## Good to know!

-  If the front door is not a solid wooden door or it is a composite door, please prepare a wooden strip in advance to block the doorway.
-  Remember to protect the front of the cat flap during installation to prevent scratches.
-  If the outdoor temperature is below minus 20 degree Celcius, please attach protective film on the cat flap to prevent it from breaking.
-  Always wear safety goggles during installation.
-  Do not allow your cat to try to push through the closed hatch, as this may damage the lock.



# Frequently Asked Questions



## What if the tunnel is too long?

Should the tunnel be too long, use a cutting machine (or saw) to shorten the tunnel along the indicated lines A or B (see installation illustrations)



## My cat doesn't dare go through the cat flap, now what?

Try holding the hatch open with a piece of tape, allowing your cat to pass through the flap without pushing and thereby builds trust with the cat flap.



## Why is there a small notch at the bottom of the tunnel?

This is the sliding design which ensures that the tunnel can be shortened should the need arise. This way the cat flap can be made to fit for any door up to a maximum thickness of 5.5 cm.



## How do I install the Skipoo cat flap?

The Skipoo cat flap is easy to install using the installation steps and illustrations in this user manual.



## What are the benefits of a cat flap?

The biggest advantage for you of course, is that your cat can leave & enter the house or room independently, without you having to help. There are also many benefits for your cat. Think of: Improvement of health, reduction of stress, more exercise and therefore less chance of being overweight. Happy cat = Happy life!