

User Guide for Multi-purpose Telescopic Ladder

Indoors, outdoors, flexible

An innovation of the ladder

1. Important before using

Please read the instructions carefully and retain for future reference.

If you don't read the instructions properly and follow the instructions, you may get hurt during usage.

1. When stretching or contracting a ladder, first place one foot on the pedal of the lowest ladder and adjust the ladder to the height you want with your hands.

2. Make sure that the pedals on each section is locked before using the ladder.

3. Place one foot on the pedal of the lowest ladder, keep the balance of the ladder with one hand, and press the buttons on both sides of the lowest ladder with the other hand. When pressing the button, please be careful not to put your hand on the pedal.

4. Don't put your hand on the pedal when contracting.

5. Before usage, make sure that all parts are well installed. Also, make sure that the extended parts are locked.

6. Please keep the ladder clean. Do not touch oil, dust, snow, dyes and other chemical components. Make sure the shoes on the ladder are clean.


7. Make sure the ground is stable before the ladder stretches. If the ladder needs to be stretched or contracted again during use, make sure that the ladder is fully contracted and adjusted to the appropriate height.

8. Place the ladder on the solid ground. Please don't stand on the ladder with one foot. If there are no anti-skid measures, please do not put the ladder on the uneven, wet, ice and snow ground.

9. If someone tries to help you with the ladder, please do it.

10. Do not use if you are drunk, tired, pregnant after taking medicine, having psychological problems, have acrophobia or uncomfortable.


11. If you don't use the ladders, please fold them completely and keep them indoors.





2. Please read these 3 points below before use the ladder.

2.1. Tip: How to make sure the ladder is locked positively.


A From inner structure to understand



B from appearance to judge



2.2. The ladder is placed on the flat ground when it is used. The best inclination angle between the ladder and the ground is 75 degrees (as shown in the figure).



Tip!

It is suggested that two persons cooperate with each other and one person can hold the ladder below to ensure safety.

2.3. Attention: For much higher ladder (above 20 FT, for example), it is much better for you to assembly the balance bar before usage if there is a bar.

- ① Place the stabilizer bar at the end of the side shoot (shown).
- ② Fix the stable bar with nuts and bolts.

Tip: It is suggested that the screw be tightened so that it will not be lost in the future and will be more stable in use.




3. The way to open the ladder

3.1 Completely Open 3.2 In completely open

Usually, it is opened from bottom to desired height.

3.1 Completely Open




① Open the safety belt

③ Then you can use it before make sure it is safely locked and in right position. It's much better if another one hold the ladder when one use it.



② One foot step on the bottom of the ladder, and both hands hold the ladder to completely open.

3.2. Incompletely Open



For partially open, if the surrounding conditions are limited, please open it partially, from the top stage to the necessary height. As shown in the figure, the whole center of gravity is under the foot to prevent movement and tilt. This way is much better.

- a. it is the easy way to climb to the desired height from bottom
 - b. it is much safer for the stronger leg parts are used and the light parts are gathered at the top.
- Of course you can open from top, but, you would find this way is the best.

4. The way to fold the ladder


For most people, it is a little difficult to fold the ladder rather than open it. However, it would be easier if you follow the steps below and no hurt to your hands:



4.1 Hold the ladder up gently with your left hand, as shown in the figure. Note: The position of the hand is the upper part of the ladder's contraction joint. (The advantage of this is not to clamp the hand.) When the two sides of the ladder lock are open, the ladder will slowly slide and contract with gravity. (The advantage of this is that the ladder will slow down and the noise will be very low.)

For the other steps, please repeat the above method of contraction until they are fully closed.

4.2. Dangerous operation when fold the ladder: Do not put your hands on the pedals. Be careful not to be caught.



This way will result in a b c as below:

a very loud vibration and noise

b hurt hand

c bad mood

5. The movement and storage of the ladder



5.1. The ladder is flexible and easy to carry from one place to another.

5.2. The storage of the ladder

6. Daily attention

6.1 The ladder's load is 330lb. Don't overload.

6.2 Do not use hard things to collide with ladders, causing them to be deformed and unusable.

6.3 Keep the ladder safe.

6.4 Suggested indoor preservation.

6.5 If you can read the instructions well, you won't hurt your hand.

6.6 Overseas products may be scratched or stained, but it does not affect the use, please feel free to use it.