

- Latex Free, BPA Free, Phthalate Free
- Works with braces

FITTING INSTRUCTIONS:

- ① Bring water to a boil. Remove water from heat source. Immediately place mouthguard in water for 12 seconds (10 seconds if you wear braces).
- ② Lick your lips before placing mouthguard in your mouth. Carefully place mouthguard around all upper teeth. Bite down firmly and push tongue against roof of mouth. With a strong sucking motion, draw out all air and water. Use fingers to press mouthguard tight against your gums.
- ③ Rinse under cold water for 30 seconds to set.
- ④ If you do not get a proper fit the first time, repeat procedure.
- ⑤ To remove excess material that causes discomfort, you can trim your mouthguard with a small scissors.

In order for a mouthguard to protect, fit, and last it must be worn properly on your teeth and gums as indicated in the fitting instructions. If any mouthguard is chewed or not worn properly, its protection, fit and durability will be greatly diminished.

CERTIFICATE OF LIMITED WARRANTY AND DISCLAIMER

Purchasers may be covered by Shock Doctor's dental warranty. Shock Doctor's obligations under this warranty shall be limited to the lesser of: i. The actual dental expense incurred by the user; or ii. \$234 per injured or replaced tooth, up to a maximum liability of \$7,500 per incident. T&C's apply, see inside or please contact Shock Doctor's Consumer Affairs Department for complete dental warranty information.

22267 07122




©2021 United Sports Brands
11488 Slater Avenue
Fountain Valley, CA 92708
For Info: ShockDoctor.com
1-800-233-6956
MADE IN TAIWAN

Distributed by:
United Sports Brands
Janssen-Pharmaceuticaan 4
Post Box 4
2440 Geel, Belgium
ShockDoctorSports.eu



5100.1-CLR-AD



QNET B.V.
P.O. BOX 10110
5060 GA Oisterwijk
The Netherlands

QNET LTD.
Livingstone House, 309 Harrow Road
Wembley, Middlesex HA9 6BD
United Kingdom
+44-2045250603

