

NT-2012 1D Laser Wired Barcode Scanner

1. Keyboard Language

In order to let scanner upload the codes in a correct way, you have to set the keyboard language.

For example If you use French Keyboard, scan below barcode of “French keyboard”. So the scanner can be able to upload barcodes according to French keyboard layout. American Keyboard is set by default, if you use a US keyboard you can ignore this part.



00000000

American Keyboard



00000012

Italy Keyboard



00000017

Portugal Keyboard



00000009

French Keyboard



00000020

Spanish Keyboard



00000010

Germany Keyboard



00000027

Turkey Q Keyboard

2. Scan Mode



013301

Key trigger (by default)



013301

Continuous Mode

3. Common Function Barcodes



0E

Default Setting

4. Beep Sound On/ Off



011200

Turn off the sound



0B142

Turn on the sound

5. Terminator Setting



0202011000\$0D

Suffix Character- CR



0202011000\$0A

Suffix Character- LF



0202011000\$0D\$0A

Suffix Character-CR+LF



0202011000\$09

Suffix Character- TAB



0B20201

Cancel Suffix Character

6. Function Setup Barcodes



01281

Enable Code 11



01280

Disable Code 11



00221

Enable Code 39



00220

Disable Code 39



00231

Enable Full ASCII



00230

Disable Full ASCII



00261

Enable Code 32



00260

Disable Code 32



00821

Enable Code 93



00820

Disable Code 93



00891

Enable Code 128



00890

Disable Code 128



00861

Enable Codabar



00861

Enable Interleaved 2 of 5



01061

Enable Industrial 2 of 5



01161

Enable Matrix 2 of 5



01161

Enable MSI



00311

Enable UPC-A



00361

Enable UPC-E



00311

Enable EAN-13



00311

Enable EAN-8



00860

Disable Codabar



00860

Disable Interleaved 2 of 5



01060

Disable Industrial 2 of 5



01160

Disable Matrix 2 of 5



01160

Disable MSI



00310

Disable UPC-A



00360

Disable UPC-E



00360

Disable EAN-13



00310

Disable EAN-8

7. If you want to add prefix or suffix to the barcodes, please go to our official website www.gzxlscan.com to download the manual of ' **Prefix + suffix setting for 1D barcode scanner.**'

8.Support

For any inquiries or comments concerning our products, please send an email to service@gzxlscan.com, and we will respond to you as soon as possible.

Contact Information:

Tel.: +0086 20-6626-0708

Email: service@gzxlscan.com

Web: www.gzxlscan.com

Addr.: Unit 137, The Pacific Industry Park,Xintang Town,Zengcheng District,
Guangzhou,China/511340

Made in China