

# SAFETY DATA SHEET FOR CHEMICAL PRODUCTS (SDS)

Report No. NB2020030964EN

Date:

March 19, 2020

Page: 1/9

**Applicant Name** : LONGBOW FIRST AID PRODUCTS MANUFACTURER

**Applicant Address** : UNIT 103-2, 2/F, NO.3 BUILDING, AREA A, HANTIAN INDUSTRIAL  
PARK, SHENHAI ROAD, GUICHENG SUBDISTRICT, HANHAI  
DISTRICT, FOSHAN CITY

**Product Name** : Hand sanitizer

**Received Date** : March 18, 2020

**Compilation Period** : March 18, 2020 to March 19, 2020

**Regulatory Requirements** : As requested by the applicant, the Safety Data Sheet is prepared  
according to *Globally Harmonized System of Classification and  
Labelling of Chemicals (GHS) Rev\_8 (2019)* .

Signed for and on behalf of Guangdong NewBest Testing Service Co., Ltd.

Approved by:



Manager



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

## SECTION 1. Identification of the substance/preparation and company

<b>1.1 Product Identification</b>	:	Hand sanitizer
<b>1.2 Model No.</b>	:	/
<b>1.3 Recommended Use</b>	:	For hand cleaning and disinfection
<b>1.4 Manufacturer Name</b>	:	Longbow First Aid Products Manufacturer
<b>1.5 Manufacturer Address</b>	:	Unit 103-2, 2/F, No.3 Building, Area A, Hantian Industrial Park, Shenhai Road, Guicheng Subdistrict, Hanhai District, Foshan City
<b>1.6 Manufacturer Tel</b>	:	0757 81220959
<b>1.7 Manufacturer Fax</b>	:	81019208
<b>1.8 Manufacturer Email</b>	:	JENNY@CHINALONGBOW.COM
<b>1.9 Emergency Phone</b>	:	13590655501

## SECTION 2. Hazards identifications

### 2.1 Hazard Class:

According to *Globally Harmonized System of Classification and Labelling of Chemicals (GHS)* (part 2~4), classification of risk categories.

Flammable liquids, categories 3

Serious eye damage/eye irritation, categories 2A

### 2.2 Pictograms:



### 2.3 Signal word:

Warning

### 2.4 Hazard description:

H226 Flammable liquid and vapour



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

H319 Causes serious eye irritation

## 2.5 Precautionary description:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment. – if electrostatically sensitive and able to generate an explosive atmosphere.

P280 Wear protective gloves/protective clothing/eye protection/face protection. Manufacturer/supplier or the competent authority to specify the appropriate type of equipment.

## SECTION 3. Composition / information on ingredients

Ingredient(s) of the product: Mixture

Substance name	Conc. (%)	CAS. No
Ethanol	70	64-17-5
Water	24.26	7732-18-5
AcrylatesC10--30	0.5	/
Alkyl Acrylate Crosspolymer	0.1	/
Trethanolamine	0.1	102-71-6
Propylene Glycol	5	57-55-6
Butylphenyl Methylpropional	0.03	80-54-6
Linalool	0.01	78-70-6

## SECTION 4. First aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

### 4.1 Following inhalation:

If feeling uncomfortable, victim should be moved into fresh air. Seek medical attention.

### 4.2 Following skin contact:

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feeling uncomfortable.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbtscn.com](http://www.nbtscn.com)

Fax: 0769-22777508

E-mail: [newbest@nbtscn.com](mailto:newbest@nbtscn.com)

**4.3 Following eye contact:**

In case of contact may cause irritation, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately if eyes are hurt.

**4.4 Following ingestion:**

If ingestion rinse the mouth with water.

**SECTION 5. Firefighting measures****5.1 Hazardous Characteristics:**

Liquid and vapour are flammable.

**5.2 Extinguishing Media:**

Dry powder, Chemical foam, Carbon dioxide, water mist.

**5.3 Firefighting procedures:**

As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

**5.4 Hazardous combustion products:**

carbon monoxide

**SECTION 6. Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear appropriate protective measures (SEE SECTION 8).  
Avoid inhaling vapors and contacting with skin and eye.  
Ensure adequate ventilation. Remove all sources of ignition.

**6.2 Environmental precautions:**

Do not empty into drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

**6.3 Cleaning method:**

Remove by liquid absorbing material (e.g. kieselguhr). Adhered or collected material should be promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

## SECTION 7. Safe handling and storage

### 7.1 Handling Notes:

Stay away from heat and direct sunlight;  
Avoid contact with eyes and skin.

### 7.2 Storage Notes:

Stored in cool and dry condition  
Stored in compatible containers  
Do not store with incompatible material (see section 10.2)

## SECTION 8. Exposure controls / personal protection

### 8.1 Occupational Exposure Limit:

Substance	Country/Region	Occupational exposure limit (8h)		Occupational exposure limit (short time)	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethanol	US-OSHA	1000	1900	-	-

### 8.2 Engineering Control:

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.  
Ensure that eyewash stations and safety showers are proximal to the work-station location.

### 8.3 Personal Protection:

If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

### 8.4 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

## SECTION 9. Physical and chemical properties

<b>Appearance and Color</b>	Colourless liquid
-----------------------------	-------------------



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

# SAFETY DATA SHEET FOR CHEMICAL PRODUCTS (SDS)

Report No. NB2020030964EN

Date:

March 19, 2020

Page: 6/9

<b>Odour</b>	Odorless
<b>PH value</b>	No Data
<b>Flammability</b>	Combustible
<b>Density(g/cm<sup>3</sup>)</b>	0.89-0.90
<b>Relative steam density (air = 1)</b>	No Data
<b>Vapor pressure(MPa)</b>	No Data
<b>Octanol/water partition coefficient</b>	No Data
<b>Viscosity</b>	No Data
<b>Flash point(°C,Closed cup)</b>	13
<b>Boiling point(°C)</b>	85-87
<b>Melting point (°C)</b>	No Data
<b>Evaporation rate (kg/s)</b>	No Data
<b>UEL %(V/V)</b>	19
<b>LEL %(V/V)</b>	3
<b>Auto-ignition temperature(°C)</b>	No Data
<b>Decomposition temperature(°C)</b>	No Data
<b>Solubility</b>	Soluble in water

## SECTION 10. Stability and reactivity

### 10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

### 10.2 Material for avoiding:

Strong oxide, acid and alkali.

### 10.3 Contact conditions for avoiding:

Sunlight, high temperature.

### 10.4 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

## SECTION 11. Toxicological information

### 11.1 Acute toxicity:

Based on available data, the classification criteria are not met.

### 11.2 Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### 11.3 Serious eye damage/irritation:

Causes serious eye irritation.

### 11.4 Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

### 11.5 Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### 11.6 Carcinogenicity:

Based on available data, the classification criteria are not met.

### 11.7 Reproductive toxicity:

Based on available data, the classification criteria are not met.

### 11.8 STOT-single exposure:

Based on available data, the classification criteria are not met.

### 11.9 STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### 11.10 Aspiration hazard.:

Based on available data, the classification criteria are not met.

## SECTION 12. Ecological information

### 12.1 Toxicity:

No data available.

### 12.2 Persistence and degradability:

No data available.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)

**12.3 Bioaccumulative potential:**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Other Dangers:**

No data available.

**SECTION 13. Disposal considerations**

**13.1 Handling method for waste:**

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

**13.2 Handling method for uncleaned packaging**

Processing as general waste processing after the empty container.

**SECTION 14. Transport information**

Packing less than 1L, It can be shipped as general cargo.

Packaging Label	None
UN NO	None
Technical name	None
Transport hazard class	None
Subsidiary hazard class	None
Packing group	None
Limited quantities	1L

**SECTION 15. Regulatory information**

- Hazardous chemicals catalog
- Dangerous Goods Number Of United Nations
- Classification and code of dangerous goods



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)



Occupational Safety and Health Act (OSHA)

The principle of classification of transport packaging groups of dangerous goods

In accordance with all local laws.

## SECTION 16. Other information

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*\*\* END \*\*\*\*\*



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China

Tel: 400-877-6107

Website: [www.nbts.cn](http://www.nbts.cn)

Fax: 0769-22777508

E-mail: [newbest@nbts.cn](mailto:newbest@nbts.cn)