

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Portable Computer Tablet				
Commercial name *	Lenovo Tab M10 Gen3 (all models)				
Model number *	ZAAE,ZAAF,ZAAG,ZAAH				
Issue date *	2022.2.21				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wodern	umber *	ZAAE,ZAAF,ZAAG,ZAAH				
lssue da	ite *	2022.2.21	Lenov		R	
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🛛			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square			
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)				
P2.3*	Batterie	and accumulators are readily removable. (See legal reference)	\square			
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec https://	Juct is CE-marked to show conformance with applicable legal requirements (see legal reference). Jaration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for EU;				
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes			
-		al reference).				
	Require	d information is; given in item P15 or added to this document,	\square			
	•	available at (add URL):				
	https://	www.lenovo.com/us/en/compliance/eco-declaration				
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	d 🔀			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).				
P5.3*	(see leg	Juct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference).	ol 🔀			
		nt: Legal reference has no maximum concentration values. nt information				
P6						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	ZAAE,ZAAF,ZAAG,ZAAH	Logo			
Issue da	te *	2022.2.21		Lenovo		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>		МГ
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		⊢⊢	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			\square	
P7.8*	Upgradin	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 1 years				
P7.10	Service i	s available after end of production for: 1 years				
		and substance requirements				
P7.11*	Product of Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC Material type: PC Materia	al type: Stainle	ss steel		
P7.12		n materials of external electrical cables are PVC free.	71		\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, a	nd		
P7.15	Printed c	arcuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g _ ad in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🔀		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR40		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO</i> , CAS #: 3594		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: BDP , CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🔀		
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR40			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>P273 Avoid release to the environment.</i> and Hazard <i>H411 Toxic to aquatic life with long lasting effects</i> ree(s) for these classifications is/are found at (add URL(s)):	n have been			
P7.20*	Postcone	https://www.lookchem.com/sds181028-79-5.html, (See note B5) sumer recycled plastic material content is used in the product (See Note B6):				
1 1.20	lfYES;a a) Oft ape or	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	nt (calculated as	5		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	ımber *	ZAAE,Z	AAF,ZAAG,ZAAH			Logo	Lonovo	
Issue dat	te *	2022.2.2	1				Lenovo	
Product	environr	nental at	tributes - Market	t requirements (cont	tinued)		Requirement m	
Item				• •			Yes No n.a	
			stance requirement					
P7.21*		-		ed in the product (See N				
	a) Óft	otal plasti		ives below shall be answ g, the biobased plastic r		ated as a percenta	ge of	
	or	•	the biobased plasti					
P7.22*	Light sou	irces are f		e. less than 0,1 mg/lamp	o. num mercury content p	er lamp: mg		
P8	Batterie			•		· · ·		
P8.1*	Battery c	hemical c	omposition: Li-ion I	Polymer				
P9	Energy	consump	tion (See NOTE B8)				
P9.1	For the p		e following power lev	els or energy consumpt				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stan modes and test	dard for energy	
Peak (On	-max)		10.04 W	10.04 W	10.04 W	Full load		
Catego	ry2							
Short Idle Enabled	e State - W	OL	2.35 W	2.39 W	2.41 W	ENERGY STAF (P _{idle})	R Computers V8	
Long Idle State - WOL Enabled		OL	0.33 W	0.53 W	0.6 W	ENERGY STAF (P _{idle})	R Computers V8	
Sleep (S3) - WOL Di	isabled	0.33 W	0.53 W	0.6 W	ENERGY STAF	R Computers V8	
Off (S5) -	WOL Disa	bled	0.12 W	0.12 W	0.13 W	ENERGY STAF	R Computers V8	
EPS No-Ic External power	supply / charger	plugged in the the product.)	0.026 W	0.039 W	0.051 W			
ETEC *	ergy Cons		7.78 W	8.64 W	8.98 W		$\begin{array}{c} 000) \times (P_{off} \times 0.25 \\ + P_{long_{ldle}} \times 0.10 + \end{array}$	
			Poff: Off Mode(S5) -	WOL Enabled; Psleep: Slee	p Mode(S3) - WOL Enabl			
External F	ower Supp	ly Efficien	cy Level (Internation	nal Efficiency Marking Pi	rotocol) * : VI		· · · · · · · · · · · · · · · · · · ·	
Display re	solution * :	2.304 me	gapixels					
			ve mode: 0.5 minute	es				
9.2*	Informati	on about	the energy save fun	ction is provided with the	e product.	1		
9.3			class (monitors only)	-				
P10	Emissio	,	,,					
			Declared according	to ISO 9296 (See NOT	E B9)			
P10.1	Mode		Node description			nit A-weighted sour	nd power level, <i>L_{WA,c}</i> (B)	
	Idle	*			*			
	Operatio				*			
	Other mo		eclared A-weighted so	und pressure level (dB) $L_{p{\sf A}i}$	(operator position desktop – idle)		<u>k</u>	
	Other mo			und pressure level (dB) L_{pAl}				
	Measure	d accordi	ng to: ISO 7779 Other	ECMA-74 (only if not covered b				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	imber *	ZAAE,ZAAF,ZA	AG,ZAAH		Logo	Lonova		
Issue dat	te *	2022.2.21				Lenovo	тн	
Product	environr	nental attribute	s - Market requirements	(continued)		Requirement	met	
Item						Yes No	n.a.	
		magnetic emissio						
P10.4	program	i(s):	ne requirement for low frequer	ncy electromagnetic field	ds of the following volunt	ary		
P12		mics for computi						
P12.1*	-	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13		ing and documer						
P13.1*	Product Product	Product packaging material type(s): cardboard weight (kg): 0.215 Product packaging material type(s): paper(manual) weight (kg): 0.0625 Product packaging material type(s): PP Film weight (kg): 0.008						
P13.2*	Product	plastic primary pa	ckaging is free from PVC.			\boxtimes		
P13.3*		duct primary corru er recovered fiber	ugated fiberboard packaging, content: %	specify the contained	percentage of minimum	ı post-	\boxtimes	
P13.4*		media for user and ronic, 🔀 Paper, 🚺	d product documentation (tick Other	box):				
P13.5	Ùser an		item if paper documentation ntation on paper media is chlc					
		chlorine-free al chlorine-free						
	Process	ed chlorine-free				Ē		
P14	Volunta	ry programs						
P14.1	The proc	duct meets the rec	uirements of the following vol	untary program(s):				
	ENERG Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15	Additio	nal information (S	See NOTE B10)					
P9			specific configuration may	vary; description of th	e tested product config	juration:		
	informat knowled provideo informat	ion contained in th ge available at the I here is approxim ion.	representations, guarantees, is document. All information p time of completion, and supp ate and provided for informatio	rovided by supplier in the lier shall have no obligation onal purposes only. See	his document is provided ation to update such infor a Lenovo Account Repr	I based on supplier's rmation. The informat	ion	
P9			Notebooks & Tablet Compute /index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab M10 Gen3(LTE Voice/Wifi)	Logo
Model Number	ZAAE,ZAAF,ZAAG,ZAAH	
Issue Date	2022.2.21	Lenovo
Additional information		

	Product environmental attributes						
(d)	Year of manufacture:				2022		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4					
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	# <u>:</u> (Yes / No)	# <u>:</u> (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.52					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);				2.4		
(h)	Sleep mode power demand (Watts);				0.6		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);				
(j)	Off mode power demand (Watts);				0.13		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	iabled);				
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
(m)	External power supply efficiency (if appli	icable)*:					
	Average active efficiency: 81.93%						
	*internal note: show values for all available external p						
(0)	Minimum number of loading cycles that t			. ,	800cls , ≥70% of capacity		
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – ir	ternal PSU efficiency:			
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption						

(p-3) Measurement metho	odology used to determine information mentioned in p 0.5C Charge/Discharge	points (o) – loading cycles batteries:					
(p-4) Measurement metho	odology used to determine information mentioned in r	naximum, idle, sleep, off mode					
power as defined in	power as defined in Point P9.1 in the Product IT Eco Declaration:						
E	NERGY STAR Final Test Method for Computers, I	Rev. October 2019					
(q) Sequence of steps f	or achieving a stable condition with respect to power	demand::					
E	NERGY STAR Final Test Method for Computers, I	Rev. October 2019					
	sleep and/or off mode was selected or programmed:						
refer to power mai	nagement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s						
(s) Sequence of events off mode:	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
	er to power management, 0.5mins automatically r	-					
	ate condition before the computer automatically re s not exceed the applicable power demand requirement		0.5				
(u) Length of time after	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v) Length of time bef	ore the display sleep mode is set to activate after	user inactivity (in minutes):	1				
(w) Information on the e	nergy-saving potential of power management functio	nality:					
	refer to user manual						
(x) User information on	how to enable the power management functionality:						
	refer to user manual						
used for electrical te	230V50HZ-2%-Edition 2.0, 2011-01, Section 4						
Additional Notebook Batte							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information	1	I					
) he battery[ies] in this product cannot be e	easily replaced by users themselves.						
кумулаторната[ите] батерия[и] в този г	родукт не може да се замени[ят] лесно от самите потребител ser sustituidas fácilmente por los propios usuarios.	и.					
ýměnu baterie/baterií v tomto výrobku by rugeren kan ikke uden videre udskifte ba	neměli provádět sami uživatelé.						
	/können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.					
μπαταρία[-ες] στο προϊόν αυτό δεν μποι	ο ποιρασιτασταθούν εύκολα από τους ίδιους τους χρήστες μούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs eu	v mêmoo					
orisnik ne može lako zamijeniti Bateriju s	am u ovom proizvodu.	x-memes.					
etotāji paši nevar nomainīt šā ražojuma a							
	elhasználó nem tudja egyedül egyszerűen kicserélni.						
batterija/batteriji f'dan il-prodott ma tistax atteriet [ene] i dette produktet kan ikke le	djistghux tiģi/jiģu sostitwita/i mill-utenti stess. tt erstattes av brukerne selv.						
	le gebruiker niet gemakkelijk vervangbaar.						
ou as baterias deste produto não poden	n ser facilmente substituídas pelos próprios utilizadores.						
ateria (paterille) din acest produs nu poa	te (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.						

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.