

Printing date 27.02.2019

Revision: 14.02.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: MANNOL 9910 Windshield Sealant 310ml
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Sealant Adhesives
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND

info@sct-germany.de

- Further information obtainable from: Product safety department.
- **1.4 Emergency telephone number:** Giftinformationszentrum-Nord +49-551-19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard				
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Carc. 2	H351	Suspected of causing cancer.		
Repr. 1B	H360FD	May damage fertility. May damage the unborn child.		
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.		

GHS07

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
	H319 H317

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 1) · Hazard-determining components of labelling: bis(2-ethylhexyl) phthalate 4,4'-methylenediphenyl diisocyanate Hazard statements Causes skin irritation. H315 H319 Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 May cause an allergic skin reaction. H317 Suspected of causing cancer. H351 H360FD May damage fertility. May damage the unborn child. H335 May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. H373 Precautionary statements P101 If medical advice is needed, have product container or label at hand. Keep out of reach of children. P102 P103 Read label before use. P260 Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. P280 [In case of inadequate ventilation] wear respiratory protection. P284 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. P405 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Restricted to professional users. EUH204 Contains isocyanates. May produce an allergic reaction. · 2.3 Other hazards Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous components: CAS: 117-81-7 bis(2-ethylhexyl) phthalate 10-20% EINECS: 204-211-0 Repr. 1B, H360FD CAS: 101-68-8 4,4'-methylenediphenyl diisocyanate 5-10% EINECS: 202-966-0 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Not dangerous substances CAS: 25322-69-4 Propane-1,2-diol, propoxylated 35-45% NLP: 500-039-8 ·SVHC 117-81-7 bis(2-ethylhexyl) phthalate (Contd. on page 3)

GB



Printing date 27.02.2019

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

- Sand
- · For safety reasons unsuitable extinguishing agents: Water
- **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 $^{\cdot}$ 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 27.02.2019

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 3)

 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

•

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Store in cool, dry place in tightly closed receptacles.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
 Store in a cool location.
 Provide ventilation for receptacles.
 Information about storage in one common storage facility: Store away from ovidiging agents.
- Store away from oxidising agents. Store away from foodstuffs.
- Store away from water.
- Further information about storage conditions: Keep container tightly sealed.
 Store in a cool place.
 Store in dry conditions.
 Store receptacle in a well ventilated area.
 This product is hygroscopic.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

117-81-7 bis(2-ethylhexyl) phthalate (20.0%)

WEL Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

101-68-8 4,4'-methylenediphenyl diisocyanate (10.0%)

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

(Contd. on page 5)



GB -



Printing date 27.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 4) · Ingredients with biological limit values: 101-68-8 4,4'-methylenediphenyl diisocyanate (10.0%) BMGV 1 umol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles Safety glasses

Body protection: Protective work clothing

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 5)

9.1 Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Pasty
Colour:	Black
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
VOC (EC)	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Stable at environment temperature.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 6)

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde Poisonous gases/vapours

Carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h 110-220 mg/l

117-81-7 bis(2-ethylhexyl) phthalate

Oral LD50 30,600 mg/kg (rat)

Dermal LD50 25,000 mg/kg (rabbit)

101-68-8 4,4'-methylenediphenyl diisocyanate

LD50 2,200 mg/kg (mouse)

Primary irritant effect:

Oral

- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
- Suspected of causing cancer. **Reproductive toxicity**

May damage fertility. May damage the unborn child.

- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 8)



Printing date 27.02.2019

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 7)

- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- European waste catalogue
- HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
- HP 7 Carcinogenic
- HP 10 Toxic for reproduction
- HP 13 Sensitising

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated		
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	not regulated		
 14.4 Packing group ADR, IMDG, IATA 	not regulated		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.			
· UN "Model Regulation":	not regulated		

(Contd. on page 9)



Printing date 27.02.2019

Revision: 14.02.2019

Trade name: MANNOL 9910 Windshield Sealant 310ml

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Sunset date: 2015-02-21

117-81-7 bis(2-ethylhexyl) phthalate

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 51a, 56a

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

117-81-7 bis(2-ethylhexyl) phthalate

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Product safety department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Resp. Sens. 1: Respiratory sensitisation Category 1
- Skin Sens. 1: Skin sensitisation Category 1 Carc. 2: Carcinogenicity - Category 2
- Repr. 1B: Reproductive toxicity Category 1B

(Contd. on page 10)

GB



Revision: 14.02.2019

(Contd. of page 9)

Trade name: MANNOL 9910 Windshield Sealant 310ml

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Safety data sheet according to 1907/2006/EC, Article 31

* Data compared to the previous version altered.

— GB