


SERIES 50



Dimensions in: mm/inch

Series 50

Navigation lights – Classic model made of stainless steel

Application

Application depending on required visibilities.
See table in technical information. Lights with
⚓-symbol on European inland waterways
applicable.

Housing

Stainless steel, impact and shock resistant,
non-corrosive, non-magnetic, seawater
resistant

Optics

Lens: Fresnel, range of visibility 2 nm
(Masthead 3 or 5 nm) Material: plastic,
impact resistant and shock-proof, seawater
resistant

Protection degree

IP 56


Mounting

See drawing on p. 49


Electric

With 2-wire cable,
cable entry PG 9,
bulb included



1



2



3



No.		Description	Ship size	Wattage	Visibility	Housing colour	Mounting	Article number 12 V	Article number 24 V
1		Starboard	< 50 m / < 164 ft.	25 W	2 nm	Stainless steel	side-mount	3036102000	3036103000
		Port	< 50 m / < 164 ft.	25 W	2 nm	Stainless steel	side-mount	3035202000	3035203000
		Bicolor	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	side-mount	3033302000	3033303000
		Masthead	< 20 m / < 65 ft.	25 W	3 nm	Stainless steel	side-mount	3030002000	3030003000
		Masthead white strong	< 50 m / < 164 ft.	25 W	5 nm	Stainless steel	side-mount	3087002000	3087003000
		Stern	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	side-mount	3034002000	3034003000
		Stern yellow	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	side-mount	3091402000	3091403000
2		All-round white	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	deck-mount	3037012000	3037013000
		All-round white ordinary	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	deck-mount	3086012000	3086013000
		All-round white bright	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	deck-mount	3083012000	3083013000
		All-round red	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	deck-mount	3038212000	3038213000
		All-round green	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	deck-mount	3039112000	3039113000
		All-round yellow	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	deck-mount	3058412000	3058413000
3		All-round white	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	hoistable	3037002000	3037003000
		All-round white ordinary	< 20 m / < 65 ft.	10 W	2 nm	Stainless steel	hoistable	3086002000	3086003000
		All-round white bright	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	hoistable	3083002000	3083003000
		All-round red	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	hoistable	3038202000	3038203000
		All-round green	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	hoistable	3039102000	3039103000
		All-round yellow	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	hoistable	3058402000	3058403000
		All-round blue	< 20 m / < 65 ft.	25 W	2 nm	Stainless steel	hoistable	3085502000	3085503000



Spare Parts /* Extras
Ersatzteile /* Zubehör
Pièces de rechange /* Accessoires

83037010 white / weiß / blanc
 83083017 bright / hell / clair
 83086002 ordinary / gewöhnlich / ordinaire
 83038002
 83039002
 83058002



2



83037011 white / weiß / blanc
 83083008 bright / hell / clair
 83086001 ordinary / gewöhnlich / ordinaire
 83038001
 83039001
 83058001

90400002 12V/25W
 90400003 24V/25W
 90400005 12V/10W
 90400006 24V/10W

83037009

95800099

83037002
 83507003 with cable clamp / mit Kabelklemme /
 avec borne de câble / met kabelklem / con morsetto
 per cavi / con borne de cable / com borne para o cabo



83030006

95800099

1



83035002
 83036002
 83033002
 83030003
 83087001
 83034002
 83091001

63030009

*63030012 160 mm / 6.3" (S)
 *39080010 160 mm / 6.3" (S)
 *63030011 195 mm / 7.7" (S)
 *3902001 (S)

*83501004 (S)