



This is to certify that:

Sprue Safety Products Limited A division of Sprue Aegis plc Vanguard Centre Sir William Lyons Road Coventry CV4 7EZ United Kingdom

Holds Certificate Number:

0086-CPR-597993

In respect of:

EN 14604: 2005 Smoke Alarm Devices.

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 are applied and that the product fulfils (products fulfil) all the prescribed requirements set out above. This certificate remains valid as long as the test methods and/or factory production control requirements included in the harmonised standard(s), used to assess the performance of the declared essential characteristics, do not change and the products(s), and the manufacturing conditions in the plants(s) are not modified significantly.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 0086):

First Issued: 28/04/2014

Gary Fenton, Global Product Certification Director

Latest Issue: 20/05/2016

Page: 1 of 11

...making excellence a habit."

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

Manufacturing Plant:

Shenzhen CICAM Manufacturing Co., Limited Block 12, Antuoshan High-tech Industrial Park Xinsha Road, Shajing Street **Baoan District** Shenzhen 518104 China

Product Information

Battery Powered Smoke Alarms

| Model Reference | Туре |
|-----------------|---|
| SA410AP | Photoelectric Smoke Alarm with Alarm Silence Function. |
| SA410LL | Photoelectric Smoke Alarm with Alarm Silence Function and Long Life Lithium Battery. |
| SA410LLi | Photoelectric Smoke Alarm with Alarm Silence, Interconnect Function and Long Life Lithium Battery. |
| Micro 300 | Ionisation Smoke Alarm. |
| Micro 300AP | Ionisation Smoke Alarm with Alarm Silence Function. |
| Micro 300i | Ionisation Smoke Alarm with Interconnect. |
| SA900 | Ionisation Smoke Alarm with Long Life Lithium Battery. |
| SA900Si | Ionisation Smoke Alarm with Interconnect Function and Non-replaceable Lithium Battery. |
| SCO5 | Combined Photoelectric Smoke and CO Alarm with Alarm Silence Function and User-Replaceable Battery. |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 2 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

Product Information (continued)

Mains Powered Smoke Alarms

| Model Reference | Туре |
|-----------------|--|
| 670M | Ionisation Smoke Alarm with Interconnect and Alarm Silence Function. |
| 670MC | Ionisation Smoke Alarm with Rechargeable Capacitor Back-up, Interconnect and Alarm Silence Function. |
| 670MBX | Ionisation Smoke Alarm with 9V(PP3) Battery Back-up, Interconnect and Alarm Silence Function. |
| 670MRL | Ionisation Smoke Alarm with Rechargeable Lithium Battery Back-up, Interconnect and Alarm Silence Function. |
| 770MBX | Ionisation Smoke Alarm with 9V(PP3) Battery Back-up, Interconnect, Alarm Silence Function and Push Fit / Docking Station Base. |
| 770MRL | Ionisation Smoke Alarm with Rechargeable Lithium Battery Back-up, Interconnect, Alarm Silence Function and Push Fit / Docking Station Base. |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 3 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

| Model Reference | Alternative Branded Model | Supplier |
|-------------------|---------------------------|-------------------------------|
| M300 | SA200Q | First Alert |
| | SA202Q | First Alert |
| | M300 | Sprue Safety Products Limited |
| | M300T (Twin Pack) | Sprue Safety Products Limited |
| | Sa200 | Sprue Safety Products Limited |
| | Sa202BUK (Twin Pack) | Sprue Safety Products Limited |
| | SA302CUK | Sprue Safety Products Limited |
| | Acel AC-5040 | Electric Centre, Wolsely, UK |
| | AL6637 | Hagemeyer |
| | NL3630 | Newey & Eyre |
| | SD1M | Rexel Senate (Sector) |
| | WICKES - M300W | Wickes |
| | | |
| | M300TW (Twin Pack) | Wickes |
| | M300W | Wickes |
| | | |
| M300AP | M300AP | Sprue Safety Products Limited |
| | WICKES - M300AP | Wickes |
| | Deta 1101 | Deta Electrical Ltd |
| | | |
| M300i | M300i | Sprue Safety Products Limited |
| | | |
| M300T (Twin Pack) | WICKES - M300TW | Wickes |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 4 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

Alternative Branded Model

No. 0086-CPR-597993

| Model | Reference |
|-------|-----------|
| | |

SA410AP

SO501-AE-FR TPSO501-AE-FR BRK SA410 First Alert SA700 First Alert SA700APCE First Alert SA700CE First Alert SA700CF First Alert SA702 First Alert SA702CE First Alert SA703 (Triple pack) SIDOREXSA7 (Retail pack) SIDOREXSA4 (Trade pack) SO-AEB-100-FR SA700-AE-UK SA700L-AE-UK SA700-AE SA702-AE

AngelEye France AngelEye France Sprue Safety Products Limited First Alert Siemens SAS Siemens SAS AngelEye AngelEye AngelEye AngelEye AngelEye

Supplier

SA410LL

BRK SA410L First Alert SA700L First Alert SA700LL First Alert SA700LLE First Alert SA700LLCE SA700Q SA700L-AE

Sprue Safety Products Limited First Alert AngelEye

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 5 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

| Model Reference | Alternative Branded Model | Supplier |
|-----------------|---------------------------|-------------------------------|
| SA410LLi | SA702Q | First Alert |
| | SA700LUKW | Wickes |
| | SO510-AE-FR | AngelEye France |
| | TPSO510-AE-FR | AngelEye France |
| | BRK SA410Li | Sprue Safety Products Limited |
| | BRK SA410LLi | Sprue Safety Products Limited |
| | First Alert SA700Li | Sprue Safety Products Limited |
| | First Alert SA700LLi | Sprue Safety Products Limited |
| | SIDOREXSA7L (Retail pack) | Siemens SAS |
| | SIDOREXSA4L (Trade pack) | Siemens SAS |
| | SA700UKW | Wickes |
| | SA700Li-AE | AngelEye |
| | | |
| SA300 | SA300 | Sprue Safety Products Limited |
| | First Alert SA300L | Sprue Safety Products Limited |
| | First Alert SA300Li | Sprue Safety Products Limited |
| | SA300Q | First Alert |
| | SA300-AE-UK | AngelEye |
| | | |
| SA900Si | SA900Si | Sprue Safety Products Limited |
| | Deta 1103 | Deta Electrical Ltd |
| | | |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 6 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.

A member of BSI Group of Companies.

No. 0086-CPR-597993

| Model Reference | Alternative Branded Model | Supplier |
|-----------------|---------------------------|-------------------------------|
| SA900 | SA900 | Sprue Safety Products Limited |
| | SA900CBUK | Dicon Safety Products |
| | SA902CBUK | Dicon Safety Products |
| | | |
| 670M | 670M | Sprue Safety Products Limited |
| | Acel AC-5050 | Electric Centre, Wolsely, UK |
| | AL6639 | Hagemeyer |
| | NL3632 | Newey & Eyre |
| | | |
| 670MC | 670MC | Sprue Safety Products Limited |
| | Acel AC-5080 | Electric Centre, Wolsely, UK |
| | SD4 | Rexel Senate (Sector) |
| | | |
| 670MRL | 670MRL | Sprue Safety Products Limited |
| | Acel AC-5070 | Electric Centre, Wolsely, UK |
| | | |
| 670MBX | 670MBX | Sprue Safety Products Limited |
| | Deta 1111 | Deta Electrical Ltd |
| | Acel AC-5060 | Electric Centre, Wolsely, UK |
| | AL6638 | Hagemeyer |
| | Legrand 681431 | Legrand |
| | NL3631 | Newey & Eyre |
| | | |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 7 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

| Model Reference 670MBX | Alternative Branded Model SD3+ | Supplier Rexel Senate (Sector) |
|---------------------------|--------------------------------|--|
| | TWD-AI | Volex / Electrium |
| | WICKES - 670MBX | Wickes |
| | | |
| 770MBX | 1151 | Deta Electrical Ltd |
| | 770MBX | Sprue Safety Products Limited |
| | 770MBXW | Wickes |
| 770MRL | 770MRL | Sprue Safety Products Limited |
| SCO5 | SCO5-AE | AngelEye |
| | SC05CE | First Alert |
| | SCO5UK | First Alert |
| | SCO5-F | FireAngel |
| | SCO5Q | FireAngel |
| | SCO5JL | John Lewis |
| | | |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 8 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

Approval also includes the certified model number with one of the following suffixes to denote the language / country variant / packaging option or specific brand:

| Suffix | Country Variant | Suffix | Country Variant |
|--------|--|---------|------------------------------|
| -AT | Austria | -AUS | Australia |
| -BE | Belgium | -(BE) | Box Europe |
| -(BF) | Box France | -(BG) | Box Germany |
| -BNL | Dual Language Belgium & Netherlands | -(BUK) | Box UK |
| -(CE) | Clamshell Europe | -CEU | Central Europe |
| -(CF) | Clamshell France | -(CBUK) | Clam Box UK |
| -DE | Germany | -DK | Denmark |
| -EEU | Eastern Europe | -EU | Generic European Variant |
| -ES | Spain | -FI | Finland |
| -FR | France | -FF | Contains Fast Fit Bracket |
| -HU | Hungary | -INT | International |
| -IT | Italy | -(LCE) | Long Life Clamshell Europe |
| -(LE) | Box Long Life Europe | -NEU | Northern Europe |
| -(NF) | Box Netherlands/France | -NL | Netherlands |
| -NO | Norway | -PL | Poland |
| -Q | B&Q | -R | Retail |
| -SC | Scandinavia | -SE | Sweden |
| -SEU | Southern Europe | -SV | ServeCount variant (Germany) |
| -T | Trade | -UK | UK Clamshell |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 9 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

Appendix 1

| Harmonised Technical Specification EN 14604:2005 | | | |
|---|--------------------|-----------|--|
| Essential Characteristics | Performance | Clause | |
| Nominal activation conditions / sensitivity / response delay (response time) and performance under fire conditions | | | |
| Smoke alarm signals | Pass | 4.12 | |
| Repeatability | Pass | 5.2 | |
| Directional dependence | Pass | 5.3 | |
| Initial sensitivity | Pass | 5.4 | |
| Air movement | Pass | 5.5 | |
| Dazzling | Pass | 5.6 | |
| Fire sensitivity | Pass | 5.15 | |
| Sound output | Pass | 5.17 | |
| Sounder durability | Pass | 5.18 | |
| Alarm silence facility | Pass | 5.20 | |
| Operat | tional Reliability | | |
| Compliance | Pass | 4.1 | |
| Individual alarm indicator | Pass | 4.2 | |
| Mains on indicator | Pass | 4.3 | |
| Connection of external ancillary devices | Pass | 4.4 | |
| Means of calibration | Pass | 4.5 | |
| User replaceable components | Pass | 4.6 | |
| Normal power source | Pass | 4.7 | |
| Standby power source | Pass | 4.8 | |
| Electrical safety requirements | Pass | 4.9, 5.24 | |
| Routine test facility | Pass | 4.10 | |
| Terminals for external conductors | Pass | 4.11 | |
| Battery removal indication | Pass | 4.13 | |
| Battery connections | Pass | 4.14 | |
| Battery capacity | Pass | 4.15 | |
| Protection against the ingress of foreign bodies | Pass | 4.16 | |
| Additional requirements for software controlled smoke alarms | Pass | 4.17 | |
| Marking and data | Pass | 4.19 | |
| Impact | Pass | 5.11 | |
| Battery fault warning | Pass | 5.16 | |
| Battery reversal | Pass | 5.22 | |
| Backup power source | Pass | 5.23 | |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 10 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. 0086-CPR-597993

Appendix 1 (continued)

| Harmonised Technical Specification | | EN 14604:2005 | | |
|--|-----------------------------------|---------------|--|--|
| Essential Characteristics | Performance | Clause | | |
| Tolera | nce to supply voltage | | | |
| Variation in supply voltage | Pass | 5.21 | | |
| Durability | of Operational Reliability | | | |
| Dry heat | Pass | 5.7 | | |
| Cold (operational) | Pass | 5.8 | | |
| Damp heat (operational) | Pass | 5.9 | | |
| Sulphur dioxide (SO ₂) corrosion | Pass | 5.10 | | |
| Vibration (operational) | Pass | 5.12 | | |
| Vibration (endurance) | Pass | 5.13 | | |
| Durability of Operat | ional Reliability, Electrical Sta | bility | | |
| Electromagnetic compatibility (EMC), immunity (operational) | Pass | 5.14 | | |

First Issued: 28/04/2014

Latest Issue: 20/05/2016

Page: 11 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.