

Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 2 of 11

Test Conducted: Based on BS EN 1078:2012+A1:2012

Helmets for pedal cyclists and for users of skateboards and roller skates

Test Results: Details shown as following table

Clause	Test Method/Requirement	Result
4.1	Materials For those parts of the helmet coming into contact with the skin, the material used should be known not to undergo appreciable alteration from contact with sweat or with substances likely to be found in toiletries. Materials shall not be used which are known to cause skin disorders.	NT
4.2	Construction The helmet normally consists of a means of absorbing impact energy and means of retaining the helmet on the head in an accident. The helmet should be durable and withstand handling. The helmet shall be so designed and shaped that parts of it (visor, rivets, ventilators, edges, fastening device and the like) are not likely to injure the user in normal use. NOTE: Helmets should: have low weight; be ventilating; be easy to put on and take off; be usable with spectacles; not significantly interfere with the ability of the user to hear traffic noise.	Pass See annex 1
4.3	Field of vision When tested in accordance with 5.7 there shall be no occultation in the field of vision bounded by angles as follows (see Figure 1): - horizontally: min. 105° from the longitudinal vertical median plane to the left and right hand sides; - upwards: min. 25° from the reference plane; - downwards: min. 45° from the basic plane.	Pass See annex 4
4.4	Shock absorbing capacity The helmet shall give protection to the forehead, rear, sides, temples and crown of the head. When tested in accordance with 5.3 and 5.4 the peak acceleration shall not, for each impact, exceed 250 <i>g</i> for the velocity of 5,42 +0.1,-0 m/s on the flat anvil, and 4,57+0.1,-0 m/s on the kerbstone anvil. NOTE: These are theoretically equivalent to 1 497 mm and 1 064 mm drop heights respectively.	Pass See annex 2
4.5	Durability After being tested the helmet shall not exhibit damage that could cause significant injury to the wearer (sharp edges, points).	Pass
4.6	Retention system	
4.6.1	General Means shall be provided for retaining the helmet on the wearer's head. All parts of the retention system shall be securely attached to the helmet.	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overlead, available on request of accessible of his observed proving Terms and Conditions for relationship formed documents subject to the relationship formed documents subject to the relationship formed documents at http://www.sgs.com/min/Terms-a-Document.ago. Attention is drawn to the limitation of liability, independitionship and jurisdiction issues defined therein, key holder of this document advised that information contained hereon relationship and within the finite of liability in the finite of the intervention only and within the finite of the intervention of the company's some responsibility is to its Client and this document does not exceed a partie to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in fall, without prior written approval of the Company. Any unauthorized alternation, forgony at salidication of the content of appearance of this document is unleafful and offenders may be prosecuted to the fallest extent of the law, threes otherwise stated the results shown in this test report refer only to the semplock itself and such semples(a) are retained for 30 days only.

WiRath, Rad, Santad Pat Gunghus Examini & Patwing Development Dated, Dany 510663 1 (86-20) 82155555 1 (86-20) 82075191 www.apagroup.com.cm 中国 - 广州・設済技术开发以科学域科殊第198号 超南: 510663 1 (86-20) 82155555 1 (86-20) 82075191 ** apa.china@aga.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 3 of 11

4.6.2	Chin strap The chin strap shall not include a chin cup. Any chin strap shall be no less than 15 mm wide. Chin straps may be fitted with means of enhancing comfort for the wearer.	Pass
	Fastening device Any retention system shall be fitted with a device to adjust and maintain tension in the	
4.6.3	system. The device shall be capable of adjustment so that the buckle does not sit on the jaw bone.	Pass
	Color	
4.6.4	No part of the retention system shall be colored green.	Pass
	NOTE: It is recommended that the opening mechanism be marked with red or orange color.	
	Strength	
4.6.5	When tested in accordance with 5.5, the dynamic extension of the retention system shall not exceed 35 mm and the residual extension shall not exceed 25 mm. For this purpose, extension includes slippage of the fastening device. Damage to the retention system shall be accepted provided that the above requirements are met.	Pass See annex 3
	NOTE : In this test, slippage of the fastening device can be measured and recorded separately from other contributions to the extension but this is for information only and is not subject to a separate requirement.	
4.6.6	Effectiveness	Pass
4.0.0	When tested in accordance with 5.6 the helmet shall not come off the headform.	F a 5 5
	Ease of release	
4.6.7	Following the strength test in accordance with 5.5 and with the load still applied, it shall be possible to open the release system with one hand.	Pass
	Inspection and determination of mass	
5.2	Inspect the helmet to ascertain whether it is suitable for its intended purpose and fulfils the general requirements in 4.2. Determine the mass of the helmets of the same size submitted for testing. Calculate and record the mean value in g rounded off to the nearest 10 g, stating the size of the helmet.	Pass See annex 1
	Marking	I
	Each helmet shall be marked in such a way that the following information is easily legible by the user and is likely to remain legible throughout the life of the helmet:	NT
	a. the number of this European standard;	NT
6	b. the name or trademark of the manufacturer;	NT
0	c. the designation of the model;	NT
O	c. the designation of the model;d. the designation, which shall be one or more of the following:-helmet for pedal cyclists, skateboarders or roller skaters;	NT NT



Unless otherwise agreed in writing, this document is lessed by the Company subject to its General Conditions of Service printed overfield, available on request or accessible at http://www.app.com/ret/ferms-grd-Conditions, app. and, for stactions format documents, subject to Terms and Conditions for Electronic Documents at http://www.app.com/ret/ferms-grd-Conditions/format-Documents, app. Attention is drawn to the limitation of liability, indemnification and justification lessed other different. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the finits of Client's reflection to Company as one responsibility is to its Client and the document does not exceed parties to a transaction from exercising at their rights and obligations under the transaction documents. This document cannot be reproduced accept in fail, without prior written approval of the Company. Any unauthorized otherwise, forgety or fairfication of the content or appearance of this document is unleastful and offenders may be prosecuted to the fairfice attent of the law. Unless otherwise stated the results shown in this test report refer unity to the sample(x) lasted and such sample(x) are retained for 30 days orly.

Attention 2 days or the sample of the sample(x) lasted and such sample(x) are retained for 30 days orly.

WRath,Rad,Salehof-Put Guegatu-Euromic S Tehning Development Dated,Guegatus,Disc 510663 1 (86-20) 82155555 1 (86-20) 82075191 www.spagroup.com.com 中国 - 广州 - 設済技术开发収料学補料務第198号 邮業: 510663 1 (86-20) 82155555 1 (86-20) 82075191 spp.chlma@ags.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 4 of 11

	f. the weight of the helmet (the average mass in g determined according to EN 1078,5.2);	NT
	g. year and quarter of manufacture;	NT
	h. a label carrying the instructions – "Warning! This helmet should not be used by children while climbing or doing other activities when there is a risk of strangulation/hanging if the child gets trapped with the helmet"	NT
	In addition, if the helmet has components made of material which are known to be adversely affected by contact with hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions, the helmet shall carry an appropriate warning.	NT
	If there is a consumer sales packaging, the information specified in a), b), d), and h) shall also be given on that package. The text shall be of minimum font size 12.	NT
	Information supplied by the manufacture	
	With every helmet clear information in the language of the country of sale shall be given as follows:	NT
	a. that the helmet can only protect if it fits well and that the buyer should try different sizes and choose the size which feels secure and comfortable on the head;	NT
	b. that the helmet should be adjusted to fit the user, e.g. the straps positioned so that they do not cover the ears, the buckle positioned away from the jawbone and the straps and buckle adjusted to be both comfortable and firm;	NT
7	c. how the helmet should be positioned on the head to ensure the intended protection is provide (e.g. that it should be placed so as to protect the forehead and not be pushed too for over the back of the head); to protect the forehead and not be pushed too for over the back of the head);	NT
	d. that a helmet cannot always protect against injury;	NT
	e. that a helmet subjected to a severe impact should be discarded and destroyed;	NT
	f. a statement of the danger of modifying or removing any of the original component parts of the helmet other than as recommended by the manufacturer, and that helmets should not be adapted for the purpose of fitting accessories in a way not recommended by the manufacturer.	NT

Remark:

- 1. NA = Not applicable.
- 2. NT = Not tested as per client's request.



Unions otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overlend, evaluate on request or accessible at http://www.aga.com/em/Terms-and-Conditions_ago, eath, for electronic format documents at http://www.aga.com/em/Terms-and-Conditions_reports and conditions for Electronic Documents at http://www.aga.com/em/Terms-and-Conditions/Terms-an

特Rath,Rad,Salehoft Path Guegothu Essentis Shaholag Deviapment Dated,Guegothu,Dites 510663 1 (86-20) 82155555 1 (86-20) 82075191 www.spagroup.com.cn 中国 - 广州 - 設済技术开发収料学補料理路198号 解業: 510663 1 (86-20) 82155555 1 (86-20) 82075191 ** spa.chlma@sqs.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 5 of 11

Model: <u>W-006</u> Size: <u>51-54</u> cm Test headform: <u>535 (EN 960:2006)</u>

Annex-1: Mass
Mass of the samples:

 Sample No.
 Mass (g)

 1
 377.5

 2
 374.6

 3
 377.0

 4
 378.9

 Average
 377.0

Annex-2: Impact energy attenuation test

Test Specification: BS EN 1078:2012+A1:2012-5.4 Ambient temperature at time of test: 22.2 °C

Sample No.	Condition	Test Anvil	Test site	Velocity (m/s)	Peak'G	Result
1	High temperature	Kerbstone	Front	4.65	106.9	Pass
ı	No recondition (Clause 5.4.2.1)	Flat	Rear	5.50	188.9	Pass
2	Low temperature	Flat	Crown	5.44	194.5	Pass
۷	No recondition (Clause 5.4.2.2)	Kerbstone	Left	4.63	112.0	Pass
Artificial Ageing No recondition (Clause 5.4.2.3)		Kerbstone	Crown	4.58	116.0	Pass
	Flat	Left	5.42	189.9	Pass	

Annex-3: Retention system strength

Test Specification: BS EN 1078:2012+A1:2012-5.5 Ambient temperature at time of test: 22.2 ℃

Sample No.	Condition	Dynamic extension (mm)	Residual extension (mm)	Result
2	Low temperature No recondition (Clause 5.4.2.2)	28.1	12.9	Pass
3	Artificial Ageing No recondition (Clause 5.4.2.3)	27.6	10.7	Pass

Annex-4: Field of vision

Test Specification: BS EN 1078:2012+A1:2012-5.7

Horizontal: >105° Upward: >25° Downward: >45°



Unions otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prime overlead, significantly on requested or accessible of http://www.gg.com/vm/farms-and-Conditions_app.edv.fir standards adoptions from a document subject to farms and Conditions for Electronic Documents at http://www.gg.com/vm/farms-and-Conditions/farms-a-Document.app.phinitions is drawn to the limitation of liability, indemnification and jurisdiction is drawn to the limitation of liability, indemnification and jurisdiction issues estimated flarms. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inference and the finite of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceeds parties to transaction from exercising all their nights and obligations under the transaction documents. This document cannot be reproduced second in fail, without prior written approval of the Company, Any unauthorized alteration, forgany or faileflication of the condent of appealance of this document is unlawful and offenders may be prosecuted to the failest extent of the law, University distribution of the security is results shown in this limit report refer unity to the semploys) liested and such sample(s) are retained for 30 days only.

1987-Radi Salekol Pat Gunghu Essanis Shriving Devispment Datid Gunghu Dina 510663 1 (86-20) 82155555 1 (86-20) 82075191 www.apagroup.com.cn 中国・广州・設済技术开发収料学維料珠錐198号 解集 510663 1 (86-20) 82155555 1 (86-20) 82075191 ** apa.china@aga.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 6 of 11

Model: <u>W-006</u> Size: <u>55-58</u> cm Test headform: <u>575 (EN 960:2006)</u>

Annex-1: Mass
Mass of the samples:

Sample No.	Mass (g)
1	411.9
2	407.2
3	411.7
4	407.6
Average	409.6

Annex-2: Impact energy attenuation test

Test Specification: BS EN 1078:2012+A1:2012-5.4 Ambient temperature at time of test: 22.2 °C

Sample No.	Condition	Test Anvil	Test site	Velocity (m/s)	Peak'G	Result
1	High temperature	Kerbstone	Front	4.66	121.7	Pass
5.4.2.1)	No recondition (Clause 5.4.2.1)	Flat	Rear	5.44	164.6	Pass
Low temperature No recondition (Clause 5.4.2.2)		Flat	Crown	5.45	148.7	Pass
	Kerbstone	Left	4.58	89.7	Pass	
3	Artificial Ageing No recondition (Clause 5.4.2.3)	Kerbstone	Crown	4.59	96.3	Pass
		Flat	Left	5.48	164.0	Pass

Annex-3: Retention system strength

Test Specification: BS EN 1078:2012+A1:2012-5.5 Ambient temperature at time of test: 22.2 ℃

Sample No.	Condition	Dynamic extension (mm)	Residual extension (mm)	Result
2	Low temperature No recondition (Clause 5.4.2.2)	29.4	12.2	Pass
3	Artificial Ageing No recondition (Clause 5.4.2.3)	29.9	12.7	Pass

Annex-4: Field of vision

Test Specification: BS EN 1078:2012+A1:2012-5.7

Horizontal: >105° Upward: >25° Downward: >45°



Unions otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prime overlead, significantly on requested or accessible of http://www.gg.com/vm/farms-and-Conditions_app.edv.fir standards adoptions from a document subject to farms and Conditions for Electronic Documents at http://www.gg.com/vm/farms-and-Conditions/farms-a-Document.app.phinitions is drawn to the limitation of liability, indemnification and jurisdiction is drawn to the limitation of liability, indemnification and jurisdiction issues estimated flarms. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inference and the finite of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceeds parties to transaction from exercising all their nights and obligations under the transaction documents. This document cannot be reproduced second in fail, without prior written approval of the Company, Any unauthorized alteration, forgany or faileflication of the condent of appealance of this document is unlawful and offenders may be prosecuted to the failest extent of the law, University distribution of the security is results shown in this limit report refer unity to the semploys) liested and such sample(s) are retained for 30 days only.

| Wikath, Rad Satebot Pat Guegoto: Economic Red vising: Development Date Change Inc. 25 10663 1 (86-20) 82155555 1 (86-20) 82075191 www.spagroup.com.com | 中国・广州・設済技术开发収料学雄科珠錐198号 | 超載: 510663 1 (86-20) 8215555 1 (86-20) 82075191 www.spagroup.com.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 7 of 11

Model: <u>W-006</u> Size: <u>59-61</u> cm Test headform: <u>605 (EN 960:2006)</u>

Annex-1: Mass
Mass of the samples:

 Sample No.
 Mass (g)

 1
 425.2

 2
 424.0

 3
 421.8

 4
 425.0

 Average
 424.0

Annex-2: Impact energy attenuation test

Test Specification: BS EN 1078:2012+A1:2012-5.4 Ambient temperature at time of test: 22.2 °C

Sample No.	Condition	Test Anvil	Test site	Velocity (m/s)	Peak'G	Result
1	High temperature	Kerbstone	Front	4.58	209.6	Pass
Į.	No recondition (Clause 5.4.2.1)	Flat	Rear	5.50	191.9	Pass
	Low temperature	Flat	Crown	5.47	185.1	Pass
۷	No recondition (Clause 5.4.2.2)	Kerbstone	Left	4.63	131.2	Pass
2 No.	Artificial Ageing No recondition (Clause 5.4.2.3)	Kerbstone	Crown	4.59	112.6	Pass
J		Flat	Left	5.44	207.2	Pass

Annex-3: Retention system strength

Test Specification: BS EN 1078:2012+A1:2012-5.5 Ambient temperature at time of test: 22.2 ℃

Sample No.	Condition	Dynamic extension (mm)	Residual extension (mm)	Result
2	Low temperature No recondition (Clause 5.4.2.2)	31.0	13.4	Pass
3	Artificial Ageing No recondition (Clause 5.4.2.3)	30.2	12.4	Pass

Annex-4: Field of vision

Test Specification: BS EN 1078:2012+A1:2012-5.7

Horizontal: >105° Upward: >25° Downward: >45°



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prime overlied, available on request or accessible of http://www.sgs.com/en/fisms-ags.com/Conditions.agy.eds, for electronic formet documents abject to Terms and Conditions in Electronic Documents as http://www.sgs.com/min/fisms-ags.com/fisms-ago-conditions/firms-ago-com/fisms-ago-com/fi

| Wikath State of the Congrue Extends Schrolog Designment Statistical Designment Statistics Stati



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 8 of 11

Sample Photo(s):





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible of http://www.ags.com/ey/farmis-and-Conditions.ago, each, for selectronic forms and conditions for Electronic Documents at http://www.ags.com/ey/farmis-and-Conditions/Termis-a-Document.aspo. Attention is drawn to the installation of liability, indemnification and jurisdiction is the selectronic forms and contained of the selectronic discountries advised that information contained hereon reflects the Company's Indiago at the time of its intervention only and within the finite of Cileria instructions, if any. The Company's sole responsibility is to its Cileria and this document does not exceeds a parties to a transaction from exercising at their rights and obligations under the transaction documents. This document cannot be responsible accept in full, without prior written approval of the Company. Any unauthorized alteration, torquey or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refler may be a maniple of a sample of a sampl

WikehuRad,Santad Pol Gueghtu Economic E Patricking Development Dated,Guegehau Dies 510683 1 (86-20) 82155555 f (86-20) 82075191 www.apagroup.com.co 中国 - 广州・設済技术开发以科学維料政施198号 超端: 510683 1 (86-20) 82155555 f (86-20) 82075191 w apa.china@aga.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 9 of 11





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed document available on request or accessible of http://www.aga.com/millimite-and-Conditions.gop.com/millimite-and-Conditions.gop.com/millimite-and-Conditions.gop.com/millimite-and-Conditions/Terms-a-Document.aspx. Aftersion is drawn to the initiation of tabelity, independent and jurisdiction issues defined thereon. Any holistor of this document is advised that information contained hereon reflects the Company's initiation issues defined thereon only and entitle the initia of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceeding all their rights and obligations under the hartacotion document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsuchorized alteration, forgery or faielification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(x) listed and such sample(x) are retained for 20 days only.

1443, or emedit CH: Droccheck@eps.com 排放的,Rati,Sarkst Pat Gargins Essark Shrining Devisioner DateDaughs,Das 510663 1 (86-20)82155555 / (86-25)82075191 www.spsgroup.com.cn 中国 -广州 -股济技术开发区科学被科殊路198号 解第: 510603 1 (86-20)82155555 / (86-25)82075191 ** sps.china@ags.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 10 of 11






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed develocity, available on request of accessible of http://www.sgs.com/en/fermis-and-Conditions.aspx.est, for electronic Documents at http://www.sgs.com/en/fermis-and-Conditions/Termis-a-Document.aspx. Attention is drawn to the inertaken of liability, indeemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's initiation issues defined therein only and eithin the finite of Client's instructions, if any. The Company's some responsibility is to its Client and this document does not exceeding all their rights and obligations under the hartacetion document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appreciance of this document is unleavily, and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this lest report refer only to the sample(x) listed and outs sample(x) are retained for 20 days only.

Attention.To check the sutburdulty of heating I inspection report & certificate, please contact as at relegions (98-753) \$31 1463, or email: DR Droccheck@ege.com



Test Report No.: GZHL1807031873HM Date: Aug 02, 2018 Page 11 of 11



End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.ags.com/em/farms-and-Conditions_aggs_com/em/farms-and-Conditions_farms-and

特Rath,Rad,Santach Put Guerghas Economic S Pathwing Development Dated,Guerghas,Dies 510663 1 (86-20) 82155555 f (86-20) 82075191 www.apagroup.com.cm 中国 - 广州 - 設済技术开发区科学越科珠路198号 解第: 5100603 1 (86-20) 82155555 f (86-20) 82075191 ** apa.china@aga.com