




# haubold®

## PN816





# PN816


		<b>A = 144 mm</b> <b>B = 232 mm</b> <b>C = 43 mm</b>
		= <b>0,89 kg</b>

<b>Min. 4,0 bar</b> <b>Max. 7,0 bar</b>
<b>0,31 l (6 bar) /</b>
<b>Ps max. = 7,0 bar</b>

 <small>EN 12549+EN ISO 4871</small>	<b>L<sub>wA,1s</sub> = 88,9 dBA</b> <b>L<sub>pA,1s</sub> = 73,0 dBA</b> <b>L<sub>pA,1s,1M</sub> = 75,9 dBA</b>
<small>EN12096 : 1997</small>  <small>ISO 8662-11</small>	<b>Vibration = 0,9 m/s<sup>2</sup></b>

<b>150 x</b> =	 <b>Haubold Staples KL800</b>	 <b>max 12.9</b> <b>6 - 16</b> <b>0.64 x 0.95</b>
----------------	----------------------------------	--



	<p>Sequential trigger actuation/ Einzelauslösung/ enkelschots/ Déclenchement du tir - mode séquentiel/ Funcionamiento secuencial "en continuo"/ Gatilho de actuação sequencial/ funzionamento sequenziale (colpo a colpo)/ Enkeltskuds aftrækker/ Enkeltskott/ Enkeltskudds avtrekker/ Kertalaukaisu/ Üksiklasu meetodil töötamine/ Uruchomienie spustu sekwencyjne/ Sekvenční spoušť/ Egyes lövés (szakaszosan működtetett elsűtő billentyűvel)/ Posamezno proženje/ Kontaktirajte singl / Последовательная активация при нажатии на кнопку/ Sekvenčná aktivácia spúšte/ التشغيل بالزر التسلسلي المقيد / Nuoseklusis paleidimo mechanizmas/ Sekvenciālās palaišanas iedarbināšana Raðkveikjuvirkjun</p>
---	--

**Model: PN816 Single Actuation**  
**No. 576282**





**haubold® PN816 PNEUMATIC STAPLER**  
Code: 576282  
Trigger actuation: Single  
ITW Beteiligungs-systeme GmbH, Carl-Zeiss-St. 19 · 30966 Hemmingen, Germany

STAPLE SPECIFICATION  
haubold KL800 series :










			
No. 014748 + 576285	No. 014121		





### Accessories





No. 151299 / No. 576216  
0,5 l oil / 1 l oil









014 748





014 748





YY/WW....



YY= Year of manufacture  
WW = Week of manufacture

**Resting position/ Ruheposition/ Position de repos/ Ruststand/  
Posición de descanso/ Posizione di riposo/ Posição de des-  
canso/ Pozycja spoczynku/ Klidová poloha/ Nyugalmi állapot/  
Положение в нерабочем состоянии/ Θέση αδράνειας/ Hviles-  
tilling/ Viloläge/ Hvileposisjon/ Lepoasento/ Položaj mirovanja/  
Pokojuvá poloha/ Položaj mirovanja/ وضع السكون / Ramybės  
padėtis/ Ooteasend/ Miera stāvoklis/ Hvíldarstaða**



**haubold**<sup>®</sup>

ITW CONSTRUCTION PRODUCTS EUROPE  
Code 576285 (05/2019)  
[www.spitpaslode.com](http://www.spitpaslode.com)