

Applicant: Brands of Q BV

Address: Richterlaan 7 9207 JT, Drachten The Netherlands

The following sample(s) information and test item(s) were submitted and identified by/on behalf of the applicant

Sample Name: Jumpy reindeer

Labeled age group: None

Age grading for testing: Over 3 years old
Applicant's specified age group for testing: Over 3 years old
Sample Receiving Date: Jun. 20, 2023

Testing Period: Jun. 20, 2023 to Jun. 26, 2023

Summary of Test Result(s):

No.	Test Sample	Test Requested	Result(s)		
1	Submitted samples EN 71 Part 1:2014+A1:2018,European Standard for "Safety of toys" - Physical and Mechanical Properties(Except 6,7.1,7.2)				
2	Submitted samples EN 71 Part 2:2020,European Standard for "Safety of toys" - Flammability				
3	Tested materials of submitted samples	European Directive 2009/48/EC and its subsequent amendments and EN 71-3:2019+A1:2021 - Migration of certain elements	PASS		
4	Tested materials of submitted samples	Annex XVII items 51&52 of the REACH Regulation (EC) No 1907/2006 & amended (EC) No. 552/2009&(EU) 2018/2005 - Phthalates	PASS		

********FOR FURTHER DETAILS,PLEASE REFER TO THE FOLLOWING PAGE(S)*********

Signed for and on behalf of LST

Rory / Technical Manager

Signed for and on behalf of LST

Davy / Lab supervisor

Zhejiang Lisen Testing Technology Co.,

Address:5 Floor,Building 13,Yiwu Science&Technology P No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com The est results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.



Sample Description

Material No.	Component Description	Location
01	Red paint	Nose
02	Black paint	Eye-ball
03	White paint	Eye
04	Brown paint	Horn
05	Brown plastic	Toy body
06	White plastic	Air cock
07	Toy	Toy entirety

Photo of sample





Test Result(s):

EN71 Part 1:2014+A1:2018 - Mechanical and Physical Test

Section	Testing Items	Assessment
Occion .	resung items	07
4	General requirements	
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	PASS
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Coustumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.



5.1	General requirements:	NA
5.2	Soft-filled toys and soft-filled parts of toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	NR*
7	Warnings, markings and instructions for use	
7.1	General	NR*
7.2	Toys not intended for children under 36 months	NR*
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquids-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com The test results are only applicable to the samples received. Except for full-text reproduction,partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data,only for the client's research,teaching or internal quality control,etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days,overdue will not be accept.



7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Note:

- 1. NA = Not Applicable
- 2. NR = Not Requested
- 3. "*" = Per client's requirement, the packaging was not evaluated.
- 4. The sample is tested for "over 3 years of age" as the client's request.

EN 71 Part 2:2020 - Flammability

Section	Tooking Mana	Assessment		
	Testing Items	07		
4.1	General requirements	PASS		
4.2	Toys to be worn on the head	NA		
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA		
4.4	Toys intended to be entered by a child	NA		
4.5	Soft-filled toys	NA		

Note: NA = Not Applicable.

E-mail: zj@lisenlab.com URL: http://www.lisenlab.com



Report No.: LST23062261EN Date: Jul. 03, 2023 Page 6 of 8

EN 71-3:2019+A1:2021 - Migration of Certain Elements

Method: General elements, with reference to EN 71-3:2019+A1:2021, analyzed by Inductively coupled plasma

mass specific	meter	(ICP	-IVIO) .	
	Toot I	tom/	رم	

Test Item(s)	Result (mg/kg)				
rest item(s)	04	05			
Category Type	III	III			
Extractable Lead (Pb)	N.D.	N.D.			
Extractable Antimony (Sb)	N.D.	N.D.			
Extractable Arsenic (As)	N.D.	N.D.			
Extractable Barium (Ba)	N.D.	N.D.			
Extractable Cadmium (Cd)	N.D.	N.D.			
Extractable Mercury (Hg)	N.D.	N.D.			
Extractable Selenium (Se)	N.D.	N.D.			
Extractable Boron (B)	N.D.	N.D.			
Extractable Cobalt (Co)	N.D.	N.D.			
Extractable Manganese (Mn)	N.D.	N.D.			
Extractable Strontium (Sr)	N.D.	N.D.			
Extractable Zinc (Zn)	N.D.	N.D.			
Extractable Copper (Cu)	N.D.	N.D.			
Extractable Aluminium (Al)	N.D.	N.D.			
Extractable Nickel (Ni)	N.D.	N.D.			
Extractable Tin (Sn) ^{1#}	N.D.	N.D.			
Extractable Chromium ^{2#}	1	N.D.			
Extractable Organic Tin ^{1#}	1	1			
Extractable Chromium (III) (Cr III) ^{3#}	N.D.	1			
Extractable Chromium (VI) (Cr VI)	N.D.	1			
Conclusion(s)	PASS	PASS			

Note:

- 1. mg/kg = milligram per kilogram
- 2. MDL = Method Detection Limit
- N.D. = Not Detected, less than MDL
- 1# Result of Organic Tin is calculated by assuming the extractable Tin content is wholly contributed from tributyltin (TBT) cation unless further specified. If migration of total tin were not detected, Extractable Organic Tin were considered not detected; Otherwise, Extractable Organic Tin were verified by below method: EN 71-3:2019+A1:2021 Annex G, analyzed by GC-MS.

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor, Building 13, Yiwu Science & Technology Park, No.968 Xuefeng West Road, Yiwu, Zhejiang, China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com



 2# - If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI). Otherwise, Extractable Chromium (VI) were verified by below method: EN 71-3:2019+A1:2021 Annex F, analyzed by IC-ICP-MS.

6. 3# - In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

Limited Value for migration of certain elements:

European Directive 2009/48/EC and its subsequent amendments and EN 71-3:2019+A1:2021.

	Limited Value(mg/kg)						
Test Item(s)	Cate	gory I	Cate	gory II	Category III		
	MDL	Limit	MDL	Limit	MDL	Limit	
Extractable Lead (Pb)	0.2	2.0	0.2	0.5	5	23	
Extractable Antimony (Sb)	1	45	1	11.3	5	560	
Extractable Arsenic (As)	0.2	3.8	0.2	0.9	5	47	
Extractable Barium (Ba)	10	1500	10	375	50	18750	
Extractable Cadmium (Cd)	0.1	1.3	0.1	0.3	1	17	
Extractable Mercury (Hg)	0.5	7.5	0.5	1.9	5	94	
Extractable Selenium (Se)	1	37.5	1	9.4	5	460	
Extractable Boron (B)	10	1200	10	300	50	15000	
Extractable Cobalt (Co)	0.5	10.5	0.5	2.6	5	130	
Extractable Manganese (Mn)	10	1200	10	300	50	15000	
Extractable Strontium (Sr)	10	4500	10	1125	50	56000	
Extractable Zinc (Zn)	10	3750	10	938	50	46000	
Extractable Copper (Cu)	10	622.5	10	156	50	7700	
Extractable Aluminum (AI)	10	2250	10	560	50	28130	
Extractable Nickel (Ni)	2	75	2	18.8	5	930	
Extractable Tin (Sn)	0.1	15000	0.1	3750	1	180000	
Extractable Organic Tin	0.2	0.9	0.2	0.2	2	12	
Extractable Chromium	0.02	-	0.005	-	0.05	-	
Extractable Chromium (III) (Cr III)	2	37.5	2	9.4	10	460	
Extractable Chromium (VI) (Cr VI)	0.02	0.02	0.005	0.005	0.05	0.053	

Note: Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material Category III: scraped-off toy material

"-" = Not Regulated

Zhejiang Lisen Testing Technology Co., Ltd. Address:5 Floor,Building 13,Yiwu Science&Technology Park,

No.968 Xuefeng West Road,Yiwu,Zhejiang,China Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com



Annex XVII items 51&52 of the REACH - Phthalates

Method: With reference to ISO 8124-6:2018(E) Method C, Internal standard (IS) calibration, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Substances	DBP	ВВР	DEHP	DIBP	SUM	DNOP	DIDP	DINP	SUM	
CAS No.	84-74-	05 60 7	117-81-7	04 60 5		117-84-0	26761-40-0	28553-12-0		
CAS NO.	2	00-00-7	117-01-7	04-09-0		117-04-0	/68515-49-1	/68515-48-0		0
Limit (%)				-	0.1	-			0.1	Conclusion
RL(%)	0.005	0.005	0.005	0.005		0.005	0.01	0.01		
Material No.					Resi	ult (%)				
(01+02+03)▲	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
(05+06)▲	N.D.	N.D.	N.D.	0.0248	0.0248	N.D.	N.D.	N.D.	N.D.	PASS

Note:

- 1. mg/kg = milligram per kilogram (ppm).
- 2. 1%= 10000mg/kg
- 3. N.D. = Not Detected (< RL).
- 4. RL= Reporting Limit.
- 5. The DBP,BBP,DEHP and DIBP shall not be used as substances or in mixtures,in concentrations greater than 0.1% by weight of the plasticised material, in toys and childcare articles.
- 6. The DNOP,DIDP and DINP shall not be used as substances or in mixtures, in concentrations greater than 0.1% by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
- 7. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

End of Report