

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# **1.1 Product identifier:** GRASS - Nano Shampoo

# 136102/136101/136250

## **1.2** Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Washing of vehicles.

Uses advised against: All uses not specified in this section or in section 7.3

## **1.3** Details of the supplier of the safety data sheet:

LLC TH Grass 404132 , Russia, Volgograd region, Volzhskiy city, ul. 40 let Pobedy, 51, a/ja 241 404132 Volzhskiy - Russia Phone.: +7 8443 58 48 48 -Fax: +7 (8443) 29-70-35 agolovkov@grass.su www.grass.su

### 1.4 Emergency telephone number:

# SECTION 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC)  $n^{o}$  1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

## 2.2 Label elements:

## CLP Regulation (EC) nº 1272/2008:

Warning



### Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P264: Wash thoroughly after use

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313: If eye irritation persists: Get medical advice/attention

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

### 2.3 Other hazards:

Non-applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

### 3.2 Mixture:

**Chemical description:** Aqueous solution based on surfactants, perfume and colourant.

### Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification				
CAS: 68603-42-9	Amides, coco, N,N-bi	mides, coco, N,N-bis(hydroxyethyl) Self-classified			
EC: 271-657-0 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	$\diamond$	2,5 - <10 %	
CAS: 67-63-0	Propan-2-ol		ATP CLP00		
EC: 200-661-7 Index: 603-117-00-0 REACH: 01-2119457558-25-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	۲	1 - <2,5 %	
CAS: 68515-73-1	D-Glucopyranose, oli	gomers, decyl octyl glycosides	Self-classified		
EC: 500-220-1 Index: Non-applicable REACH: 01-2119488530-36-XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	۲	1 - <2,5 %	

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

## SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, containing flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## Additional provisions:



# SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid projections and pulverizations. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Substances whose occupational exposure limits have to be monitored in the work environment

There are no occupational exposure limits for the substances contained in the product

### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Amides, coco, N,N-bis(hydroxyethyl)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68603-42-9	Dermal	Non-applicable	Non-applicable	4.16 mg/kg	Non-applicable
EC: 271-657-0	Inhalation	Non-applicable	Non-applicable	73.4 mg/m <sup>3</sup>	Non-applicable
Propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68515-73-1	Dermal	Non-applicable	Non-applicable	595000 mg/kg	Non-applicable
EC: 500-220-1	Inhalation	Non-applicable	Non-applicable	420 mg/m <sup>3</sup>	Non-applicable

## DNEL (General population):

		Short exposure		Long e	xposure
Identification		Systemic	Local	Systemic	Local
Amides, coco, N,N-bis(hydroxyethyl)	Oral	Non-applicable	Non-applicable	6.25 mg/kg	Non-applicable
CAS: 68603-42-9	Dermal	Non-applicable	Non-applicable	2.5 mg/kg	Non-applicable
EC: 271-657-0	Inhalation	Non-applicable	Non-applicable	21.73 mg/m <sup>3</sup>	Non-applicable
Propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Oral	Non-applicable	Non-applicable	35.7 mg/kg	Non-applicable
CAS: 68515-73-1	Dermal	Non-applicable	Non-applicable	357000 mg/kg	Non-applicable
EC: 500-220-1	Inhalation	Non-applicable	Non-applicable	124 mg/m <sup>3</sup>	Non-applicable

#### PNEC:

Identification				
Amides, coco, N,N-bis(hydroxyethyl)	STP	830 mg/L	Fresh water	0.007 mg/L
CAS: 68603-42-9	Soil	0.0189 mg/kg	Marine water	0.0007 mg/L
EC: 271-657-0	Intermittent	0.024 mg/L	Sediment (Fresh water)	0.0424 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Propan-2-ol	STP	2251 mg/L	Fresh water	140.9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140.9 mg/L
EC: 200-661-7	Intermittent	140.9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	160 g/kg	Sediment (Marine water)	552 mg/kg
D-Glucopyranose, oligomers, decyl octyl glycosides	STP	560 mg/L	Fresh water	0.176 mg/L
CAS: 68515-73-1	Soil	0.654 mg/kg	Marine water	0.0176 mg/L
EC: 500-220-1	Intermittent	0.27 mg/L	Sediment (Fresh water)	1.516 mg/kg
	Oral	111.11 g/kg	Sediment (Marine water)	0.152 mg/kg

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



CTION 8: EXPOSUR	TION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)						
Pictogram		PPE	Labelling	CEN Standard		Remarks	
Mandatory hand protection		tive gloves against minor risks	CATI		prolor profess	e gloves in case of any sign of damage. For iged periods of exposure to the product for ional users/industrials, we recommend using gloves in line with standards EN 420 and EN 374.	
D Ocular and facia	al protection	on					
Pictogram		PPE	Labelling	CEN Standard		Remarks	
Mandatory face protection		nic glasses against iquid splash		EN 166:2001 EN ISO 4007:2012		daily and disinfect periodically according to anufacturer 's instructions. Use if there is a risk of splashing.	
E Bodily protection	n						
Pictogram		PPE	Labelling	CEN Standard		Remarks	
	W	Vork clothing	CATI				
	Anti-	slip work shoes	CATI	EN ISO 20347:2012			
F Additional emer	gency me	asures					
It is not necessa	ary to take	e additional emer	gency measure	S.			
Emergency m	leasure	St	andards	Emergency meas	sure	Standards	
Emergency s	hower		SI Z358-1 864-1:2002	Eyewash statio	ns	DIN 12 899 ISO 3864-1:2002	
Environmental ex	cposure d	controls:		•			
In accordance with spillage of both the	In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D <b>Volatile organic compounds:</b>						
With regard to Dire	ctive 2010	)/75/EU, this prod	duct has the fol	lowing characteristics:			
V.O.C. (Supply):		1.9 % weight					
V.O.C. density at 20	) °C:	21.3 kg/m <sup>3</sup> (2	1.3 g/L)				
		2					
Average carbon nur	nber:	3					

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties:					
	For complete information see the product datasheet					
	Appearance:					
	Physical state at 20 °C:	Liquid				
	Appearance:	Viscous				
	Color:	Purple				
	Odor:	Fruity				
	Volatility:					
	*Not relevant due to the nature of the product, not providing information property of its hazards.					
	- CON	TINUED ON NEXT PAGE -				



SECTION 9: PHYSICAL AND CHEMICAL PROPERTI	IES (continued)
Boiling point at atmospheric pressure:	99 °C
Vapour pressure at 20 °C:	2371 Pa
Vapour pressure at 50 °C:	12481 Pa (12 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1121 kg/m <sup>3</sup>
Relative density at 20 °C:	1.121
Dynamic viscosity at 20 °C:	100 cP
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	>20.5 cSt
Concentration:	Non-applicable *
pH:	8
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Autoignition temperature:	399 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing in	information property of its hazards.

SECT	SECTION 10: STABILITY AND REACTIVITY								
10.1	1 Reactivity:								
	No hazardous reactions are	e expected because the pr	oduct is stable under reco	mmended storage conditi	ons. See section 7.				
10.2	Chemical stability:			-					
	Chemically stable under the	e conditions of storage, ha	andling and use.						
10.3	Possibility of hazardous	5,	5						
	Under the specified condition		that lead to excessive tem	peratures or pressure are	not expected.				
10.4	Conditions to avoid:								
1011	Applicable for handling and	l ctorago at room tompora							
		i storage at room tempera	iture.						
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Precaution	Precaution	Not applicable				
10.5	0.5 Incompatible materials:								
	Acids	Water	Combustive materials	Combustible materials	Others				
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases				
10.6	Hazardous decompositi	on products:							
	P	<b>-</b>							



# SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A.- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as

dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### **Other information:**

Non-applicable

### Specific toxicology information on the substances:

Identification	Acut	Genus	
Propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72.6 mg/L (4 h)	Rat



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
Amides, coco, N,N-bis(hydroxyethyl)	LD50 oral	12200 mg/kg	Rat
CAS: 68603-42-9	LD50 dermal	Non-applicable	
EC: 271-657-0	LC50 inhalation	Non-applicable	

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Amides, coco, N,N-bis(hydroxyethyl)	LC50	3.6 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 68603-42-9	EC50	4.2 mg/L (34 h)	Daphnia magna	Crustacean
EC: 271-657-0	EC50	2.2 mg/L (96 h)	Scenedesmus subspicatus	Algae
Propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
D-Glucopyranose, oligomers, decyl octyl glycosides	LC50	126 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 68515-73-1	EC50	151 mg/L (48 h)	Acartia tonsa	Crustacean
EC: 500-220-1	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae

## 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0.53	% Biodegradable	86 %
D-Glucopyranose, oligomers, decyl octyl glycosides	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 68515-73-1	COD	Non-applicable	Period	28 days
EC: 500-220-1	BOD5/COD	Non-applicable	% Biodegradable	100 %

### 12.3 Bioaccumulative potential:

Identification	Bioacc	Bioaccumulation potential		
Propan-2-ol	BCF	3		
CAS: 67-63-0	Pow Log	0.05		
EC: 200-661-7	Potential	Low		

### **12.4 Mobility in soil:**

Identification	Absorption/desorption		Volatility	
Propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m <sup>3</sup> /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2.24E-2 N/m (25 °C)	Moist soil	Yes
D-Glucopyranose, oligomers, decyl octyl glycosides	Кос	50	Henry	1.2E-8 Pa·m <sup>3</sup> /mol
CAS: 68515-73-1	Conclusion	Very High	Dry soil	No
EC: 500-220-1	Surface tension	Non-applicable	Moist soil	No

### 12.5 Results of PBT and vPvB assessment:

Non-applicable

## 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC)  $n^{0}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

# SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Regulation (EC) nº648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC)  $n^{0}648/2004$  on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

## Contents labelled:

Component	Concentration interval
Cationic surfactants	15 <= % (w/w) < 30
Non-ionic surfactants	5 <= % (w/w) < 15
Perfum	

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.





### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Nº 1907/2006 (Regulation (EU) Nº 453/2010, Regulation (EC) Nº 2015/830)

Modifications related to the previous security card which concerns the ways of managing risks. :

#### COMPOSITION/INFORMATION ON INGREDIENTS:

Added Content

D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

Benzalkonium chloride (8001-54-5)

### · Removed Content

Propan-2-ol (67-63-0)

Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)

Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts (68891-38-3) CLP Regulation (EC) nº 1272/2008:

Pictograms

· Hazard statements

· Precautionary statements

TRANSPORT INFORMATION:

UN number

Packing group

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) nº 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Skin Irrit. 2: H315 - Causes skin irritation STOT SE 3: H336 - May cause drowsiness or dizziness

#### **Classification procedure:**

Eye Irrit. 2: Calculation method

## Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://esis.jrc.ec.europa.eu http://echa.europa.eu

http://eur-lex.europa.eu

## Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users o this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.