

Page 1 of 12

Applicant : LINKGO TOYS INDUSTRIAL CO.,LTD

Address 2nd Floor of Yulong Building, Xingda Industrial, Fengxiang Street,

Chenghai, Shantou, China

Test Site 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,

Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Building Block

 $16013,16014,16026,16036,16037,16038,16039,16042,16043,16049,\\ 16064,16065,16083,16061,16066,16067,16068,16069-1,16070,16073,\\ 16074,16075,16076,16077,16078,16079,16082,16090,16091,16161,\\ 16163,16164,16088,16089,16093,16094,16160,16165,16166,16103,\\ 16104,16106,16110,16114,16115,16117,16120,16125,16126,16128,$

Item No. : 16129,16130,16131,16132,16133,16134,16135,16136,16137,16143,

16153,16154,12001,12002,16157,16159,16162,16167,16168,16169, 16170,16183,16184,16185,16186,16111-1,16111-3,18076-1,18076-3, 18086-1,18086-4,19005-1,19005-2,19005-4,19005-5,19005-6,

18086-1,18086-4,19005-1,19005-2,19005-4,19005-5,19005-6, 19005-7,19005-8,19005-9,19005-10,19005-11,19005-12,19005-13,

19005-17,18094,18095,18096,18097,18098,18099-1

Labeled Age Grading : 14+
Age Group Applied in Testing : 3+
Age Group Assessed by AGC
As Per Age Guideline : 3+

Sample receiving state : Normal Sample Received Date : Aug.21

Sample Received Date : Aug.21, 2020 Testing Period : Aug.21, 2020 to Aug.31, 2020

Approved by:

Approved by:

Qinlianzhi, Reed

Liangdan, Jessie.Liang

Ossieling

Laboratory Supervisor

Technical Director

Any report having not been signed by surhorized approver, or having been altered without surhorization, or having not been stamped by the "Described Report Report Report Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC, the test results presented in the report apply only to the tested sample. Any objections to report sessed by ACC should be authorized by ACC within 1554 by affecting the test report. Further enquiry of validity or verification of the test report should be addressed to ACC by ago(flago-cert.com.



Page 2 of 12

Test Requested: Conclusion

(1) European Standard on Safety of Toys:

EN71-1: 2014+A1:2018 – Mechanical and Physical Properties

EN71-2:2011+A1:2014 – Flammability of Toys

Pass

EN71-3:2019 – Migration of certain elements

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

Pass


Pass

Test Result(s):

(1)-1:EN71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

| Clause | Description | Result |
|--------|--|--------|
| 4 | GENERAL REQUIREMENTS | |
| 4.1 | Material cleanliness | Pass |
| 4.2 | Assembly | N/A |
| 4.3 | Flexible plastics sheeting | N/A |
| 4.4 | Toy bags | N/A |
| 4.5 | Glass | N/A |
| 4.6 | Expanding materials | N/A |
| 4.7 | Edges | Pass |
| 4.8 | Points and metallic wires | Pass |
| 4.9 | Protruding parts | N/A |
| 4.10 | Parts moving against each other | N/A |
| 4.10.1 | Folding and sliding mechanisms | N/A |
| 4.10.2 | Driving mechanisms | N/A |
| 4.10.3 | Hinges | N/A |
| 4.10.4 | Springs | N/A |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | N/A |
| 4.12 | Balloons | N/A |
| 4.13 | Cords of toy kites and other flying toys | N/A |
| 4.14 | Enclosures | N/A |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Declared Perhaphrapection Stamp" is deemed to be invalid. Copying or excepting portion of, or altering the content of the report is not permitted without the written authorization of ADC, the test results presented in the report apply only to the tested sample. Any objections to report sessed by AGC should be submitted to AGC within 1500 Earliest in square of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agolfgago-cert.com.





Clause Result **Description** 4.15 N/A Toys intended to bear the mass of a child 4.16 Heavy immobile toys N/A 4.17 **Projectiles** N/A 4.18 Aquatic toys and inflatable toys N/A Percussion caps specifically designed for use in toys and toys using percussion 4.19 N/A caps 4.20 Acoustics N/A 4.21 N/A Toys containing a non-electrical heat source 4.22 Small balls N/A 4.23 Magnets N/A 4.24 Yo-yo balls N/A 4.25 Toys attached to food N/A 4.26 **Toy Disguise Costumes** N/A 4.27 Flying toys N/A 5 TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS 5.1 N/A General requirements 5.2 N/A Filling materials 5.3 Plastic sheeting N/A 5.4 Cords, chains and electrical cables in toys N/A 5.5 N/A Liquid-filled toys 5.6 N/A Speed limitation of electrically driven toys 5.7 Glass and porcelain N/A 5.8 Shape and size of certain toys N/A 5.9 Toys comprising monofilament fibres N/A 5.10 Small balls N/A 5.11 Play figures N/A 5.12 Hemispheric-shaped toys N/A 5.13 N/A Suction cups 5.14 N/A Straps intended to be worn fully or partially around the neck 5.15 Sledges with cords for pulling N/A 6 **PACKAGING** Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Disclosed Pastaginapection Stamp" is deemed to be invalid. Copying or excepting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report sessed by AGC should be submitted to AGC within 15dat Entering authorized the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agoillago-cert.com.



Page 4 of 12

| Clause | Description | Result |
|--------|---|--------|
| 7 | Warnings, markings and instructions for use | Pass |

Note:

N/A=Not Application

(1)-2:EN71 Part 2:2011+A1:2014 - Flammability of Toys

| Clause | Description | Result |
|--------|--|--------|
| 4 | Requirements | 0 |
| 4.1 | General | Pass |
| 4.2 | Toys to be worn on the head | N/A |
| 4.2.1 | General | N/A |
| 4.2.2 | Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy | N/A |
| 4.2.3 | Beards, moustaches, wigs etc. made from hair, pile or material with similar | |
| 4.2.4 | Full or partial moulded head masks | N/A |
| 4.2.5 | Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3 | N/A |
| 4.3 | Toys disguise costumes and other toys intended to be worn by a child in play | N/A |
| 4.4 | Toys intended to be entered by a child | N/A |
| 4.5 | Soft Filled Toys (animals and dolls, etc) with a piled or textile surface | N/A |

Note:

N/A=Not Application

Any report having not been signed by surhorized approver, or having been altered without authorization, or having not been stamped by the "Described Techniques Stamp" is deemed to be invalid. Copying or excepting portion of, or altering the content of the report is not permitted without the written authorization of ASC. The test results presented in the report apply only to the tested sample. Any objections to report assued by AGC should be submitted to AGC within 15-days after the sent report. Further enquiry of validity or verification of the test report should be addressed to AGC by applying or cert.com.



Page 5 of 12

(1)-3 EN 71-3: 2019- Migration of Certain Elements.

Permissible Limit for Different Materials

| Item | Category III In scraped-off toy material | Category II In liquid or sticky toy material | Category I In dry, brittle, powder-lik or pliable toy material | |
|---------------------------|--|--|--|--|
| Aluminium (Al) (M) | 70000 | 1406 | 5625 | |
| Antimony (Sb) (M) | 560 | 11.3 | 45 | |
| Arsenic (As) (M) | 47 | 0.9 | 3.8 | |
| Barium (Ba) (M) | 18750 | 375 | 1500 | |
| Boron (B) (M) | 15000 | 300 | 1200 | |
| Cadmium (Cd) (M) | 17 | 0.3 | 1.3 | |
| Chromium III(Cr(III)) (M) | 460 | 9.4 | 37.5 | |
| Chromium VI (Cr(VI)) (M) | 0.053 | 0.005 | 0.02 | |
| Cobalt (Co) (M) | 130 | 2.6 | 10.5 | |
| Copper (Cu) (M) | 7700 | 156 | 622.5 | |
| Lead (Pb) (M) | 23 | 0.5 | 2.0 | |
| Manganese (Mn) (M) | 15000 | 300 | 1200 | |
| Mercury (Hg) (M) | 94 | 1.9 | 7.5 | |
| Nickel (Ni) (M) | 930 | 18.8 | 75 | |
| Selenium (Se) (M) | 460 | 9.4 | 37.5 | |
| Strontium (Sr) (M) | 56000 | 1125 | 4500 | |
| Tin (Sn) (M) | 180000 | 3750 | 15000 | |
| Organic Tin (M) | 12 | 0.2 | 0.9 | |
| Zinc (Zn) (M) | 46000 | 938 | 3750 | |

Any report having not been signed by surhorized approver, or having been aftered without authorization, or having not been stamped by the "Districted Testing Processing Processing or accepting portion of, or altering the content of the report is not permitted without the written acceptance of AGC. The less result presented in the report apply only to the tested sample. Any objections to report assued by AGC should be submitted to AGC within 15days of sent acceptance of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by ago(glago-cert.com.



Page 6 of 12

Category III: Scrapped - off toy material

Test method: EN 71-3:2019, Analysis was performed by ICP-OES, GC-MS, LC-ICP-MS.

Unit: mg/kg

| T4- J I4(-) | | | Result(s) | . 10 | | MDI | T |
|----------------------------|------|------|-----------|------|------|-------|------------|
| Tested Item(s) | 1 | 2 | 3 | 4 | 5 | MDL | Limit |
| Aluminium (Al) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Antimony (Sb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 2.0 | -50 |
| Arsenic (As) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.5 | |
| Barium (Ba) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Boron (B) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Cadmium (Cd) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.3 | |
| Chromium III (Cr(III)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.2 | |
| Chromium VI (Cr(VI)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.005 | |
| Cobalt (Co) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 2.5 | - 750 |
| Copper (Cu) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 100 |
| Lead (Pb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.25 | See Remark |
| Manganese (Mn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | -6 |
| Mercury (Hg) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 1.0 | |
| Nickel (Ni) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 10 | |
| Selenium (Se) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 5 | 0 |
| Strontium (Sr) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Tin (Sn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Organic Tin* (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.15 | |
| Zinc (Zn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | - 7.0 |
| Conclusion | Pass | Pass | Pass | Pass | Pass | / | |

Any report having not been signed by surhorized approver, or having been altered without authorization, or having not been stamped by the "Disclosed Teath of happed inspection."

Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written supportant on AGC. The test result presented in the report apply only to the tested sample. Any objections to report assued by AGC should be submitted to AGC within 15 days of testing the test report Further enquiry of validity or verification of the test report should be addressed to AGC by ago(t) ago(t) ago(t) ago(t).



Page 7 of 12

Unit: mg/kg

| T. (114(1) | | ~0 | Result(s) | .10 | | T | |
|----------------------------|------|------|-----------|------|------|-------|------------|
| Tested Item(s) | 6 | 7 | 8 | 9 | 10 | MDL | Limit |
| Aluminium (Al) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | -50 |
| Antimony (Sb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 2.0 | 300 |
| Arsenic (As) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.5 | |
| Barium (Ba) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | -30 |
| Boron (B) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 60. |
| Cadmium (Cd) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.3 | |
| Chromium III (Cr(III)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.2 | |
| Chromium VI (Cr(VI)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.005 | |
| Cobalt (Co) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 2.5 | 1997 |
| Copper (Cu) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Lead (Pb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.25 | See Remark |
| Manganese (Mn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 584 |
| Mercury (Hg) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 1.0 | |
| Nickel (Ni) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 10 | -30 |
| Selenium (Se) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 5 | P |
| Strontium (Sr) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Tin (Sn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 0 |
| Organic Tin* (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 0.15 | 1 |
| Zinc (Zn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Conclusion | Pass | Pass | Pass | Pass | Pass | / | |

Any report having not been signed by surhorized approver, or having been altered without authorization, or having not been stamped by the "Decision Tempor Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report assued by AGC should be submitted to AGC within 15 days affecting the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@lago-cert.com.



Page 8 of 12

| Unit: | mg/kg |
|-------|-------|
| Om. | mg/Kg |

| T. (. 11((.) | | | Resi | ult(s) | | | MDI | T • • |
|----------------------------|------|------|------|--------|------|------|-------|------------|
| Tested Item(s) | 11 | 12 | 13 | 14 | 15 | 16 | MDL | Limit |
| Aluminium (Al) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | - 100 |
| Antimony (Sb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 2.0 | 360 |
| Arsenic (As) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.5 | |
| Barium (Ba) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | -30 |
| Boron (B) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | W |
| Cadmium (Cd) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.3 | |
| Chromium III (Cr(III)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.2 | |
| Chromium VI (Cr(VI)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.005 | |
| Cobalt (Co) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 2.5 | |
| Copper (Cu) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Lead (Pb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.25 | See Remark |
| Manganese (Mn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 250 |
| Mercury (Hg) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 1.0 | |
| Nickel (Ni) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 10 | -10 |
| Selenium (Se) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 5 | P |
| Strontium (Sr) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Tin (Sn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 0 |
| Organic Tin* (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.15 | 1 |
| Zinc (Zn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Conclusion | Pass | Pass | Pass | Pass | Pass | Pass | / | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Declared Testing Processor" is deemed to be invalid. Copying or excepting portion of, or altering the content of the report is not permitted without the written authorization of ACC, the less results presented in the report apply only to the feeted sample. Any objections to report secured by ACC should be submitted to ACC within 15day, after the less report. Further enquiry of validity or verification of the test report should be addressed to ACC by agoillago -cert.com.



Page 9 of 12

Unit: mg/kg

| T (.) | | | Resi | ult(s) | | | MDI | T, |
|----------------------------|------|------|------|--------|------|------|-------|------------|
| Tested Item(s) | 17 | 18 | 19 | 20 | 21 | 22 | MDL | Limit |
| Aluminium (Al) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | - 10 |
| Antimony (Sb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 2.0 | |
| Arsenic (As) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.5 | |
| Barium (Ba) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | -30 |
| Boron (B) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 6 |
| Cadmium (Cd) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.3 | |
| Chromium III (Cr(III)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.2 | |
| Chromium VI (Cr(VI)) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.005 | |
| Cobalt (Co) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 2.5 | 200 |
| Copper (Cu) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Lead (Pb) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.25 | See Remark |
| Manganese (Mn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Mercury (Hg) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 1.0 | |
| Nickel (Ni) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 10 | -10 |
| Selenium (Se) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 5 | |
| Strontium (Sr) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Tin (Sn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | 9 |
| Organic Tin* (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 0.15 | |
| Zinc (Zn) (M) | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 50 | |
| Conclusion | Pass | Pass | Pass | Pass | Pass | Pass | / | |

Note:

mg/kg = milligram per kilogram M = Migration

MDL = Method detection limit N.D.= Not Detected (lower than method detection limit)

* = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.

Any report having not been signed by surhorized approver, or having been ellered without authorization, or having not been stamped by the "Decicated Report Paper Content of the report is not permitted without the written Authorization of ACE. The test represented in the report apply only to the tested sample. Any objections to report sessed by ACC should be submitted to ACC within 150 attraction of the test report apply only to the test report should be addressed to ACC by agoittage—cert.com.



Page 10 of 12

The less results

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

Summary table:

| | On product | On packaging |
|------------------------------|------------|--------------|
| Washing/Cleaning instruction | / | 1 |
| CE mark | Absent | Present |
| Manufacturer's name | Absent | Present |
| Manufacturer's address | Absent | Present |
| Importer's name | Absent | Absent |
| Importer's address | Absent | Absent |
| Product ID | Absent | Present |

Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by t is deemed to be invalid. Copying or excerpting parties of, or altering the content of the report is not permitted without the writte presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC witten 15days. Further enquiry of validity or verification of the test report should be addressed to AGC by agoillago -cert.com.

Attestation of Global Compliance(Shanzhan)Co., Ltd. Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd. Tel: +86~755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Sample Description:


| 1. | Orange plastic | | |
|-----|---------------------------|---------|-----------|
| 2. | Red plastic | 3 E 2 | 200 |
| 3. | White plastic | | |
| 4. | Black plastic | | 7 July 20 |
| 5. | Pink plastic | | 1000 |
| 6. | Blue plastic | | 774 |
| 7. | Rose red plastic | 34 | |
| 8. | Dark purple plastic | | 0 |
| 9. | Light grey plastic | | -30 |
| 10. | Navy blue plastic | | 7/10 |
| 11. | Brown plastic | | - N |
| 12. | Brown plastic | | |
| 13. | Grey plastic | | 200 |
| 14. | Earthy yellow plastic | | 4.00% |
| 15. | Khaki plastic | | |
| 16. | Light blue plastic | - P-3-2 | |
| 17. | Sky blue plastic | | |
| 18. | Brown yellow plastic | | GY on |
| 19. | Green plastic | | A 100 |
| 20. | Fluorescent green plastic | | |
| 21. | Bean green plastic | 200 | |
| 22. | Purple plastic | 532 | |

Test Flow Chart


1. Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:



2. Test Flow Chart for Migration of Chromium(III) and Chromium(VI):




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Techniques Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The less represented in the report apply only to the fested sample. Any objections to report sessed by AGC should be submitted to AGC within 15 data after a purpose of the fest report should be addressed to AGC by ago(i) ago -cert.com.






3. Test Flow Chart for Migration of Organic Tin Compounds:



The photo of the sample



AGC11088200801-001

AGC authenticate the photo only on original report

*** End of Report ***

Any report having not been started by surhorized approver, or having been altered without authorization, or having not been started by the "Declared Pestag Inspection Starte" is deemed to be invalid. Copying or excepting portion of, or altering the content of the report is not permitted without the written authorization of ASC. The less results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15da Eathert - privace of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agolfgage-cert.com.



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.
- 5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 8.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

The less results

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp? It deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization in the report apply only to the treated sample. Any objections to report assued by AGC should be authoritied to AGC within 1554 2 should be authorized by AGC should be authoritied to AGC within 1554 2 should be authoritied to AGC by agoiglago-cert.com.