



## Bosch Serie 2 SMV2ITX16E dishwasher Fully built-in 12 place settings E

**Brand :** Bosch

**Product family:** Serie 2

**Product code:** SMV2ITX16E

**Product name :** SMV2ITX16E

Bosch Serie 2 SMV2ITX16E. Appliance placement: Fully built-in, Product size: Full size (60 cm), Control panel colour: Black. Number of place settings: 12 place settings, Noise emission class: C, Noise level: 50 dB. Feet adjustment: 6 cm, Control apps supported: Bosch Home Connect. Energy efficiency class: E, Water consumption per cycle: 10.5 L, Energy consumption per 100 cycles: 92 kWh. Width: 598 mm, Depth: 550 mm, Height: 815 mm



Design		Ergonomics	
Appliance placement *	Fully built-in	Automatic detergent detection	✓
Product size *	Full size (60 cm)	Adjustable feet	✓
Custom panel-ready *	✓	Feet adjustment	6 cm
Door colour *	Not applicable	Floor indicator light	✓
Control panel colour	Black	Control apps supported	Bosch Home Connect
Control type	Touch	Wi-Fi controlled	✓
Built-in water softener	✓	Power	
Cord length	1.75 m	Energy efficiency scale	A to G
Inlet hose length	1.65 m	Energy efficiency class *	E
Outlet hose length	1.9 m	Energy consumption per cycle	1.02 kWh
Water fill	Cold	Water consumption per cycle *	10.5 L
Cutlery compartment type	Basket	Energy consumption per 100 cycles *	92 kWh
Tub material	Stainless steel	Connected load	2400 W
Brand specific tub material	Polinox	Power consumption (left-on)	0.5 W
Performance		Power consumption (off)	0.5 W
Noise level *	50 dB	AC input voltage	220 - 240 V
Dishwashing programs *	Auto 45-65°C, Eco 50°C, Intensive 70°C	AC input frequency	50 - 60 Hz
Number of place settings *	12 place settings	Current	10 A
Number of washing programs *	5	Weight & dimensions	
Noise emission class *	C	Depth	550 mm
Number of temperature settings	4	Height	815 mm
Temperature (max) *	70 °C	Weight	30.5 kg
Maximum hot water supply temperature	60 °C	Depth with door open	115 cm
Cycle time *	270 min	Installation compartment width	60 cm
Delayed start timer	✓	Installation compartment depth	55 cm
Delay start (max)	9 h	Installation compartment height	81.5 cm
AquaStop function *	✓	Installation compartment height (min)	81.5 cm
AquaSensor function	✓	Installation compartment height (max)	87.5 cm
Extra dry	✓		

Performance		Weight & dimensions	
Glass protection	✔	Width *	598 mm
Half-load	✔	Package weight	32.8 kg
Load sensor	✔		
Ergonomics			
Dosage assistant	✔		



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.