

1. Identification Jan 2015

Product identifier Tac-Away

Other means of identification

Product code Not available.

Recommended use Not available.

Recommended restrictionsNo restrictions on use known.

Chemical family Mixture.

Manufacturer

Company nameSafetec of America, Inc.Address887 Kensington Avenue

Buffalo, NY, USA

14215

 Telephone
 (716) 895 1822

 Website
 www.safetec.com

E-Mail

Supplier information

Company nameSafetec of America, Inc.Address887 Kensington Avenue

Buffalo, NY, USA

14215

 Telephone
 (716) 895 1822

 Emergency phone number
 1-800-255-3924

2. Hazard(s) Identification

Physical hazards Flammable liquids Category 2

Health hazards Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards This mixture does not meet the classification criteria according to OSHA HazCom

2012.

OSHA defined hazards This mixture does not meet the classification criteria according to OSHA HazCom

2012.

Label elements





Signal Word DANGER!

Hazard statement(s) Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness and dizziness.

Precautionary statement(s)

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use

explosion-proof electrical/ventilating/lighting equipment. Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.



Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist or vapor. Wash hands thoroughly after handling.



Response If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media for extinction.

Storage Store in a well-ventilated place.

Keep container tightly closed.

Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

Classified (HNOC)

None known.

Supplemental Information None.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	Concentration (%)
Ethanol	Ethyl alcohol	64-17-5	4.00
Isopropanol	Isopropyl alcohol	67-63-0	72.00

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms persist.

Skin contact Wash off with warm water and soap. Get medical attention if symptoms occur.

Eye contact If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if symptoms persist. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce

vomiting without advice from poison control center. Get medical attention.

Most important symptoms and

effects, both acute and

delayed

Ingestion

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

Indication of any immediate medical attention and special

treatment needed

Treat symptomatically. This product is a CNS depressant.

General Information Causes serious eye irritation. Prolonged skin contact may cause dermatitis (rash),

characterized by red, dry, itching skin. May cause drowsiness and dizziness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

5. Fire-fighting measures

Suitable extinguishing media

Water. Water Spray or Fog. Dry chemicals. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing

media

equipment/instructions

Specific hazards arising from the chemical

Specific methods

Special protective equipment and precautions for fire-fighters

Fire-fighting

Material name: Tac-Away

SDS US



Do not use water jet, as this may spread burning material.

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. Thermal decomposition or combustion may liberate toxic gases or fumes.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire

Cool containers exposed to heat with water spray and remove container, if no risk is involved.



General fire hazards Highly flammable liquid and vapor.

Hazardous combustion products

Carbon oxides and other irritating fumes and smoke.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate

area). Keep

ncy procedures unnecessary personnel away. Wear appropriate personal protective equipment. Do

not touch

damaged containers or spilled material unless wearing appropriate protective

clothing. For

personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning

Absorb spill with vermiculite or other inert material, then place in a sealed container

for chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer,

basements or confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface

thoroughly to remove residual contamination.

Environmental precautions Ensure spilled product does not enter drains, sewers, waterways, or confined

spaces.

7. Handling and storage

Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Eliminate all

sources of ignition. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Do not store around flammable or combustible materials. Store in tightly closed

original container in a well-ventilated place. Keep cool. Store locked up.

8. Exposure controls/personal protection

Occupational exposure limits

U.S. OSHA Exposure Limits (29 CFR 1910)

	Туре	Value
Ethanol		
(CAS 64-17-5)		
	TWA	1000 ppm
Isopropanol		
(CAS 67-63-0)		
	TWA	400 ppm (980 mg/m³)
US. ACGIH Threshold Limit Values		
	Туре	Value
Ethanol		1000ppm
(CAS 64-17-5)		••
Isopropanol		400 ppm
(CAS 67-63-0)	TWA	200 ppm





US. NIOSH: Pocket Guide to Chemical Hazards

	Туре	Value
Isopropanol	STEL	500 ppm ; 1225 mg/m3
(CAS 67-63-0)	TWA	400 ppm ; 980 mg/m3

Biological limit values

Exposure guidelines

There is no established exposure limits for this product. The above exposure limits are provided for safety reasons.

Appropriate engineering

Use general or local exhaust ventilation to maintain air concentrations below

controls

recommended exposure limits. Use explosion-proof equipment.

Individual protection measures, such as personal protective equipment

Eye / face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves recommended.

Other

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific

information.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or manufacturer for specific information.

Thermal hazards

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Colorless.

Odor Alcohol odour.
Odor threshold Not available.
PH Not available.
Melting point /freezing point Not available.

Initial boiling point and boiling range

180°F (82.26°C)

Flash point 63°F (17.2°C)

Closed cup.

Evaporation rate 2.88

Flammability (solid, gas) Not applicable.

Lower flammability/explosive



Vapour pressure

SAFETY DATA SHEET

Upper flammability/explosive

2.0%

12.7%

Not available.

SDS US Material name: Tac-Away



Vapour density Not available.

Relative density 0.7864 @ 68° F (20 $^{\circ}$ C)

(water = 1)

Solubility(ies)

Other solubility(ies) No information available.

Solubility (water) soluble

Partition coefficient (n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature

Viscosity

Other information

No information available.

Not available.

Explosive properties Not explosive Oxidizing properties None known.

Specific gravity 0.7864 @ 68°F (20 °C)

Critical temperature

VOC 100%

Volatilities % No information available.

Other None.

physical/chemical data

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Keep away from heat, sparks and open flame. High temperatures.

Incompatible materials Strong oxidizing agents. Acids.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Routes of entry inhalation YES

Routes of entry skin & eye YES Routes of entry Ingestion YES

Routes of exposure skin

absorption

Information on toxicological effects

Most important

symptoms/effects, acute and

delayed



NO

May cause irritation to the nose, throat and upper

Acute toxicity

respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components Species Test Results

Ethanol

Acute

Material name: Tac-Away



Dermal

LD50 Rabbit >15800mg/kg

inhalation

LC50 Rat >61mg/L (vapour)

Oral

LD50 Rat 7060 mg/kg

Isopropanol

Acute

Dermal

LD50 Rabbit 12 890 mg/kg

inhalation

LC50 Rat 17 000 ppm (41.8 mg/L) (vapour)

Oral

LD50 Rat 4720 mg/kg

Skin Corrosion/Irritation Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

Serious eye damage/Irritation

Respiratory or skin

sensitization

Causes serious eye irritation.

Not expected to be a skin or respiratory sensitizer.

Germ cell mutagenicity Contains ethanol. Ethanol may cause mutations to both reproductive (germ) cells

and non-reproductive (somatic) cells, based on animal data. However, no firm conclusions can be drawn from these studies and how they relate to occupational

exposure.

Carcinogenicity Note that this product contains ethanol, a confirmed animal carcinogen (A3) by the

ACGIH and human carcinogen (Group 1) by the IARC; however, this is only applicable

when the chemical is present in alcoholic beverages.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol(CAS 64-17-5) Group 1 (Carcinogenic to Humans)

Isopropanol(CAS 67-63-0) Group 3 (Not Classifiable)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethanol(CAS 64-17-5) Present

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Chronic effects Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Aspiration toxicity Not expected to be an aspiration hazard.

Further information See below for individual ingredient acute toxicity data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.



Ecotoxicity data:							
			Toxicity to Fish				
Ingredients	CAS No	LC50/96h	NOEC / 21 day	M Factor			
Ethanol	64-17-5	>100mg/L (Fathead minnow)	N/Av	N/Ap			
Isopropanol	67-63-0	9640 mg/L (Fathead minnow)	N/Av	None.			

Ingredients	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Ethanol	64-17-5	5012mg/L (Water flea)	N/Av	N/Ap		
Isopropanol	67-63-0	> 10 000 mg/L/24hr (Daphnia magna)	N/Av	None.		

Ingredients	CAS No	Toxicity to Algae					
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor			
Ethanol	64-17-5	1000mg/L (Green algae)	N/Av	N/Ap			
Isopropanol	67-63-0	N/Av	N/Av	None.			

Persistence and degradability

Not available.

Bioaccumulation potential

The log Kow for Ethanol is -0.31, and it is not expected to bioaccumulate.

<u>Components</u>	Partition coefficent n-octanol/ater (log Kow)	Bioconcentration factor (BCF)
Ethanol (CAS 64-17-5)	-0.32	
Isopropanol (CAS 67-63-0)	0.05	

Mobility in soil

Other adverse effects

Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal consideration

Disposal instructions Handle waste according to recommendations in Section 7. Do not cut, weld, drill or

grind on or near this container. Empty containers retain residue (liquid and/or vapour)

and can be dangerous.

Local disposal regulations Reuse or recycling should be given priority over disposal. If the material is unsuitable

for recycling or reclamation, dispose of in accordance with federal, provincial and local hazardous waste laws. Contact your local, state or federal environmental

agency for specific rules.

Hazardous waste code If this product, as supplied, becomes a waste in the United States, it may meet the

criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state

and federal environmental agencies.

Waste from residues / unused products

Contaminated packaging

Material name: Tac-Away

SDS US



14. Transport information

UN Number

49CFR/DOT

UN1219

UN proper shipping name ISOPROPANOL; or

ISOPROPYL ALCOHOL

Transport hazard class(es)

Class 3

Subsidiary risk

Packaging group

Special precautions for user

ICAO/IATA

UN Number UN1219
UN proper shipping name Isopropanol

Transport hazard class(es)

Class 3

Subsidiary risk none Packaging group

Environmental hazards

ERG Code

Special precautions for user

on

3

Forbidden

Otherinformation

Passenger and cargo

aircraft

Cargo aircraft only Forbidden

IMDG

UN Number UN1219

UN proper shipping name ISOPROPANOL; or

ISOPROPYL ALCOHOL

Transport hazard class(es)

Class

Subsidiary risk none Packaging group

Environmental hazards

Marine pollutant

EmS F-E

Special precautions for user Packing Code: P001

Packing Special Provisions: -

IBC Code: IBC02
IBC Special Provision: IMO Tank Instructions: T1
UN Tank Instructions: T4
Tank Special Provisions: TP1

General information

Appropriate advice on safety must accompany the package. Keep away from heat,

sparks and open flame. - No smoking.

Material name: Tac-Away SDS US

Refer to ICAO/IATA Packing Instruction Y305, 305, or 307.



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This information is not available.

15. Regulatory information

US Federal Information: SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard

Classes: Immediate (Acute) health hazard; Fire Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning

quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000

pounds for all other hazardous chemicals.

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS#	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40	SARA TITLE III: So 372, Specific To Toxic Chemical	·
Ethanol	64-17-5	Yes	N/Ap	N/Av	No	N/Ap
Isopropanol	67-63-0	Yes	None.	None.	Yes	1%

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - NO

Fire Hazard - Yes

Pressure Hazard - NO

Reactivity Hazard - NO

US state regulations

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethanol	64-17-5	Yes	r. Developmental T	Yes	Yes	Yes	Yes	Yes	Yes
Isopropanol	67-63-0	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Inventories

Components listed below are present on the following International Inventory lists:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethanol	64-17-5	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
Isopropanol	67-63-0	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180

16. Other information, including date of preparation or last revision



Issue date 04/17/2015



Version #

Legend ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability

Act of 1980

DOT: Department of Transportation HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose
MA: Massachusetts
MN: Minnesota

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TCC: Tagliabue Closed Cup

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TWA: Time Weighted Average
TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 2 Flammability: 3 Reactivity: 0

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 2 Flammability: 3 Instability: 0 Special Hazards: None

Disclaimer

Prepared by: ICC The Compliance Center Inc.

http://www.thecompliancecenter.com

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Safetec of America, Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Safetec of America, Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed



knowledge and permission of ICC The Compliance Center Inc. and Safetec of America, Inc.

Safetec of America, Inc. 887 Kensington Avenue Buffalo, NY 14215

Bibliography

- 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for
- 2. International Agency for Research on Cancer Monographs, searched
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases (Chempendium, \mbox{HSDB} and \mbox{RTECs}).
- 4. Material Safety Data Sheet from manufacturer.
- $5.\ \mathsf{OECD}$ The Global Portal to Information on Chemical Substances eChemPortal, 2014.