


### 3.2.6 TEST RESULTS

|               |             |                     |            |
|---------------|-------------|---------------------|------------|
| EUT :         | PATCH CABLE | Model Name :        | SP-PC5U001 |
| Temperature : | 24 °C       | Relative Humidity : | 54%        |
| Pressure :    | 1010 hPa    | Test Date :         | 2017-09-25 |
| Test Mode :   | Running     | Polarization :      | Horizontal |
| Test Power :  | DC5V        |                     |            |

| No. | Frequency | Reading | Correct    | Result | Limit  | Margin | Height | Degree | Remark |
|-----|-----------|---------|------------|--------|--------|--------|--------|--------|--------|
|     | (MHz)     | (dBuV)  | Factor(dB) | (dBuV) | (dBuV) | (dB)   | (cm)   | (deg.) |        |
| 1   | 37.6798   | 26.84   | -14.19     | 12.65  | 40.00  | -27.35 |        |        | peak   |
| 2   | 123.6985  | 27.07   | -14.06     | 13.01  | 40.00  | -26.99 |        |        | peak   |
| 3   | 225.3080  | 27.33   | -17.29     | 10.04  | 40.00  | -29.96 |        |        | peak   |
| 4   | 338.4001  | 26.10   | -13.12     | 12.98  | 47.00  | -34.02 |        |        | peak   |
| 5   | 629.4772  | 26.84   | -9.04      | 17.80  | 47.00  | -29.20 |        |        | peak   |
| 6*  | 932.2715  | 26.56   | -3.15      | 23.41  | 47.00  | -23.59 |        |        | peak   |

Remark:

1. All readings are Quasi-Peak and Average values.
2. Factor = Antenna Factor + Cable Loss.
3. N/A means All Data have pass Limit



|               |             |                     |            |
|---------------|-------------|---------------------|------------|
| EUT :         | PATCH CABLE | Model Name :        | SP-PC5U001 |
| Temperature : | 24 °C       | Relative Humidity : | 54%        |
| Pressure :    | 1010 hPa    | Test Date :         | 2017-09-25 |
| Test Mode :   | Running     | Polarization :      | Vertical   |
| Test Power :  | DC5V        |                     |            |

| No. <sup>o</sup> | Frequency <sup>o</sup><br>(MHz) | Reading <sup>o</sup><br>(dBuV) | Correct <sup>o</sup><br>Factor(dB) | Result <sup>o</sup><br>(dBuV) | Limit <sup>o</sup><br>(dBuV) | Margin <sup>o</sup><br>(dB) | Height <sup>o</sup><br>(cm) | Degree <sup>o</sup><br>(deg.) | Remark <sup>o</sup> |
|------------------|---------------------------------|--------------------------------|------------------------------------|-------------------------------|------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------|
| 1 <sup>o</sup>   | 33.0950 <sup>o</sup>            | 25.05 <sup>o</sup>             | -11.10 <sup>o</sup>                | 13.95 <sup>o</sup>            | 40.00 <sup>o</sup>           | -26.05 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |
| 2 <sup>o</sup>   | 125.0066 <sup>o</sup>           | 24.68 <sup>o</sup>             | -14.14 <sup>o</sup>                | 10.54 <sup>o</sup>            | 40.00 <sup>o</sup>           | -29.46 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |
| 3 <sup>o</sup>   | 289.0021 <sup>o</sup>           | 25.29 <sup>o</sup>             | -13.42 <sup>o</sup>                | 11.87 <sup>o</sup>            | 47.00 <sup>o</sup>           | -35.13 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |
| 4 <sup>o</sup>   | 396.2415 <sup>o</sup>           | 27.23 <sup>o</sup>             | -12.33 <sup>o</sup>                | 14.90 <sup>o</sup>            | 47.00 <sup>o</sup>           | -32.10 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |
| 5 <sup>o</sup>   | 636.1340 <sup>o</sup>           | 26.53 <sup>o</sup>             | -8.86 <sup>o</sup>                 | 17.67 <sup>o</sup>            | 47.00 <sup>o</sup>           | -29.33 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |
| 6* <sup>o</sup>  | 916.0687 <sup>o</sup>           | 24.70 <sup>o</sup>             | -3.57 <sup>o</sup>                 | 21.13 <sup>o</sup>            | 47.00 <sup>o</sup>           | -25.87 <sup>o</sup>         |                             |                               | peak <sup>o</sup>   |

Remark:

1. All readings are Quasi-Peak and Average values.
2. Factor = Antenna Factor + Cable Loss.
3. N/A means All Data have pass Limit

