

Ranges  
Connections  
Reviews  
Awards

Clearway HDMI cable

Find A Dealer

About Us

Information

Blog

The Cable Doctor

Contact Us

Partner login



English

∨ **Ranges**

Browse by range/performance level

∨ **Connections**

Browse by product type

∨ **Awards & reviews**

Browse through our awards & reviews

∨ **Search**

Type in the product you're looking for



## Clearway HDMI cable

Chord Company Clearway HDMI cable takes materials and shielding to the next level, with zinc-shielded plugs, increased bandwidth and thicker high-quality copper conductors coated with a skin/foamed polyethylene insulation. Five pairs of conductors are individually internally shielded, with the overall bundle further protected by a twin aluminium foil outer screen.

Clearway HDMI supports 10K at 30Hz, 8K at 60Hz, 4K at 120Hz, 48GBps, Dynamic HDR, HDCP2.2, eARC, 3D and all HDMI audio formats. Available lengths: 0.75m, 1.5m, 2m, 3m. A worthy addition to the award-winning Clearway range.

Also supports:

Source-based Tone Mapping (SBTM)

Variable Refresh Rate (VRR)

Auto Low Latency Mode (ALLM)



Find your nearest dealer

 [Find a dealer](#)

## Technical Specifications

<b>Bandwidth</b>	UHS 48GBps up to 3m / PHS 18GBps 5m+
<b>Resolution</b>	8K / 4K
<b>Dynamic range</b>	Dynamic HDR upto 3m and HDR 5m+
<b>Operating distance</b>	up to 10m
<b>Primary conductors</b>	Solid 25AWG OFC
<b>Insulation</b>	Foam-PE
<b>Shielding</b>	Braiding & AL foil
<b>Cable Jacket</b>	PVC

<b>HDMI connector shell</b>	Gold-plated copper
<b>HDMI connector pins</b>	19-pin gold-plated copper
<b>Termination</b>	Hand soldering
<b>HDMI connector backshell</b>	PVC & zinc alloy
<b>Cable diameter</b>	8.2mm

### **Chord Company HDMI cables**

The HDMI performance standard is one of the fastest-moving in our industry. HDMI (High Definition Multimedia Interface) cables carry high-frequency signals alongside a 5-volt DC electric supply. These complex multi-purpose interconnects tend to be longer than most other cables in a system, with the possible exception of speaker cables.

Today's high-technology house contains many devices producing high-frequency (HF) noise. Cables often act as aerials picking up this noise. Unfortunately, the longer the cable the better aerial it becomes. These unwanted high-frequency signals can penetrate unprotected cables and end up on the signal earth. To preserve these delicate signals, all Chord Company HDMI cables feature high-efficiency HF screening to minimise the noise pick-up.

---

### **Chord Company Clearway HDMI EAN codes:**

1m: 5060271594382

2m: 5060271594429

3m: 5060271594436

5m: 5060271594443

8m: 5060271594450

10m: 5060271594467

15m: 5060271594474

20m: 5060271594481

Designing and hand building in England since 1985

## Contact Chord Company

Telephone: +44 (0)1980 625700

Email: [sales@chord.co.uk](mailto:sales@chord.co.uk)

PR: [www.dangeorgecommunications.com](http://www.dangeorgecommunications.com)

Technical advice: [cabledoctor@chord.co.uk](mailto:cabledoctor@chord.co.uk)

Images: [www.flickr.com/photos/chordco/albums](http://www.flickr.com/photos/chordco/albums)

## Our Address

The Chord Company Ltd,  
Chord Company House,  
Millsway Centre,  
Amesbury,  
Wiltshire  
SP4 7RX, UK

## Useful links

[Privacy Policy](#)

[Terms & Conditions](#)

[Register a Chord Co product](#)

[Warranty & install guide](#)