

THE MAGNUM HYBRID (HALOGEN FREE)

TRUE TRANSMISSION TECHNOLOGY * HYBRID DESIGN * HALOGEN FREE



This very attractive dark-red colored mat finished twin-lead speaker cable is designed to produce the best transfer quality at an affordable price.

- Each lead consists of 483 x 0.15 mm. high purity Matched Crystal (MC) OFC strands with a dense and very pure silver coating.
- The resistance per lead is just: 0.21 Ohm/100 meter.
- The metal cross-section area for each conductor is: 8.54 mm², equalling AWG 8.
- The capacitance between the 2 leads is a nice and low 27 pF/meter.
- Covering the 2 conductors you will find an extra Linear Structured Carbon[®] saturated layer. This layer dramatically improves the sonic qualities of The MAGNUM HYBRID.

- The cable jacket is made of our HULLIFLEX® 5, a very flexible and mechanically superb insulation material.
- The plus and minus leads are different in jacket shape with gold colored printing in the flat middle-section. Both properties are easy polarity finders.
- Type printing at 25 cm. (10") distance makes cutting of specified lengths very easy.

Packing conditions: 50 meters per reel in a 320 x 320 x 310 mm. box with a total shipping weight of 14.7 kg.

[Compare](#) 
[Technical Specs](#)  [Find a dis](#)

Specs


Distributors

THE MAGNUM HYBRID (HALOGEN FREE)

Specifications

Following

RECENT REVIEWS



THE CNT

★★★★★

Language:

[Read full preview](#) ↗

COLIBRI MASTER SIGNATURE

November, 2019

★★★★★

Language: English

[Read full preview](#) ↗

THE GRAIL SE+

May, 2020

★★★★★

Language: English

[Read full preview](#) ↗

THE GRAIL SE

March, 2020

★★★★★

Language: English

[Read full preview](#) ↗

Products Distributors

- Cables Search
- Phono distributors
- Electronics Join us!
- Accessories

Company

- About us
- Clients
- Cable technology
- Awards
- News
- Privacy
- Contact

Contact

Address:
 Oude Apeldoornseweg 69,
 8171 LV Vaassen
 The Netherlands

Phone: +31 (0) 578 569 950
 Email:
 info@vanden Hul.com

