VAN den HUI® HOME PRODUCTS V DISTRIBUTORS COMPANY PROFILE V NEWS FAQ C

CONTACT

## THE ORCHID

TRUE TRANSMISSION TECHNOLOGY \* HYBRID DESIGN \* HALOGEEN FREE



The ORCHID is our first audio interconnect cable to employ our newly developed "Tunnel Technology": a clever combination of physical concepts which oppose the signal level and frequency dependent behaviour of electrical signal transfer in cables.

Our Tunnel Technology's underlying philosophy is that the longer the distance of – and the better – the path is along which the signal carrying electrons and their related electromagnetic waves can flow unimpededly in an audio cable, the less disturbances the signal and sound will undergo.

As the result of its applied Tunnel Technology, its high quality materials and its meticulous manufacture, The ORCHID provides an exceptional dynamic range and frequency response. The ORCHID furthermore is characterised by its impeccable preservation of resolution, ambience and

definition, its unbelievable reproduction of space and distance as well as its extremely natural, open and nonfatiguing sound. An excellent choice for the demanding audiophile!

The anatomy of a flower:

The ORCHID is a slim but very robust, 2.9 mm diameter, three conductor (balanced) interconnect equipped with a solid core centre conductor designed for maximum sonic performance. (The cable's construction ensures that the core is virtually unbreakable).

In The ORCHID only the highest quality materials are used:

- The purest and most carefully processed dense Silver coated Matched Crystal Oxygen Free Copper conductors.
- Lossless and extremely stable insulation materials.
- A rugged HULLIFLEX ® jacket.

The cable's so-called triaxial construction embraces a dense braided 80 strand shield, a similar underlying 48 strand second shield/signal conductor and a solid signal core. The internal insulators furthermore are Linear Structured Carbon ® treated.

## This has several advantages:

An improved shielding factor against high

The Orchid

frequency interference.

- Microscale bridging of conductor surface imperfections.
- Extra anti-corrosive protection of the conductors.
- Avoids cable microphony.

Next to its application as a balanced or unbalanced audio interconnect, the slim 2.9 mm diameter ORCHID is excellently suitable for high quality equipment internal wiring (e.g. mixing consoles and other audio equipment) and as a microphone cable.

With its balanced configuration The ORCHID is available in both RCA type connector terminated version for single-ended (unbalanced) audio connections as well as in XLR terminated version for balanced connections in 0.8, 1.0, 1.2 and 1.5 meter lengths. (Larger lengths can be made on special request).

The ORCHID is not available on reels or in specified lengths without connectors for do-it-yourself cable making.

Compare Technical Specs Find a dis

**Specs** 


Distributors

## THE ORCHID

**Specifications** 

Following

## **RECENT REVIEWS**









Products	Distributors	Company	Contact
Cables	Search	About us	Address:
Phono	distributors	Clients	Oude Apeldoornseweg 69,
Electronics Join us!		Cable	8171 LV Vaassen
Accessories		technology	The Netherlands
		Awards	
		News	Phone: +31 (0) 578 569 950
		Privacy	Email:
		Contact	info@vandenhul.com
			f y in The



© 2023 Van den Hul B.V. - High End Cables, Phono Cartridges and Electronics | Disclaimer