

PS0711




HSS jobber drill with 5% cobalt
Fully ground steel, bright finish


HSS metaalboor met 5% cobalt
Geslepen staal, blank gepolierd

Mèche à métal HSS avec 5% cobalt
Acier meulé, finition brillante

HSS Spiralbohrer mit 5% Cobalt
Präzisionsgeschliffen, blank poliert

DIN 338 RN



ART. NR.	EAN CODE	Ø [mm]	L [mm]	L2 [mm]	
PS07111000200	5410439224130	2	49	24	1
PS07111000250	5410439224147	2,5	57	30	1
PS07111000300	5410439224154	3	61	33	1
PS07111000320	5410439224161	3,2	65	36	1
PS07111000350	5410439224185	3,5	70	39	1
PS07111000400	5410439224192	4	75	43	1
PS07111000420	5410439224208	4,2	75	43	1
PS07111000450	5410439224215	4,5	80	47	1
PS07111000480	5410439311489	4,8	86	52	1
PS07111000500	5410439224222	5	86	52	1
PS07111000550	5410439224239	5,5	93	57	1
PS07111000600	5410439311496	6	93	57	1
PS07111000650	5410439224246	6,5	101	63	1
PS07111000700	5410439224253	7	109	69	1
PS07111000750	5410439224260	7,5	109	69	1
PS07111000800	5410439311502	8	117	75	1
PS07111000850	5410439311519	8,5	117	75	1
PS07111000900	5410439224277	9	125	81	1
PS07111000950	5410439311526	9,5	125	81	1
PS07111001000	5410439224284	10	133	87	1
PS07111001050	5410439311533	10,5	133	87	1
PS07111001100	5410439224291	11	142	94	1
PS07111001150	5410439311540	11,5	142	94	1
PS07111001200	5410439224307	12	151	101	1
PS07111001250	5410439311557	12,5	151	101	1
PS07111001300	5410439224314	13	151	101	1

PS0711




HSS jobber drill with 5% cobalt
Fully ground steel, bright finish


HSS metaalboor met 5% cobalt
Geslepen staal, blank gepolierd

Mèche à métal HSS avec 5% cobalt
Acier meulé, finition brillante

HSS Spiralbohrer mit 5% Cobalt
Präzisionsgeschliffen, blank poliert

DIN 338 RN



ART. NR.	EAN CODE	Ø [mm]	L [mm]	L2 [mm]	
PS07112000200	5410439228312	2	49	24	10
PS07112000250	5410439228367	2,5	57	30	10
PS07112000300	5410439228411	3	61	33	10
PS07112000320	5410439228435	3,2	65	36	10
PS07112000350	5410439228466	3,5	70	39	10
PS07112000400	5410439228510	4	75	43	10
PS07112000420	5410439228534	4,2	75	43	10
PS07112000450	5410439228565	4,5	80	47	10
PS07112000500	5410439228619	5	86	52	10
PS07112000520	5410439228633	5,2	86	52	10
PS07112000550	5410439228664	5,5	93	57	10
PS07112000580	5410439228695	5,8	93	57	10
PS07112000600	5410439228718	6	93	57	10
PS07112000620	5410439228732	6,2	101	63	10
PS07112000650	5410439228763	6,5	101	63	10
PS07112000700	5410439228817	7	109	69	10
PS07112000750	5410439228862	7,5	109	69	10
PS07112000800	5410439228916	8	117	75	10
PS07112000850	5410439228961	8,5	117	75	10
PS07112000900	5410439229012	9	125	81	10
PS07112000950	5410439229067	9,5	125	81	10
PS07112001000	5410439229111	10	133	87	10
PS07112001050	5410439229135	10,5	133	87	5
PS07112001100	5410439229142	11	142	94	5
PS07112001150	5410439229159	11,5	142	94	5
PS07112001200	5410439229166	12	151	101	5
PS07112001250	5410439229173	12,5	151	101	5
PS07112001300	5410439229180	13	151	101	5

PS0711

**HSS jobber drill with 5% cobalt**

Fully ground steel, bright finish

HSS metaalboor met 5% cobalt


Geslepen staal, blank gepolierd


Mèche à métal HSS avec 5% cobalt

Acier meulé, finition brillante

HSS Spiralbohrer mit 5% Cobalt

Präzisionsgeschliffen, blank poliert

DIN 338 RN

ART. NR.	EAN CODE	Ø [mm]	Step [mm]	pcs / set	
PS07114019000	5410439424936	1,0-10,0	/0,5mm	19	1
PS07114025000	5410439431958	1,0-13,0	/0,5mm	25	1