

IS 130-2

Technical specifications and diagrams for the IS 130-2 sensor. Includes dimensions (78 x 87 x 110 mm), voltage (230V), power (2-2000 Lux), and various diagrams showing installation and sensor adjustment.

DE DEUTSCH

German manual for the IS 130-2 sensor. Contains detailed instructions for installation, adjustment, and troubleshooting in German.

DE DEUTSCH

German manual for the IS 130-2 sensor (continued). Includes safety warnings, technical specifications, and maintenance instructions.

DE DEUTSCH

German manual for the IS 130-2 sensor (continued). Focuses on safety, electrical requirements, and warranty information.

FR FRANÇAIS

French manual for the IS 130-2 sensor. Provides installation and usage instructions in French.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety and technical details in French.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor. Includes installation and adjustment instructions in Dutch.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

NL NEDERLANDS

Dutch manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

IT ITALIANO

Italian manual for the IS 130-2 sensor. Includes installation and adjustment instructions in Italian.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

IT ITALIANO

Italian manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor. Includes installation and adjustment instructions in Spanish.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

ES ESPAÑOL

Spanish manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor. Includes installation and adjustment instructions in Portuguese.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

PT PORTUGUÊS

Portuguese manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor. Includes installation and adjustment instructions in French.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor. Includes installation and adjustment instructions in French.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Includes safety warnings and technical details.

FR FRANÇAIS

French manual for the IS 130-2 sensor (continued). Focuses on safety and technical specifications.

DK DANSK

Princíp
Bevejelser tænder for lys, alarm og meget mere. For mere komfort og sikkerhed. Den indbyggede pyroelektrisk infrarøde sensor registrerer den ugnvante varmestråling fra genstande (mennesker, dyr, etc.). Der bevæger sig. Den registrerede varmestråling omsættes elektronisk og tænder den tilsluttede forbrug. Ved forbrænringer, som f.eks. mere eller glaserud, registreres der ingen varmestråling, hvorfor lampen ikke tændes.

Sikkerhedsanvisninger

- Ved installation skal den elledning, der skal tilsluttes, være spændingsfri. Skud derfor for strømmen, og kontroller med et spændingsmåler at ledningen er spændingsfri.
- Ved vedligehold af apparatet er det tale om arbejde med nespænding. Det bør derfor udføres af en fagmand iht. de gældende regler. (DE: VDE 0100, AT: ÖVE-ÖNORM E8001-1, CH: SEV 1000)
- Åbnvet kun originale reservedele.
- Ikke kør apparatet på kun udføres på et autoriseret værksted.

Installationsanvisninger
1 - 2
L = strømførende ledning (umult eller blå brun)
2 Tilslutning med skjult ledningsmontering
N = neutralleder (normalt blå)

PE = eventuel beskyttelsesleder (grøn/gul)
1 Tilslutning med synlig ledningsmontering
2 Tilslutning med skjult ledningsmontering
1 - 2 = strømførende ledning (umult eller blå ruske)
3 Litanit oppussenukussa
N = nollajohdin (iesmiettämän sininen)
3 Litaniti pinta-asenmuksussa
PE = eventullinen maahan (vihreä/keltainen)
Huomautus: Kytkie maahan tarvittaessa. Verkkojohdon vaurio asentaa vartakynän virran kytkemiseksi ja katkaisemiseksi. Tärkeää: väärit liitännät voivat vaurioittaa laitteita. Huomaa, että valonno varmistetaan 10 A:n suojakäsitellä. Minimiammointivirta: 1,70 mV.

1 Lystyspöparer, energisparlamper, LED-lamper med elektronisk kontrollbryghæthed (den samlede kapacitet for alle tilsluttede forbrugsenheder er under den angivne værdi) ved 230 V AC.

Funktion
2

Skumningsindstilling (fabriksindstilling: Dagmodus 2000 lux: Sensorens reaktionsværdi kan indstilles trinløst på 2-2000 lux. Justeringskruken indstilles på **3** = dagmodus ca. 2000 lux. Sædvanlig indstilling på **2** = skumningsmodus ca. 2 lux. For at indstille overvågningsområdet i daglys skal justeringskruken indstilles på **3** (dagmodus).

Tidsindstilling (fabriksindstilling: 8 sek.). Brandtiden kan indstilles fra 8 sek. til 35 min. Justeringskruken indstilles på = korteste tid (8 sek.) Justeringskruken indstilles på = længste tid (35 min.)

Ved indstilling af overvågningsområdet anbefales vi at vælge den korteste tid –

Justering af overvågningsområdet med drejningsarmen
1 - 10

1 Rækkevidde 2-12 m, ved at dreje sensoren i sinne 90°


2 Ved hjælp af påklæbte afmærkningsmærker for at udelukke f.eks. gangveje eller forbrugsenheder. **Vigtigt:** Den bedste overvågning opnås, hvis sensorparten placeres vinkelret i forhold til gårdrængen, og der ikke er objekter (som f.eks. træer, mure osv.), der blokerer sensorens synsfelt. Rækkevidden er begrænset, hvis man går direkte hen mod lampen.

Effekt			
Glede-/halogenarbejdstening	600 W	Lavspændingshalogenpærer	500 VA
Lyststrømrør elektr. forbrøk enh.	430 W	LED = 2 W	16 W
Lyststrømrør ukompenseret	500 VA	2 W < LED < 8 W	64 W
Lyststrømrør seriekompenseret	500 VA	LED = 8 W	64 W
Lyststrømrør parallelkompeneret	500 VA	Kapacitiv belasting	88 µF

Fejlfindning (Fejl / Årsag → Afhjælpning)
Ingen strøm / Defekt sikring, ikke tændt → *Ny sikring, slå strømmen til, kontrollér leder med spændingstester.*
Tænder ikke / Omgivelse er stadig for lyse → *vent, indtil akberingsstærken er nået, eller juster indstillingen / Juster lysstyrke / Sluk lys / Afbryd strømmen → Tænd afbryder / Overvågningsområdet ikke indstillet korrekt → Juster arm.
Slukker ikke / Konstant tænding i overvågningsområdet → *Juster overvågningsområdet / WLAN-enhed placeret meget tæt på sensoren → **Ik afstanden mellem WLAN-enheden og sensoren** >3m.
Udenfor tidskæden hele tiden / Der er lys i overvågningsområdet → *Skift overvågningsområdet, og afstanden.
Tænder uanset / Registrerer f.eks. biler på vejen → **Skift overvågningsområdet, og sensoren ned!**
WLAN-enhed placeret meget tæt på sensoren → **Ik afstanden mellem WLAN-enheden og sensoren >3m.
Åndring i rækkevidde / Forskellige omgivende temperaturer → *Ved lave temperaturer kan du afkorte rækkevidden, når det er varmt sensoren reagerer. Vp sensoren opret ved høje temperaturer.******

Bortskaffelse

Elskaffet, tilbehør og emballage skal bortskaffes til miljøvenlig genindvning.

 Små ikde elapparatet ud sammen med husholdningsaffaldet!

Kun for EU-lande: I henhold til det europæiske direktiv om kasserede el- og elektronikapparater skal kasserede elapparater indsamles separat og bortskaffes til miljøvenlig genindvning.

Producentgaranti

Denne STENEI-produkt er fremstillet med største omhu, afprøvet iht. de gældende forskrifter samt underlagt strenge prøver for ydeevne, bestandighed og funktion. Garantien gælder i 36 måneder fra den dag, apparatet er solgt til forbrugeren. Ved materiale- eller fabriktionsfejl gives garantien gennem reparation eller udskihtning af mangelfulde dele eller vores valg. Der ydes ikke garanti ved skader på sliddele, ej heller ved skader som følge af uheld eller ved brug af ikke-tilhørende tilbehør. Garantien omfatter ikke skader på grund af ulykker, omfatter ikke følgeskader på fremmede genstande. Der ydes kun garanti mod forsværing af bøl eller kortslutning (med dato og stempel). Apparatet skal være intakt og indpakket forsvarligt, ligesom der skal vedlægges en kopi af fejlskrivning, når det fremsendes til serviceværkstedet.

3 ÅRS Service: Efter garantiperiodens udløb eller ved fej, der ikke er dækket af garantien, kan du som kunde få gratis service på vores værksted. Sørg for, at produktet er pakket forsvarligt ind GARANTI

3	1	2	3
ÅRS	1	2	3
Service	1	2	3
Garanti	1	2	3
1	2	3	4
2	3	4	5
3	4	5	6
4	5	6	7
5	6	7	8
6	7	8	9
7	8	9	10
8	9	10	11
9	10	11	12
10	11	12	13
11	12	13	14
12	13	14	15
13	14	15	16
14	15	16	17
15	16	17	18
16	17	18	19
17	18	19	20
18	19	20	21
19	20	21	22
20	21	22	23
21	22	23	24
22	23	24	25
23	24	25	26
24	25	26	27
25	26	27	28
26	27	28	29
27	28	29	30
28	29	30	31
29	30	31	32
30	31	32	33
31	32	33	34
32	33	34	35
33	34	35	36
34	35	36	37
35	36	37	38
36	37	38	39
37	38	39	40
38	39	40	41
39	40	41	42
40	41	42	43
41	42	43	44
42	43	44	45
43	44	45	46
44	45	46	47
45	46	47	48
46	47	48	49
47	48	49	50
48	49	50	51
49	50	51	52
50	51	52	53
51	52	53	54
52	53	54	55
53	54	55	56
54	55	56	57
55	56	57	58
56	57	58	59
57	58	59	60
58	59	60	61
59	60	61	62
60	61	62	63
61	62	63	64
62	63	64	65
63	64	65	66
64	65	66	67
65	66	67	68
66	67	68	69
67	68	69	70
68	69	70	71
69	70	71	72
70	71	72	73
71	72	73	74
72	73	74	75
73	74	75	76
74	75	76	77
75	76	77	78
76	77	78	79
77	78	79	80
78	79	80	81
79	80	81	82
80	81	82	83
81	82	83	84
82	83	84	85
83	84	85	86
84	85	86	87
85	86	87	88
86	87	88	89
87	88	89	90
88	89	90	91
89	90	91	92
90	91	92	93
91	92	93	94
92	93	94	95
93	94	95	96
94	95	96	97
95	96	97	98
96	97	98	99
97	98	99	100
98	99	100	101
99	100	101	102
100	101	102	103
101	102	103	104
102	103	104	105
103	104	105	106
104	105	106	107
105	106	107	108
106	107	108	109
107	108	109	110
108	109	110	111
109	110	111	112
110	111	112	113
111	112	113	114
112	113	114	115
113	114	115	116
114	115	116	117
115	116	117	118
116	117	118	119
117	118	119	120
118	119	120	121
119	120	121	122
120	121	122	123
121	122	123	124
122	123	124	125
123	124	125	126
124	125	126	127
125	126	127	128
126	127	128	129
127	128	129	130
128	129	130	131
129	130	131	132
130	131	132	133
131	132	133	134
132	133	134	135
133	134	135	136
134	135	136	137
135	136	137	138
136	137	138	139
137	138	139	140
138	139	140	141
139	140	141	142
140	141	142	143
141	142	143	144
142	143	144	145
143	144	145	146
144	145	146	147
145	146	147	148
146	147	148	149
147	148	149	150
148	149	150	151
149	150	151	152
150	151	152	153
151	152	153	154
152	153	154	155
153	154	155	156
154	155	156	157
155	156	157	158
156	157	158	159
157	158	159	160
158	159	160	161
159	160	161	162
160	161	162	163
161	162	163	164
162	163	164	165
163	164	165	166
164	165	166	167
165	166	167	168
166	167	168	169
167	168	169	170
168	169	170	171
169	170	171	172
170	171	172	173
171	172	173	174
172	173	174	175
173	174	175	176
174	175	176	177
175	176	177	178
176	177	178	179
177	178	179	180

