



CorePro Plastic LED bulbs



CorePro LEDbulb ND 8-60W A60 E27 865

CorePro, LEDbulb, A60, 60 W, E27, 6500 K, 806 lm, CRI 80, 15000 hour(s), Plastic

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	100 lm/W


Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	8 W
Lamp Current (Nom)	46 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54

CorePro Plastic LED bulbs

Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.029 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	696290
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1

Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C
Application Conditions	
can it be used in closed luminaires	No
Wireless Technology	Not applicable
Product Data	
Order product name	CorePro LEDbulb ND 8-60W A60 E27 865
Full product name	CorePro LEDbulb ND 8-60W A60 E27 865
Full product code	872016916921000
Order code	929002306408
Material Nr. (12NC)	929002306408
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169169210
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169227


Dimensional drawing




Product	D	C
CorePro LEDbulb ND 8-60W A60 E27 865	60 mm	108 mm

CorePro Plastic LED bulbs


Photometric data



Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 865




Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 865




General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 865

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 865

Lifetime



Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 865



Life Expectancy Diagram

CorePro Plastic LED bulbs

