



## SAFETY DATA SHEET SUPER RESIN POLISH

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	SUPER RESIN POLISH
<b>Product number</b>	SRP001, SRP500, SRP325, SRP100, SRP100N, SRP100SW/F, SRP325NL/F, SRP325SW/F, SRP325JAP, SRPSACHET, SRP325SCAN, SRP001SCAN, SRP500SCAN, SRP100JAP, SRP325VW, SRP500CA, SRPSACHETCA, SRP001SW/F, SRP100NL/F, SRP500AU, SRP001AU, SRP100AU, SRP325AU
<b>Internal identification</b>	SRP/RC/1/23415

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Polish for use on motor vehicle bodies
------------------------	--

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Autoglym Works Road Letchworth Herts SG6 1LU UK sds@autoglym.com
-----------------	--

#### 1.4. Emergency telephone number

<b>Emergency telephone</b>	+44 (0) 1462 489498 (24Hrs)
----------------------------	-----------------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	STOT SE 3 - H336
<b>Environmental hazards</b>	Not Classified

#### 2.2. Label elements

##### Pictogram



<b>Signal word</b>	Warning
<b>Hazard statements</b>	H336 May cause drowsiness or dizziness. EUH208 Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

## SUPER RESIN POLISH

**Precautionary statements**

P312 Call a POISON CENTER/ doctor if you feel unwell.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.  
 P501 Dispose of contents/ container in accordance with national regulations.  
 P261 Avoid breathing vapours.  
 P102 Keep out of reach of children.  
 P271 Use only outdoors or in a well-ventilated area.

**Contains** Naptha (Petroleum), Hydrotreated Heavy

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>Naptha (Petroleum), Hydrotreated Heavy</b>	<b>10-30%</b>
CAS number: 64742-48-9	EC number: 265-150-3
	REACH registration number: 01-2119486659-16-XXXX

##### Classification

Flam. Liq. 3 - H226  
 STOT SE 3 - H336  
 Asp. Tox. 1 - H304

##### Classification (67/548/EEC or 1999/45/EC)

Carc. Cat. 2;R45 Muta. Cat. 2;R46 Xn;R65

<b>Distillates (petroleum), hydrotreated light</b>	<b>5-10%</b>
CAS number: 64742-47-8	EC number: 265-149-8
	REACH registration number: 01-2119484819-18-XXXX

##### Classification

Asp. Tox. 1 - H304

<b>2-methyl-2H-isothiazol-3-one</b>	<b>&lt;1%</b>
CAS number: 2682-20-4	EC number: 220-239-6
M factor (Acute) = 1	

##### Classification

Acute Tox. 3 - H301  
 Acute Tox. 3 - H311  
 Skin Corr. 1B - H314  
 Eye Dam. 1 - H318  
 Skin Sens. 1 - H317  
 STOT SE 3 - H335  
 Aquatic Acute 1 - H400

## SUPER RESIN POLISH

<b>Bronopol</b>		<b>&lt;1%</b>
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX
M factor (Acute) = 10		

<b>Classification</b>
Acute Tox. 4 - H302
Acute Tox. 4 - H312
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
STOT SE 3 - H335
Aquatic Acute 1 - H400

<b>1,2-benzisothiazol-3(2H)-one</b>		<b>&lt;1%</b>
CAS number: 2634-33-5	EC number: 220-120-9	
M factor (Acute) = 10		

<b>Classification</b>
Acute Tox. 4 - H302
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Skin Sens. 1 - H317
Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing.
<b>Ingestion</b>	Do not induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Rinse immediately with plenty of water. Take off contaminated clothing and wash it before reuse. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Vapours may cause drowsiness and dizziness.
<b>Ingestion</b>	May cause stomach pain or vomiting.
<b>Skin contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## SUPER RESIN POLISH

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** Oxides of carbon.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Follow precautions for safe handling described in this safety data sheet. Take precautionary measures against static discharges. Provide adequate ventilation.

### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with local regulations.

### 6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes.

**Advice on general occupational hygiene** When using do not eat, drink or smoke. Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

**Protective equipment**



**Appropriate engineering controls** Provide adequate ventilation.

## SUPER RESIN POLISH

<b>Eye/face protection</b>	Wear eye protection. EN 166:2001
<b>Hand protection</b>	Wear protective gloves made of the following material: Nitrile rubber. The breakthrough time for any glove material may be different for different glove manufacturers.
<b>Hygiene measures</b>	Wash at the end of each work shift and before eating, smoking and using the toilet.
<b>Respiratory protection</b>	Respiratory protection not required.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Creamy liquid.
<b>Colour</b>	White.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No information available.
<b>pH</b>	pH (concentrated solution): 5.5
<b>Melting point</b>	No information available.
<b>Flash point</b>	61°C Setaflash closed cup.
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	~ 0.98
<b>Bulk density</b>	No information available.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	Kinematic viscosity > 20.5 mm <sup>2</sup> /s.
<b>Explosive properties</b>	No information available.

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

## SUPER RESIN POLISH

**Conditions to avoid** No specific requirements are anticipated under normal conditions of use.

### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with the following materials: Strong acids. Strong alkalis.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Not known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 100,000.0

#### Acute toxicity - dermal

**ATE dermal (mg/kg)** 300,000.0

#### Skin sensitisation

**Skin sensitisation** May cause sensitisation or allergic reactions in sensitive individuals.

**General information** This product has low toxicity.

**Inhalation** Vapours may cause drowsiness and dizziness.

## SECTION 12: Ecological Information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Not determined.

**Partition coefficient** No information available.

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations

**Disposal methods** Dispose of contents/container in accordance with local regulations.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

## SUPER RESIN POLISH

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### **Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

### 15.2. Chemical safety assessment

## SECTION 16: Other information

<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	23/04/2015
<b>Revision</b>	11
<b>SDS number</b>	21679
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. EUH208 Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

## SUPER RESIN POLISH

**Signature**

Daniel Higgs

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.