

6. Select mounting point and place BikeTrax

Depending on your e-bike model, different mounting points are possible for the BikeTrax GPS tracker. Use cable ties or double-sided adhesive tape to mount it on a suitable position, for example ...

Checklist for positioning the BikeTrax GPS tracker:

- The GPS antenna should face outward.
- The tracker is mainly surrounded by plastic and not hidden in the frame.
- The cables are neatly laid and are not bent.

Checklist for positioning the additional battery:

- The battery is well secured.
- The battery is protected from moisture.

7. Place BikeTrax additional battery

The additional battery can be placed anywhere in the engine compartment. Mount it with double-sided adhesive tape, for example ...



GOOD RIDE

BIKE TRAX GPS anti-theft protection for e-Bikes

ASSEMBLY INSTRUCTION for BOSCH e-bike systems*



15 min.



POWER PORT



powunity

POWUNITY.COM

e-mail: info@powunity.com
powunity.com

8.

8. Reattach cable cover

Make sure that the mounted parts are under no stress. The cover should fit snugly onto the threaded holes of the frame and be screwed tightly.

... between e-bike battery and motor



... in the skidplate



... under the cable cover

! The **initial operation** of your BikeTrax GPS tracker **should be performed outdoors**. This will ensure a fast connection with good network coverage.

! **Metallic objects** and coatings can **degrade the reception of GPS, GPRS and GSM signals**. Therefore, it is important that the BikeTrax GPS tracker is not hidden inside the e-bike frame or mounted with the GPS antenna (PowUnity logo) facing inwards. This can affect performance.

... in the skidplate (see figure)




... in the Intube battery

6.



PACKAGE CONTENTS



- 1 BikeTrax GPS tracker
- 2 connection cable
- 3 additional battery
- 4 tracker ID
- 5 cable ties
- 6 double-sided adhesive tape

!! IMPORTANT: Your Power Port must be unlocked before installing the BikeTrax GPS tracker! Talk to your e-bike dealer about this!

***** Every e-bike model is different, and especially the cable covers are available in a variety of different designs. **Therefore we ask for your understanding if the illustrations in this assembly instruction and the motor of your e-bike don't correspond.**



1.

1. Remove cable cover

The cable cover of your e-bike can easily be removed with the right tools.



2.

2. Remove the Power Port's blanking plug

To expose the Power Port, the silicone blanking plug must be removed. **ATTENTION:** The Power Port must not be confused with the display connection!




3.

3. Plug in BikeTrax connection cable

Observe insertion direction. The „nose“ of the connector plug belongs in the recess of the Power Port plug.


* For more information concerning the position of your Power Port, please refer to your e-bike manual.



4.

4. Connect BikeTrax GPS tracker

The BikeTrax GPS tracker is coupled with the connection cable.



5.

5. Connect BikeTrax additional battery

Then connect the additional battery to the BikeTrax GPS tracker.