

# ORIGINAL - METAL BASE H21W

# Original spare part





#### The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

#### Technical data

# **Product information**

Order reference	64136	
Application (Category and Product specific)	Auxiliary lamp	


#### **Electrical data**

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Test voltage	13.5 V
Power input tolerance	±5 %

# Photometrical data

Luminous flux	600 lm
Luminous flux tolerance	±12 %

# **Dimensions & weight**



Diameter	9 mm
Product weight	2.68 g
Length	38.9 mm

# Lifespan

Lifespan B3	240 h
Lifespan Tc	480 h

# Additional product data

Base (standard designation)	BAY9s

# **Capabilities**

Technology	AUX
------------	-----

#### Certificates & standards

ECE category	H21W
Approval marks – approval	E1 approval

# **Country specific categorizations**

Order reference	64136

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 11-04-2022				
Primary Article Identifier	4050300883335   4008321095190   4008321379320   4008321379382   4062172251631   4062172262347   4062172262316			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database	In work			

#### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321095190	OSRA64136	-	-	-
4008321095206	OSRA64136	-	-	-
4008321095190	OSRA64136	-	-	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095190	ORIGINAL - METAL BASE H21W	Unpacked 1	- x - x -		
4008321095206	ORIGINAL - METAL BASE H21W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm <sup>3</sup>	39.80 g
4008321095213	ORIGINAL - METAL BASE H21W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	249.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















