

Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 2 of 33

Labeled Age Grading 6+/8+ Requested Age Grading 3+

Age Group Assessed by SGS As Per Age : OVER 8 YEARS FOR ITEM C61006W, OVER 6 YEARS

Guideline

FOR OTHERS Age Group Applied in Testing : OVER 3 YEARS Sample Receiving Date : MAY 14, 2020

Further Information Date : JUN 08, 2020

Testing Period : MAY 14, 2020 TO JUN 08, 2020





Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 3 of 33

Test	Test Requested					
1.	1. For compliance with the European standard on Safety of toys:- (Except USB line)					
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS				
	EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability	PASS				
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT				
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS				

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager CNAS Approved Signatories Qu Ping, Kiky Dept. Manager CNAS Approved Signatories







Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 4 of 33

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	Description	<u>on</u>	Result			
4	General r	requirements				
4.1	Material of	cleanliness	<u>Pass</u>			
4.2	Assembly	У	<u>Pass</u>			
4.3	Flexible p	plastics sheeting	N/A			
4.4	Toy bags		N/A			
4.5	Glass	Glass				
4.6	Expandin	ng materials	N/A			
4.7	Edges		<u>Pass</u>			
4.8	Points an	nd metallic wires	<u>Pass</u>			
4.9	Protrudin	g parts	N/A			
4.10	Parts mo	ving against each other:				
	4.10.1	Folding and sliding mechanisms	N/A			
	4.10.2	Driving mechanisms	<u>Pass</u>			
	4.10.3	Hinges	N/A			
		(Not applicable to products with a hinged part that has a mass				
	4 10 4	less than 250g.)	Door			
4 4 4	4.10.4	Springs	Pass N/A			
4.11		ctuated toys and other toys intended to be put in the mouth	<u>N/A</u>			
4.12	Balloons		<u>N/A</u>			
4.13		toy kites and other flying toys	<u>N/A</u>			
4.14	Enclosure					
	4.14.1	Toys which a child can enter	<u>N/A</u>			
	4.14.2	Masks and helmets	<u>N/A</u>			



Union officering agreed is writing, this document is inspect by the Company explaint to its German Conditions of Service prints overlind, available on repeaping or occursorable at Phys Johns and part of Conditions, date and, the electronic terms delications and part of the decironment analysis of the print of the conditions of the con



	Test Repor	No.: T52010251140TY	Date: JUN 08, 2020	Page 5 of 33
Clause	<u>Description</u>			<u>Result</u>
4.15	Toys intend	led to bear the mass of a child:		
	4.15.1	Toys propelled by the child or by	other means	<u>N/A</u>
	4.15.2	Toy bicycles		N/A
	4.15.3	Rocking horses and similar toys		N/A
	4.15.4	Toys not propelled by a child		N/A
	4.15.5	Toys scooters		N/A
4.16	Heavy imm	obile toys		<u>N/A</u>
4.17	Projectiles			<u>N/A</u>
4.18	Aquatic toy	s and inflatable toys		<u>N/A</u>
4.19	Percussion percussion	caps specifically designed for us	se in toys and toys using	<u>N/A</u>
4.20	Acoustics			<u>Pass</u>
4.21	=	ning a non-electrical heat source	Э	<u>N/A</u>
4.22	Small balls			<u>N/A</u>
4.23	Magnets			<u>N/A</u>
4.24	Yoyo balls			<u>N/A</u>
4.25	Toys attach			<u>N/A</u>
4.26	, ,	e costumes		<u>N/A</u>
4.27	Flying toys			<u>N/A</u>
5	=	led for children under 36 months		
5.1	General red			
		Small part requirement on toys 8	& removable	
		Components (Test method 8.2)		<u>N/A</u>
		Torque test (Test method 8.3)		<u>N/A</u>
		Tension test (Test method 8.4)		<u>N/A</u>
		Drop test (Test method 8.5)		N/A
		Tip over test (Test method 8.6)		<u>N/A</u>
		Impact test (Test method 8.7)		N/A
		Compression test (Test method	8.8)	<u>N/A</u>
		Sharp edge (Test method 8.11)		N/A
		Sharp point (Test method 8.12)		N/A
		Tension test for magnets (Test r	•	N/A
		2mm or less	s and wires with a cross section o	
		Large and bulky toys		N/A
		Glued wooden toys and toys wit	-	<u>N/A</u>
		The casing of toys intended for ounaided	, , ,	<u>N/A</u>
	5.1g	Foam toys and toys containing a	ccessible foam components	<u>N/A</u>



Unions office-room agreed in setting. this document is inspectly by the Company subject to its General Conditions of Service product services, excitation or requested to request the late of the Company subject to the General Conditions of Service products services and the setting-room terms of decorations, subject to Terms and Conditions the Services Conditions the Services and Advanture to the Institution of Services and Services (Services Services Service



	Test Report	No.: T52010251140TY	Date: JUN 08, 2020	Page 6 of 33
<u>Clause</u>	Description			Result
5.2	Soft-filled toys	and soft-filled parts of a toy		N/A
5.3	Plastic sheetin	g		N/A
5.4	Cords, chains	and electrical cable in toys		N/A
5.5	Liquid filled toy			<u>N/A</u>
5.6	•	n of electrically driven toys		<u>N/A</u>
5.7	Glass and pord			<u>N/A</u>
5.8	•	e of certain toys		<u>N/A</u>
5.9	•	ng monofilament fibres		<u>N/A</u>
5.10	Small balls			<u>N/A</u>
5.11	Play figures			N/A
5.12	Hemispheric sl	naped toys		N/A
5.13	Suction cups			<u>N/A</u>
5.14	•	d to be used fully or partially	around the neck	<u>N/A</u>
5.15	Sledges with c	ords for pulling		<u>N/A</u>
6	Packaging			<u>Pass</u>
7		kings and instructions for use)	_
7.1	General Requi			<u>Pass</u>
	CEN has introd	ote that for assessing the vis duced good practice in the inf following aspects:	ibility and legibility of warnings, ormative Annex A.33 by	
	a) Emphasisi	ng the warning		
	b) Contrast, b	ackground and colours		
	c) Reflecting	surfaces and obscuring mate	rial	
	d) Font type			
	e) Font size			
	, -	ection of text		
		ls, see EN 71-1.		
7.2	(Remark: The	ded for children under 36 mor toy contains small parts. It is nd on packaging.)	nths acceptable because appropriat	Pass e See Remark
7.3	Latex Balloon			N/A
7.4	Aquatic toys			<u>N/A</u>
7.5	Functional Toy	'S		<u>N/A</u>
7.6	Hazardous sha	arp functional edges and poin	ts	N/A
7.7	Projectiles			N/A
7.8	Imitation protec	ctive masks and helmets		N/A
7.9	Toy kites			<u>N/A</u>
7.10	Roller skates, i toys	nline skates and toy skatebo	ards and certain other ride-on	<u>N/A</u>



Unions offservine agreed in writing, this document is inspected by the Company engined to be General Conditions of Service protect contents on a service of service protect of service protects of Service pr



•	Test Report	No.: T52010251140TY	Date: JUN 08, 2020	Page 7 of 33		
Clause	<u>Description</u>			<u>Result</u>		
7.11	Toys intended	to be strung across a cradle, c	ot, or perambulator	N/A		
7.12	·					
7.13	•					
7.14	Acoustics			<u>N/A</u>		
7.15	Toys bicycle			<u>N/A</u>		
7.16	Toys intended	to bear the mass of a child		<u>N/A</u>		
7.17	•					
7.18						
7.19	,					
7.20	Magnetic/electi	ical experimental sets		<u>N/A</u>		
7.21	Toys with elect	rical cables exceeding 300 mr	n in length	<u>N/A</u>		
7.22	Toys with cords under 36 montl	s or chains intended for childrens as	en of 18 months and over but	<u>N/A</u>		
7.23	Toys intended	to be attached to a cradle, cot	or perambulator	<u>N/A</u>		
7.24	Sledges with co	ords for pulling		<u>N/A</u>		
7.25	Flying toys			<u>N/A</u>		
7.26	Improvised pro	iectiles		<u>N/A</u>		

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers

N/A = Not Applicable





Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 8 of 33

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>
4.2.2	Beards, moustaches, wigs etc., made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper or cloth strands or other flowing elements), which protrude 50mm or more from the surface of the toy	Not Applicable
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper ,cloth strands or other flowing elements), which protrude less than 50mm from the surface of the toy	Not Applicable
4.2.4	Full or partial moulded head masks	Not Applicable
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and cardboard masks, eye masks, face masks), but excluding those items covered by 4.3	Not Applicable
4.3	Toy disguise costumes and toys intended to be worn by a child in play	Not Applicable
4.4	Toys intended to be entered by a child	Not Applicable
4.5	Soft filled toys	Not Applicable

Type of gas: Butane gas used in the test burner





Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 9 of 33

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Present	Packaging
Importer's Name & Address	Absent. See note 3	
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.





Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 10 of 33

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			1	2	3		
Mass of trace amount		(mg)		99.2	51.6		
Soluble Aluminium	(AI)	(mg/kg)	60	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.30	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in setting, this document is issued by the Company subject to its General Conditions of Service prime processed, essilated on request or economics all http://www.agi.com/new/Terms.agi.Conditions.agis.gain.thr electronic Service and Conditions for Service Service and Conditions to Service Se

505 Big_No.A. Angeo-Internation No. 601, Plan Note Series Language Destr. Sherries Cities 11(10) 7(5



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 11 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			4	5	6	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union office when agreed in writing, this document is instead by the Company subject to his General Conditions of Service under serviced existates on requested or development of the Company of Conditions also and, he electrone terms development subject to Terms and Conditions for Electrone Decorations of IND, (New Age control for the electrone Terms e-Decorate and Alastons is drawn to the Terms of Healthy, localized the Conditions of Conditions (Any Notice of Tella document) advised that information containing feeding the terms of the American Service of American Service of the Company's Inviting all the time of its information only and within the finite of Seart's instructions. If any, The Company's safe responsibility is to 32 Clients and this document does not exceed the finite of the Company's the Condition of Company's Condition of the American Search S

100 Reg. Nr. 4 Jungeo Interded Part, Nr. 403, Plant Seets Linguage Dates Seeten, Cline 1512 22 (106-750, 25200000) (第一755, 03100100 www.4pagroup.com.com 中國- 漢朝- 全真征延延百古华森420号江道工业园4格区55大塘 邮報: 3151229 1 (06-750, 25200000) (第一755, 03100100) 中国schine园ings.com



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 12 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			7	8	9	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of

100 Reg. Nr. 4 Jungeo Interded Part, Nr. 403, Plant Seets Linguage Dates Seeten, Cline 1512 22 (106-750, 25200000) (第一755, 03100100 www.4pagroup.com.com 中國- 漢朝- 全真征延延百古华森420号江道工业园4格区55大塘 邮報: 3151229 1 (06-750, 25200000) (第一755, 03100100) 中国schine园ings.com



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 13 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			10	11	12	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t

100 Reg. Nr. 4 Jungeo Interded Part, Nr. 403, Plant Seets Linguage Dates Seeten, Cline 1512 22 (106-750, 25200000) (第一755, 03100100 www.4pagroup.com.com 中國- 漢朝- 全真征延延百古华森420号江道工业园4格区55大塘 邮報: 3151229 1 (06-750, 25200000) (第一755, 03100100) 中国schine园ings.com



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 14 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			13	14	15		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union office when agreed in writing, this document is instead by the Company subject to his General Conditions of Service under serviced existates on requested or development of the Company of Conditions also and, he electrone terms development subject to Terms and Conditions for Electrone Decorations of IND, (New Age control for the electrone Terms e-Decorate and Alastons is drawn to the Terms of Healthy, localized the Conditions of Conditions (Any Notice of Tella document) advised that information containing feeding the terms of the American Service of American Service of the Company's Inviting all the time of its information only and within the finite of Seart's instructions. If any, The Company's safe responsibility is to 32 Clients and this document does not exceed the finite of the Company's the Condition of Company's Condition of the American Search S



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 15 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			16	17	18	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 16 of 33

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			19	20	21		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 17 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			22	23	24	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union office when agreed in writing, this document is instead by the Company subject to his General Conditions of Service under serviced existates on requested or development of the Company of Conditions also and, he electrone terms development subject to Terms and Conditions for Electrone Decorations of IND, (New Age control for the electrone Terms e-Decorate and Alastons is drawn to the Terms of Healthy, localized the Conditions of Conditions (Any Notice of Tella document) advised that information containing feeding the terms of the American Service of American Service of the Company's Inviting all the time of its information only and within the finite of Seart's instructions. If any, The Company's safe responsibility is to 32 Clients and this document does not exceed the finite of the Company's the Condition of Company's Condition of the American Search S



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 18 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			25	26	27	-	
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 19 of 33

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			28	29	30		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 20 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			31	32	33		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 21 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			34	35	36		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	7.1	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union office when agreed in writing, this document is instead by the Company subject to his General Conditions of Service under serviced existates on requested or development of the Company of Conditions also and, he electrone terms development subject to Terms and Conditions for Electrone Decorations of IND, (New Age control for the electrone Terms e-Decorate and Alastons is drawn to the Terms of Healthy, localized the Conditions of Conditions (Any Notice of Tella document) advised that information containing feeding the terms of the American Service of American Service of the Company's Inviting all the time of its information only and within the finite of Seart's instructions. If any, The Company's safe responsibility is to 32 Clients and this document does not exceed the finite of the Company's the Condition of Company's Condition of the American Search S



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 22 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			37	38	39		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	210	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 23 of 33

Test Item(s)			Result(s)		MDL	Permissible Limit	
Specimen No.			40	41	42		
Mass of trace amount		(mg)		26.5			
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 24 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			43	44	45		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 25 of 33

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			46	47	48		
Mass of trace amount		(mg)			69.7		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.22	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 26 of 33

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			49	50	51		-
Mass of trace amount		(mg)	55.1				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 27 of 33

Test Item(s)			Resu	ılt(s)	MDL	Permissible Limit
Specimen No.			52	53		
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000



Union officering agreed is writing, this document is issued by the Company exhibit to list General Conditions of Service profile inserted, excitable on request or except to except the interference of the profile of t



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 28 of 33

Test Item(s)			Resu	ılt(s)	MDL	Permissible Limit
Specimen No.			54	55		-
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000



Unions officerwise agreed in serting, this document is issued by the Company explicit to his General Conditions of Service prints instituted annihilation or retained designated at high foreign and proceedings agreed to the designation of Service prints and Conditions for Flanchises and Physical Company and Conditions for Flanchises Conditions agreed to the Service and Conditions to the Service of Conditions for Service and Conditions for the Service of Service and Conditions and Service of Service of



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 29 of 33

Specimen Description:

- 1. White paper sheet w/ multi-color coating (Instruction)
- 2. Black woven cord (Accessory)
- 3. Transparent plastic label w/ multi-color printing (Sticker)
- 4. Black plastic (Connector)
- 5. Orange plastic (Accessory)
- 6. Bright orange plastic (Accessory)
- 7. Light orange plastic (Accessory)
- 8. Orange soft plastic (Shaft)
- 9. Light grey plastic (Accessory, wheel)
- 10. Light grey plastic (Shaft)
- 11. Light grey plastic (Connector)
- 12. Pale grey plastic (Accessory)
- 13. Grey plastic (Accessory)
- 14. Grey plastic (Connector, shaft, gear)
- 15. Silvery-grey plastic (Accessory)
- 16. Dark apricot plastic (Shaft)
- 17. Blue plastic (Connector)
- 18. Dull blue plastic (Connector)
- 19. Dark blue plastic (Accessory)
- 20. Light blue plastic (Accessory)
- 21. Red plastic (Connector)
- 22. Transparent cyan plastic (Accessory)
- 23. Red soft plastic (Shaft)
- 24. Transparent yellow plastic (Accessory)
- 25. Transparent light cyan plastic (Accessory)
- 26. Cream-white plastic (Gear)
- 27. Transparent black plastic (Accessory)
- 28. Transparent orange plastic (Accessory)



Unions officewise agreed in setting, this document is issued by the Company sybject to its General Conditions of Service printerect, explicate on request or societies all http://www.ags.com/printerect.com/printerect.gov/printerect.com/printerect.



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 30 of 33

Specimen Description:

- 29. Cream-white plastic (Accessory)
- 30. Light cream-white plastic (Accessory)
- 31. Yellow plastic (Accessory)
- 32. Light apricot plastic (Connector)
- 33. Apricot plastic (Accessory)
- 34. Apricot plastic (Gear)
- 35. Pale grey plastic (Plug)
- 36. Black plastic (Thin flat wire jacket)
- 37. Black plastic (Medium flat wire jacket)
- 38. White plastic (Flat wire jacket)
- 39. Laminated paper label w/ multi-color printing (Sticker)
- 40. Transparent plastic (Light cover)
- 41. Translucent white plastic (LED)
- 42. White soft plastic (Shaft)
- 43. Light blue soft plastic (Shaft)
- 44. Dark blue soft plastic (Shaft)
- 45. Yellow soft plastic (Shaft)
- 46. Dark green plastic (Accessory)
- 47. Black plastic (Car, accessory, control)
- 48. Bright black plastic (Slide switch)
- 49. Translucent red plastic (LED)
- 50. Black plastic (Shaft)
- 51. Blue plastic (Accessory)
- 52. Transparent plastic (Accessory)
- 53. Transparent red plastic (Accessory)
- 54. Red plastic (Accessory)
- 55. Black soft plastic (Tire, shaft, ring)





Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 31 of 33

Note: - mg/kg = milligram per kilogram

- mg = milligram

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- -1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN71-3:2019, results shown only for reference
- As received, test portion of black, yellow, red, blue (Pattern), grey (Lettering) coating is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U95. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below T_{U} - U_{95}

Fail - when the measurement result is above Tu+U95

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above TL+U95

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band $[T_L-U_{95},\ T_L+U_{95}]$





Test Report

No.: T52010251140TY Date: JUN 08, 2020

Page 32 of 33





100 Big N. C. Augue Intentio Par, N. All. Java Vand Tento. Longung Datest Phonone. One 510125 1 (96-755) 25320000 中國-深駅-全員区並回古年終420号江東工业図4格555大億 超級 510129 1 (96-755) 25320000 f (86-750) 83106190 www.agagroup.com.cn f (86-750) 83106190 in aga.china@aga.com



Test Report No.: T52010251140TY Date: JUN 08, 2020 Page 33 of 33



SGS authenticate the photo on original report only

*** End of Report ***



Interest of the control of the contr