



No.: T51910300587TY

Date: NOV 29, 2019

Page 1 of 9

QINFENG TOYS FACTORY CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE, CHINA

The following samples were submitted and identified by/on behalf of the client as: BATHROOM TOYS

Item No.	:	8801, 8802, 8803, 8804, 8805, 8806, 8807, 8808, 8809,
		8810, 8811, 8812, 8813, 8814, 8815, 8816, 8817, 8818,
		8819, 8820, 8821, 8822, 8823, 8824, 8825, 8826, 8827,
		8828, 8829, 8830, 8831, 8832, 8833, 8834, 8835, 8836,
		8837, 8838, 8839, 8840, 8841, 8842, 8843, 8844, 8845,
		8846, 8847, 8848, 8849, 8850, 8851, 8852, 8853, 8854,
		8855, 8856, 8857, 8858, 8859, 8860, 8861, 8862, 8863,
		8864, 8865, 8866, 8867, 8868, 8869, 8870, 8203, 8205,
		8206A, 8206B, 9001, 9002, 9003, 9004, 9005, 9018
Labeled Age Grading	:	NOT STATED FOR BUBBLE CAR, "18M+" FOR OTHERS
Requested Age Grading	:	18M+
Age Group Assessed by SGS As Per Age	:	"ALL AGES" FOR SAMPLES IN PIC.05 / "OVER 18
Guideline		MONTHS" FOR OTHERS
Age Group Applied in Testing	:	"ALL AGES" FOR SAMPLES IN PIC.05 / "OVER 18
		MONTHS" FOR OTHERS
Sample Receiving Date	:	NOV 08, 2019
Last Submission Sample Date	:	NOV 28, 2019
Testing Period	:	NOV 08, 2019 TO NOV 29, 2019



explicit, analysis of reasons of an expension of the company of the introduction dependence and an experient and the dependence of the company of the compan

10588g, % 4. Angres Internet Fast, % c01, Ana Ruet Instan, Longong Dater, Phone 10.01279 1006-7550, 255200008 / (第二755), 03150190 www.copiegroup.com.cn 中間・実際・実際:金属総領古学術430号に重工会員4格5052大機 解除: 918129 1009-7550, 255200000 / (第二755), 03150190 www.copiegroup.com



No.: T51910300587TY

Date: NOV 29, 2019

Page 2 of 9

Test	Requested	Conclusion
1.	With reference to the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements in the specified specimen(s) as listed	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager CNAS Approved Signatories

Qu Ping, Kiky Dept. Manager CNAS Approved Signatories





instruct, and activation on request or protections all forge (research and compared Territy and control of the sectors becaute decomposition and a sector of the sectors of the sector of the sec

10188g, % 4. Anges Internet Par, %, 40, Real Real Lingueg Dates, Proving, One: 51:01:29 1 (06-755) 25520000 / (06-755) 051:05100 www.copiegroup.com.cn 中間・実際・実際・全員型部目古生得430号江臺工会員4格505大機 解除: 51:01:29 1 (06-755) 25520000 / (06-755) 051:06100 e sgs.china@sgs.com



Test Report	No.: T51910300587TY	Date: NOV 29, 2019	Page 3 of 9
-------------	---------------------	--------------------	-------------

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Descript</u>	ion	<u>Result</u>
4	General	requirements	
4.1	Material	cleanliness	Pass
4.7	Edges		Pass
4.8	Points a	nd metallic wires	Pass
4.10	Parts mo	oving against each other:	
	4.10.2	Driving mechanisms	Pass
4.20	Acoustic	S	Pass
5	Toys inte	ended for children under 36 months	
5.1	General	requirements:	
	5.1a	Small part requirement on toys & removable	
		Components (Test method 8.2)	Pass
	5.1b	Torque test (Test method 8.3)	Pass
		Tension test (Test method 8.4)	Pass
		Drop test (Test method 8.5)	Pass
		Impact test (Test method 8.7)	Pass
		Compression test (Test method 8.8)	Pass
		Sharp edge (Test method 8.11)	Pass
		Sharp point (Test method 8.12)	<u>Pass</u>
	5.1f	The casing of toys intended for children too young to sit up unaided	<u>Pass</u>
5.8	Shape a	nd size of certain toys	<u>Pass</u>
5.10	Small ba	alls	Pass
5.12	Hemisph	neric shaped toys	Pass
5.13	Suction	cups	<u>Pass</u>
6	Packagir	ng	<u>Pass</u>

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed is writing, this document is insued by the Company subject to its Germani Conditions of Service protect interfeat, and the condition of the conditional bits of the Company of Service Conditions and the decrement of the Attention of the Service Conditional Conditional Conditional Conditions and the Service Conditional
appearance of this declarent is unlawful and offenders may be propertied to the fullest extent of the law. Unless otherwise stated the
nesisitia aboven in this test report refer only to the sample(a) tested and such sample(a) are relatived for 30 days only.
Attantion To know the betty of the tracking of the problem report & contribution, placate success on an integration (\$5,700) \$387
TARD, or small CN. Department-Spepe com
100 Stig, Nr. 4. Jacpan Interfer Tat, Nr. 401, Jhua Road, Tantin, Langung Danie, Shartwan, Oter: 51(2):223 1 (36-755) 25320000 / (38-755) 253200000 / (38-755) 253200000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-755) 25320000 / (38-7550) / (38-755

中國-軍組-主用這個國家年編430号目離工业則4個7552大權 編集 018129 1 (M-755) 25220000 ((M-755) 01100190 e sps.china@sps.com



Test Report No.: T51910300587TY Date: NOV 29, 2019

EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

Clause Description

4.1 General requirements

<u>Result</u> Pass

Page 4 of 9

Type of gas: Butane gas used in the test burner

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Present	Toy & Packaging
Importer's Name & Address	Absent. See note 3	
Manufacturer's Name & Address	Absent. See note 3	
Product ID	Absent. See note 4	

Note:

- According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Internet and the second second

| 00188g, Nr. Alegenisate/Par. Nr. 60, Jhu-had, Letter, Loggeng Dante, Perzen, One: 51(51:25) 1 (86-755) 25528888 / (86-755) 85156180 www.apeptoup.com.cm 中国・実現・実現:金田古生商430年(1重工会員4株5555大催 解解: 51(51:25) 1 (86-755) 8528888 / (86-755) 85156180 e aps.chma@app.com.cm



Test Report No.: T51910300587TY Date: NOV 29, 2019 Page 5 of 9

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			1	2	3		
Mass of trace amount		(mg)					
Soluble Aluminium	(Al)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



evented, angliable on request or doversible at intra Jonese and converse and converse and conversion and conversion of the second secon

100588g, No. A Angele Instein Frant, No. 601, Jhun Real, Lengung Dame, Western, Oteo 1010129 1 (986-755) 25020000 / (986-755) 83100190 Western aphgroup. colin.cm 中間・実現・実現:101日古生品430年に建工金融4格5052大像 編編: 510129 1 (986-755) 25020000 / (986-755) 83100190 H Real-State



No.: T51910300587TY

Date: NOV 29, 2019

Page 6 of 9

Test Item(s)			Resu	ult(s)	MDL	Permissible Limit
Specimen No.			4	5		
Mass of trace amount		(mg)				
Soluble Aluminium	(Al)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000

Specimen Description:

- 1. Red plastic (Body)
- 2. Off-white plastic (Body)
- 3. Blue plastic (Body)
- 4. Orange plastic (Body)
- 5. Green plastic (Body)



sectored, available on request or diversible all http://www.sam.com/wry.Territs.avd/.Goorditions.assa.sdw.ftv becchoice theread devicements. subject to / terrise and Calmiditates for Facultates of Devicements and com/wry.ass.school Coorditions/Terrise of Devicements. Attactions in dreams to the Territation of Facultates and the Devicement and Terrise and Coorditions/Terrise of Devicement and Attactions in dreams to the Territation of Facultates and Terrise Anderson and Beford Werent, Any Nobler of Terris and Coorditions/Terrise of Devicement and Attactional Unit Instrumination contained hereins the Devicement of Devicement and the devicement and the Anderson Chaotin Instrumination contained be devicement of the attact of the devicement does not reproduced to an attact and the devicement of the devicement of the attact of the devicement does not reproduced appearances at this devicement to univertify and chaoting the Devicement of the factored of the devicement of the de

105.85g, % 4. Angrec Internet Fast, % 401, Anal Read, Langung Daters, Dear Ser, Dian 19, 1076-7550, 255200008 / 106-7550, 03150130 www.captigroup.com.cm 中間・実現・実現:金田古生品430年(2重工业数4株2555大橋 編編, 010129 / 109-755), 25520000 / 106-7550, 03150130 www.captigroup.com.cm



No.: T51910300587TY

Date: NOV 29, 2019

Page 7 of 9

- Note: mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN71-3:2019, results shown only for reference
- N.B.: Only applicable clauses were shown.




Another a register of reparent or enforcements at http://www.sep.org/org/interaction/Collegions.gene and, for esteriors the set documents, analysed to forms and Conditions for Enclose Discoursed at the investigation of the set of conditions (in the provident of advantage) to form a set of the investigation of the investigation of the investigation of the set of the set of the set of the set advantage of the set of the investigation of the investigation of the investigation of the intervention of the advantage of the set of the investigation of the i

10558g, %s.4. Angrocinaeter7es, %s.401, Anar Sect. Tartini, Lengung Danit, Pearter, One: 518129 1 (06-755) 25520000 / (06-755) 05150190 www.capagroup.com.cn 中間-常時-常時-主房以前目古生商430年(2重工业前4時255大樓 邮稿: 518129 1 (06-755) 25520000 / (06-755) 0512000 v sps.china@ags.com



Test Report No.: T51910300587TY Date: NOV 29, 2019 Page 8 of 9





internet, a will also be required or appendixed all http://www.sam.com/web/Territs.acto/Collaborational and the internet internet decomments and the start of the internet of



Test Report	No.: T51910300587TY	Date: NOV 29, 2019	Page 9 of 9
	Sample Picture (A		
	Pic.5		

SGS authenticate the photo on original report only

*** End of Report ***



interfact, a without the requested or an operations of their covers and coverse. Thereis and Couldman areas and, for extendence the source description of the source descripti

10058g, % 4. Angesteinstelfen, % 48, Ana fast Bater, Legang Dant, Penner, One 5151229 1 (86-755) 25528888 / (86-755) 85156190 were apagroup com on 中國一家期已意用這者用書名的任何讓工產用非常完成的大權 解釋: 515129 1 (86-755) 25528888 / (86-755) 85156190 e sps.china@sps.com