THE RECEIVER

The fan will stop in case the following happens.

- Lock position: the receiver has a built in safety feature to protect against obstruction during operation. Please remove obstacles before re-starting.
- Over 80W protection: when the receiver detects power consumption which is greater than 80W, the receiver power will be stopped and operation will immediately discontinue. Turn the receiver power on after 5 seconds to restart the fan.

CARE & CLEANING

- Periodic cleaning of your ceiling fan is the only maintenance required. Use a soft brush or lint free cloth to avoid scratching the paint/plated finish. Please make sure the fan is not operating when cleaning.
- Do not use water when cleaning your ceiling fan. It could damage the motor or the blades.

TROUBLE SHOOTING CHECKLIST

WARNING: THE CEILING FAN MUST BE SWITCHED OFF BEFORE TROUBLE SHOOTING IS PERFORMED.

TROUBLE	PROBABLE CAUSES	SUGGESTED REMEDY
1. Fan will not start	A. Fuse or circuit breaker blown.	Check main and branch circuit fuses or circuit breakers.
	B. Loose power connections to the fan. (Normally occur during installation.)	Lineck power connections to tan wust be
	C. No response from the remote transmitter.	 Battery is low. Replace batteries. Check if correct remote transmitter is paired with the receiver.
2. Fan Wobbles	A. Fan blades are not horizontal to ceiling.	 The blade may require adjustment at the blade mounting screws;
	B. Blade screws are loose.	Make sure all screws are securely fastened.
	C. Blade/s are out of shape.	Remove blade and lay on a flat surface to check if blades are out-of-shape.
	B. Loose fan blade screws.	Re-tighten all screws on fan blades but never over-tighten.
3. Fan sounds noisy.	C. Ceiling fan not secured against ceiling.	Re-tighten all screws in the hanging bracket or plate.
4. Mechanical Noise.	A. Allow at least for 8 hours settling-in period.	