



K 2 Classic

K 2 Classic pressure washers for occasional use and light dirt. 20 m2/h area performance, pressure 110 bar max., flow rate 360 l/h max., connection load 1400 W.

- 1 Integrated accessory storage on the device
- Convenient and space-saving accessory storage.
- 3 Safety valve and motor-stop function
- Protection from pressure overload.

- 2 Three-piston axial pump
- Completely maintenance-free.

TECHNICAL DATA AND EQUIPMENT





K 2 Classic


Order no.		1.600-979.0
EAN code		4054278249025
Pressure	MPa / bar	110 /
Flow rate	l/h	360
Max. inlet temperature	°C	max. 40
Connection load	kW	1.4
Weight without accessories	kg	3.3
Dimensions (L × W × H)	mm	393 × 171 × 243
Current type	V / Hz	220-240 / 50-60
Area performance	m²/h	20
Equipment		
High-pressure gun		G 120 Q
Vario Power Jet		
One-jet spray lance		
Dirt blaster		-
High-pressure hose	m	3
Integrated water filter		

■ Included in the scope of supply.

Technical data

K 2 CLASSIC 1,600-979,0





[■] Included in the scope of supply.

Available accessories.

K 2 CLASSIC 1.600-979.0































						_
						T
	Out to the			D	Paradation .	
				Price	·	4
17	2.644-060.0				cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integra-	- 11
18	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachmen Car & Bike. Machine washable at 60 °C.	
19	6.903-276.0				Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	[
				,		Ļ
					The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	[
1 1		k Connect system				Ļ
21	2.643-585.0				system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in	[
ystem	from 2009 with Quick Co	onnect system				
22	2.641-721.0				9 m high-pressure replacement hose for K 2 to K 7 pressur washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	ı
it syste	m from 1992					
23	2.643-037.0				Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	h [
24	2.641-828.0				Accessory set for retrofitting the practical Quick Connect system. For all Kärcher Consumer pressure washers manufactured since 1992. Not suitable for hose reel machines.	[
25	2.642-953.0				Accessory kit for retrofitting the Quick Connect system. For all Consumer high-pressure cleaners manufactured since 1992.	r [
tem for	devices with Quick Con	nect system				L,
26	2.641-709.0				High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	^{2S} [
27	2.642-240.0				The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	[
28	2.637-767.0				Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	[
29	2.637-729.0				Pipe cleaning kit with 7.5 m hose for clearing blockages in	[
		<u> </u>		1	pipes, urains and downpipes.	_
30	2.643-147.0				FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultr foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and facades.	[
	19 20 Vith an 21 22 23 24 25 27 28 29	18 2.644-129.0 19 6.903-276.0 20 2.642-889.0 Vith anti-twist system and Quic 21 2.643-585.0 ystem from 2009 with Quick Co 22 2.641-721.0 24 2.641-828.0 25 2.642-953.0 tem for devices with Quick Con 26 2.641-709.0 27 2.642-240.0 28 2.637-767.0 29 2.637-729.0	17 2.644-060.0 18 2.644-129.0 19 6.903-276.0 20 2.642-889.0 21 2.643-585.0 22 2.643-585.0 23 2.643-721.0 24 2.643-889.0 25 2.642-953.0 26 2.641-709.0 27 2.642-240.0 28 2.637-767.0 29 2.637-729.0	17 2.644-060.0 18 2.644-129.0 19 6.903-276.0 20 2.642-889.0 With anti-twist system and Quick Connect system 21 2.643-585.0 ystem from 2009 with Quick Connect system 22 2.641-721.0 it system from 1992 23 2.643-037.0 24 2.641-828.0 25 2.642-953.0 tem for devices with Quick Connect system 26 2.641-709.0 27 2.642-240.0 28 2.637-767.0 29 2.637-729.0	17 2.644-060.0 18 2.644-129.0 19 6.903-276.0 20 2.642-889.0 21 2.643-585.0 21 2.643-585.0 22 2.641-721.0 23 2.643-037.0 24 2.641-828.0 25 2.642-953.0 26 2.641-709.0 27 2.642-240.0 28 2.637-767.0 29 2.637-729.0	Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic, Quick and easy attachment changins to the integrated release lever.

[■] Included in the scope of supply.

□ Available accessories.

K 2 CLASSIC 1.600-979.0

















		Order no.		Price	Description	
FJ 10 C foam jet Connect 'n' Clean with ultra foam cleaner 3-in-1	31	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	_
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	32	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	ַ
Miscellaneous						
Vario joint	33	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	اد
Water filter	34	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.]
O-ring set	35	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	٥
Sand and wet-blasting kit	36	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.	_
Accessory kits						
Accessory Kit Bike Cleaning	37	2.643-551.0			Cleaning and care to perfection! The accessories kit for motorbike and bicycle cleaning includes 1 wheel washing brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-1 and 1 VPS 160 S.	
Accessories set for wood cleaning	38	2.643-553.0			Accessories kit for wood cleaning. With Power scrubber PS 40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam jet. Ideal for cleaning and maintaining wood and stone surfaces.	

[■] Included in the scope of supply.

□ Available accessories.

K 2 CLASSIC 1.600-979.0





















		Order no.			Price	Description	
Hose storage and hose trolley			•				
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	
Hoses							
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.	
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex® (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex* quality garden hose (3/4*). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose connection systems							
Universal hose coupling Plus	8	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal Hose Connector with Aqua Stop	10	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	
Universal Hose Connector	11	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.	

[■] Included in the scope of supply.

Available accessories.