



Product Service

CERTIFICATE

No. Z1A 10 05 68804 002

Holder of Certificate: ZheJiang JianDe WanJia
 Electrical Appliance & Cable Co., Ltd.
ELECTRICAL APPLIANCE

The Zone of Industry to the south
 of Bridge, MeiCheng
 311604 JianDe, Zhejiang
 PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Booster cable**

The product meets the safety and health requirements of the German Equipment and Product Safety Act section 7 subsection 1 sentence 2 GPSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 704021051201-00

Valid until: 2015-05-25



Date, 2010-05-27

(Roy Yongjun Xue)

Page 1 of 2



Product Service

CERTIFICATE

No. Z1A 10 05 68804 002

Model(s): WJ-16, WJY-16 (Starthilfekabel DIN 72553-16)
WJ-25, WJY-25 (Starthilfekabel DIN 72553-25)
WJ-35, WJY-35 (Starthilfekabel DIN 72553-35)

Brand Name: Wanjia (=WJ)

Parameters:

Rated voltage:	12/24 VDC
Testing current:	WJ-16, WJY-16: 220 A WJ-25, WJY-25: 350 A WJ-35, WJY-35: 480 A
Total length:	WJ-16, WJY-16: 3000 mm WJ-25, WJY-25: 3500 mm WJ-35, WJY-35: 4500 mm
Material of cords:	Copper clad aluminium
Remark:	The types WJY-16, WJY-25 and WJY-35 are equipped with a surge protector.

Tested according to: DIN 72553:1994

Factory(ies): 68804



Product Service

ZERTIFIKAT

Nr. Z1A 10 05 68804 002

Zertifikatsinhaber: ZheJiang JianDe WanJia
Electrical Appliance & Cable Co., Ltd.
ELECTRICAL APPLIANCE

The Zone of Industry to the south
of Bridge, MeiCheng
311604 JianDe, Zhejiang
VOLKSREPUBLIK CHINA


Prüfzeichen:

Produkt: Starthilfekabel

Das Produkt entspricht hinsichtlich der Gewährleistung von Sicherheit und Gesundheit den Anforderungen des deutschen Geräte- und Produktsicherheitsgesetzes § 7 Abs. 1 Satz 2 GPSG. Es kann mit den oben abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung der Prüfzeichen ist nicht erlaubt. Die Übertragung eines Zertifikates durch den Zertifikatsinhaber an Dritte ist unzulässig. Das Zertifikat ist gültig bis zum angegebenen Zeitpunkt, sofern es nicht früher gekündigt wird. Umseitige Hinweise sind zu beachten.

Prüfbericht Nr.: 704021051201-00

Gültig bis: 2015-05-25



Datum, 2010-05-27

(Roy Yongjun Xue)

Seite 1 von 2



Product Service

ZERTIFIKAT
Nr. Z1A 10 05 68804 002

Modell(e): WJ-16, WJY-16 (Starthilfekabel DIN 72553-16)
WJ-25, WJY-25 (Starthilfekabel DIN 72553-25)
WJ-35, WJY-35 (Starthilfekabel DIN 72553-35)

Marke: Wanjia (=WJ)

Kenndaten:

Nennspannung:	12/24 VDC
Prüfstrom:	WJ-16, WJY-16: 220 A WJ-25, WJY-25: 350 A WJ-35, WJY-35: 480 A
Gesamtlänge:	WJ-16, WJY-16: 3000 mm WJ-25, WJY-25: 3500 mm WJ-35, WJY-35: 4500 mm
Leitermaterial:	Kupferbeschichteter Aluminium-Kern

Anmerkung:
Die Modelle WJY-16, WJY-25 und WJY-35 werden mit
einem Überspannungsschutzschalter ausgerüstet.

Geprüft nach: DIN 72553:1994

**Produktions-
stätte(n):** 68804