



Applicant: YING LE TOYS FACTORY

Contact information: CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE

The following sample(s) was (were) submitted and identified by client as:

Sample Description : Baby toy series

Item No. : Please refer to next page(s).

Packaging Provided : No

Labeled Age Grading : 18M+
Requested Age Grading : 18M+

Age Group Applied in Testing : 18M+

Sample Received Date : Apr. 30, 2021

Testing Period : From Apr. 30, 2021 to May 10, 2021

Test Request : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Signed for and on behalf of Shen Zhen UONE Test Co., LTD.

Prepared by

Checked by

Approved by

Ruth Lai

Thea Ye

Hedy Xu/ Eric Yang

Remark: Hedy (Chemistry field) + Eric (Physical field)



Report No.: U05102210425232-4E Query Password: QW1406 Date: May 10, 2021 Page 2 of 14 Summary of Test Results (Tested parts are required partially by client): **TEST REQUEST** EN 71-1:2014+A1: 2018 European Standard for Safety of Toys Mechanical and Physical Properties **PASS** (2) EN 71-2:2011+A1:2014 European Standard for Safety of Toys Flammability **PASS** EN71-3: 2019 European Standard for Safety of Toys **PASS** Migration of Certain Elements (Scraped-off toy material) EN 71-3:2019 on migration of certain elements and (EU) 2019/1922 amending 2009/48/EC (applies from 20 May 2021) for Aluminium migration



Report No.: U05102210425232-4E Query Password: QW1406 Date: May 10, 2021 Page 3 of 14

Item No.:

YL504B, YL504BA, YL1305, YL1306, YL5509, YL1022-25, YL1022-25A, YL503A, YL605B, YL605B-1, YL1011, YL1011A, YL1011C, YL1011D, YL1022-11A, YL1022-12Y, YL1022-14, YL1022-14C, YL1022-15B, YL1022-15BA, YL1022-16A, YL1022-16BA, YL1022-16BA, YL1022-18, YL1022-19, YL1022-21, YL1022-21A, YL1022-26, YL1022A, YL1022D, YL1024A, YL1044, YL1304A, YL505-6, YL505-6A, YL505-7, YL505-7A, YL507, YL507A, YL5503, YL5505, YL5506A, YL606, YL5511, YL512A, YL505, YL505A, YL611, YL504A, YL504A, YL505-10, YL505-10A, YL505-11A, YL605, YL605A, YL607A, YL607A, YL611-1, YL611-1A, YL611A, YL612, YL612A, YL613, YL613B, YL617A, YL1022-12C, YL1022-12CA, YL1022-20A, YL1022-20A, YL1022-24A, YL1022-24A, YL1033, YL1033-1A, YL1033-1A, YL1033A, YL410, YL410A, YL512, YL512B, YL617B, YL512B, YL512B, YL512, YL5503A, YL5505A, YL5511A, YL711A, YL711-1A, YL711-1A, YL712, YL712A, YL712-1A, YL712-1A, YL713A, YL713A, YL713-1A, YL713-1A, YL714A, YL714-1A, YL714-1A, YL725, YL725A, YL726A, YL726A, YL715, YL715A, YL723A, YL723A, YL724A, YL727A, YL727A, YL728, YL728A, YL729, YL729A, YL730A, YL731A, YL731A, YL732A, YL733A, YL733A, YL733A, YL734A, YL735A, YL735A, YL736A, YL736A.

Test Material(s) List

| Material No. | Description | Remark |
|-----------------|------------------|-----------------|
| 10, 10, 10, 10, | Pink plastic | 10, 10, 10, |
| 2 | Blue plastic | 2 21 2 |
| 3 | Purple plastic | 10 11 10 IN |
| 4 | White plastic | 1 |
| 5 | Yellow plastic | The Piles Tiles |
| 6 | Red plastic | 12 12 1 12 |
| 7 & & | Green plastic | <u> </u> |
| 8 | Blue soft glue | 10, 10,10, |
| 9 | Soft pink | 21 |
| 10 | Red soft glue | (O) (O) (O) |
| 11 | Purple soft glue | 1 |
| 12 | Green soft glue | - A 1 A |
| 13 | Black coating | 1 |
| 14 | Stickers | & &1 & |
| 15 | White rope | 10, 10, 10, |



Report No.: U05102210425232-4E Query Password: QW1406 Date: May 10, 2021 Page 4 of 14

Test Result(s):

(1) Mechanical and Physical Properties - EN 71-1:2014+A1: 2018

| Section | Description | Assessment |
|---------|--|------------|
| 4.1 | Materials cleanliness | PASS |
| 4.2 | Assembly | NA |
| 4.3 | Flexible Plastic Sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding Materials | NA |
| 4.7 | Edges | PASS |
| 4.8 | Points and Metallic Wires | PASS |
| 4.9 | Protruding Parts | PASS |
| 4.10 | Parts moving against each other | PASS |
| 4.10.1 | Folding and sliding mechanisms | NA |
| 4.10.2 | Driving Mechanisms | PASS |
| 4.10.3 | Hinges | NA |
| 4.10.4 | Springs | PASS |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloon | NA |
| 4.13 | Cords of Toy Kites and Other Flying Toys | NA |
| 4.14 | Enclosures | NA |
| 4.14.1 | Toys which a child can enter | NA |
| 4.14.2 | Masks and helmets | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.15.1 | Toys propelled by a child or by other means | NA |
| 4.15.2 | Toy bicycles | NA |
| 4.15.3 | Rocking horses and similar toys | NA |
| 4.15.4 | Toys not propelled by a child | NA |
| 4.15.5 | Toy scooters | NA |



| Section | Description | Assessment |
|----------|---|------------|
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectiles | NA |
| 4.17.1 | General | NA |
| 4.17.2 | All projectiles | NA |
| 4.17.2.1 | Leading parts | NA |
| 4.17.2.2 | Foam shaft projectiles with a suction cup as a leading part | NA |
| 4.17.2.3 | Other types of projectile with a suction cup as a leading part | NA |
| 4.17.3 | Projectile toys with stored energy | NA |
| 4.17.3.1 | Energy limitation | NA |
| 4.17.3.2 | Edges | NA |
| 4.17.3.3 | Projectiles with a protective cap, cover or tip | NA |
| 4.17.3.4 | Impact resistance | NA |
| 4.17.3.5 | Improvised projectiles | NA |
| 4.17.4 | Certain projectile toys without stored energy | NA |
| 4.17.4.1 | Darts | NA |
| 4.17.4.2 | Bows and arrows | NA |
| 4.17.4.3 | Toy catapults and projectiles propelled by an elastic band | NA |
| 4.17.4.4 | Projectile toys without stored energy where the discharge mechanism can store energy, only when held in place by the user | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion Caps Specifically Designed for Use in Toys and toys using percussion caps | NA |
| 4.20 | Acoustics | PASS |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | YoYo-ball | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy disguise costumes | NA |



Page 6 of 14 Query Password: QW1406 Report No.: U05102210425232-4E Date: May 10, 2021

| Section | Description | Assessment |
|---------|---|------------|
| 4.27 | Flying toys | NA |
| 4.27.1 | General | NA |
| 4.27.2 | Rotors and propellers on flying toys | NA |
| 4.27.3 | Rotors and propellers on remote controlled flying toys | NA |
| 5 | Toys intended for Children under 36 months | PASS |
| 5.1 | General Requirements | PASS |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | PASS |
| 5.4.2 | Cords and chains in toys intended for children under 18 months | NA |
| 5.4.2.1 | Cords and chains with the potential to tangle | NA |
| 5.4.2.2 | Two cords or chains with the potential to tangle | NA |
| 5.4.2.3 | Separated cords and chains | NA |
| 5.4.2.4 | Free length of cords and chains | NA |
| 5.4.3 | Cords and chains in toys intended for children of 18 months or over but under 36 months | |
| 5.4.3.1 | Cords and chains with the potential to tangle | PASS |
| 5.4.3.2 | Two cords or chains with the potential to tangle | PASS |
| 5.4.3.3 | Separated cords and chains | NA |
| 5.4.3.4 | Free length of cords and chains | PASS |
| 5.4.3.5 | Cords and chains not suitable for children under 18 months | NA |
| 5.4.4 | Fixed loops, tangled loops and nooses | PASS |
| 5.4.5 | Cords and chains on pull along toys | PASS |
| 5.4.6 | Electrical cables | NA |
| 5.4.7 | Cross-sectional dimension of certain cords | NA |
| 5.4.8 | Self-retracting cords | NA |
| 5.4.9 | Toys attached to or intended to be strung across a cradle, cot or perambulator | NA |
| 5.4.9.1 | Toys intended to be strung across a cradle, cot or perambulator | NA |



| Section | Description | Assessment |
|---------|---|------------|
| 5.4.9.2 | Toys otherwise intended to be attached to a cradle, cot or perambulator | NA |
| 5.5 | Liquid Filled Toys | NA |
| 5.6 | Speed limitation of electrically driven toys | NA |
| 5.7 | Glass and Porcelain | NA |
| 5.8 | Shape and Size of certain Toys | NA |
| 5.9 | Toys comprising Monofilament Fibres | NA |
| 5.10 | Small balls | PASS |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric shaped toys | NA |
| 5.13 | Suction cups | PASS |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |
| 7 | Warning and Instructions for Use | NA |
| 7.1 | General | NA |
| 7.2 | Warning not intended for Children under 36 months | NA |
| 7.3 | Latex Balloon | NA |
| 7.4 | Aquatic Toys | NA |
| 7.5 | Functional Toys | NA |
| 7.6 | Hazardous sharp Functional Edges and Points | NA |
| 7.7 | Projectiles toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy Kites | NA |
| 7.10 | Roller skates, inline skates and skateboards | NA |
| 7.10.1 | Roller skates, inline skates and skateboards | NA |
| 7.10.2 | Ride-on toys without a braking device | NA |
| 7.10.3 | Electrically-driven ride-on toys | NA |
| 7.10.4 | Instructions for use | NA |



| Section | Description | Assessment |
|---------|---|------------|
| 7.11 | Toys intended to be strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid filled teethers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic/ electrical experimental set | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, got or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA |
| 7.25 | Flying toys | NA |
| 7.25.1 | Flying toys | NA |
| 7.25.2 | Remote controlled flying toys | NA |
| 7.26 | Improvised projectiles | NA |
| 3.3 | Torque Test | PASS |
| 3.4 | Tension test | PASS |
| 3.5 | Drop test | PASS |
| 3.6 | Tip over test | NA |
| 3.7 | Impact rest | PASS |
| 3.8 | Compression test | PASS |
| 3.9 | Soaking test | NA |
| 3.13 | Flexure test | NA |
| 3.24 | Kinetic energy of projectiles | NA |



| Section | Description | Assessment |
|---------|-----------------------------------|------------|
| 8.34 | Tension test for magnets | NA S |
| 8.42 | Determination of projectile range | NA |

Remark: NA = Not applicable

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to informative Annex A.26 and A.33 of The European Standard on satety of toys EN71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys

Summary table:

| | On product | On packaging |
|------------------------------|------------|--------------|
| CE mark | Absent | Absent |
| Manufacture's Name & Address | Absent | Absent |
| Importer's Name & Address | Absent | Absent |
| Product ID | Absent | Absent |

| CE mark, importer / manufacturer mark (name, address), product identification | emark |
|---|-------|
|---|-------|

Remark 1: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.

Remark 2:The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.

Remark 3: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.)



Report No.: U05102210425232-4E Query Password: QW1406 Date: May 10, 2021 Page 10 of 14

(2) Flammability - EN 71-2:2011+A1:2014

| Section | Test Item | Assessment |
|---------|---|------------|
| 4.1 | General requirements | PASS |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toys disguise costumes and toys intended to worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft-filled toys | NA |

NA = Not applicable Remark:

(3) Migration of Certain Elements

Test Method: With reference to EN71-3: 2019, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES), Inductively Coupled Plasma Mass Spectrometer (ICP-MS), Gas Chromatograph-Mass Spectrometry (GC-MS) and Ion Chromatograph.

| Substance | | Test Result (mg/kg) | | | | |
|----------------------------------|-------------|---------------------|------|------|------|------|
| | MDL (mg/kg) | 1 | 2 | 3 | 4 | 5 |
| Aluminium (Al) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Antimony (Sb) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Arsenic (As) | 0.5 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Barium (Ba) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Boron (B) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Cadmium (Cd) | 0.2 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Chromium(Ⅲ) (Cr ³⁺) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Chromium(VI) (Cr ⁶⁺) | 0.02 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Cobalt (Co) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Copper (Cu) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Lead (Pb) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Manganese (Mn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Mercury (Hg) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Nickel (Ni) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |



| Selenium (Se) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
|----------------|-----|------|------|------|------|------|
| Strontium (Sr) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Tin (Sn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Organic tin☆ | 0.1 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Zinc (Zn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. |
| Conclusio | on | PASS | PASS | PASS | PASS | PASS |

| Substance | MDL (mg/kg) | Test Result (mg/kg) | | | | | |
|----------------------------------|-------------|---------------------|-------|------|------|------|--|
| | | 6 | S 7 S | 8 | 9 | 10 | |
| Aluminium (Al) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Antimony (Sb) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Arsenic (As) | 0.5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Barium (Ba) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Boron (B) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Cadmium (Cd) | 0.2 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Chromium(Ⅲ) (Cr³+) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Chromium(VI) (Cr ⁶⁺) | 0.02 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Cobalt (Co) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Copper (Cu) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Lead (Pb) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Manganese (Mn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Mercury (Hg) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nickel (Ni) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Selenium (Se) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Strontium (Sr) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tin (Sn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Organic tin☆ | 0.1 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Zinc (Zn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Conclusion | | PASS | PASS | PASS | PASS | PASS | |



Report No.: U05102210425232-4E Page 12 of 14 Query Password: QW1406 Date: May 10, 2021

| Substance | MDL (mg/kg) | Test Result (mg/kg) | | | | | |
|---|-------------|---------------------|------|------|------|------|--|
| | | 11 | 12 | 13 | 14 | 15 | |
| Aluminium (Al) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Antimony (Sb) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Arsenic (As) | 0.5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Barium (Ba) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Boron (B) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Cadmium (Cd) | 0.2 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Chromium(III) (Cr ³⁺) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Chromium(VI) (Cr $^{6+}$) | 0.02 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Cobalt (Co) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Copper (Cu) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Lead (Pb) | 2.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Manganese (Mn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Mercury (Hg) | 1.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nickel (Ni) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Selenium (Se) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Strontium (Sr) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tin (Sn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Organic tin☆ | 0.1 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Zinc (Zn) | 5.0 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Conclusion | | PASS | PASS | PASS | PASS | PASS | |



The table of Migration Elements limit:

| | Limit (mg/kg) | | | | | | |
|---|--|----------------------------|-----------------------|--|--|--|--|
| Substance | Dry, brittle, powder-like or pliable materials | Liquid or sticky materials | Scraped-off materials | | | | |
| Aluminium (AI) | 5625 2250* | 1406 560* | 70000 28130* | | | | |
| Antimony (Sb) | 45 | 11.3 | 560 | | | | |
| Arsenic (As) | 3.8 | 0.9 | 47 | | | | |
| Barium (Ba) | 1500 | 375 | 18750 | | | | |
| Boron (B) | 1200 | 300 | 15000 | | | | |
| Cadmium (Cd) | 1.3 | 0.3 | 17 | | | | |
| Chromium(III) (Cr ³⁺) | 37.5 | 9.4 | 460 | | | | |
| Chromium(WI) (Cr ⁶⁺) | 0.02 | 0.005 | 0.053 | | | | |
| Cobalt (Co) | 10.5 | 2.6 | 130 | | | | |
| Copper (Cu) | 622.5 | 156 | 7700 | | | | |
| Lead (Pb) | 2.0 | 0.5 | 23 | | | | |
| Manganese (Mn) | 1200 | 300 | 15000 | | | | |
| Mercury (Hg) | 7.5 | 1.9 | 94 | | | | |
| Nickel (Ni) | 75 | 18.8 | 930 | | | | |
| Selenium (Se) | 37.5 | 9.4 | 460 | | | | |
| Strontium (Sr) | 4500 | 1125 | 56000 | | | | |
| Tin (Sn) | 15000 | 3750 | 180000 | | | | |
| Organic tin ☆ | 0.9 | 0.2 | 12 | | | | |
| Zinc (Zn) | 3750 | 938 | 46000 | | | | |

Note

- 1. mg/kg = part per million (ppm).
- 2. N.D. = Not Detected (< MDL).
- 3. MDL = method detection limit.
- 4. Calculated concentration of Chromium(III) (Cr³+) and Chromium(VI) (Cr⁵+) are based on total Chromium
- 5. "☆" = Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin, Dimethyl tin. The migration of organic tin is expressed as tributyltin.




6. * = The migration limit for Al has been amended by Commission Directive (EU) 2019/1922. The new limit value applies from 2021 - 5 - 19. Before this date the original limit value applies.

Photo(s) of Sample:









End of Report

This report is considered invalidated without the Special Seal for Inspection of the UONE, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample tested. Without written approval of UONE, this report shall not be copied and published as advertisement.