



Product Service

# Attestation of Conformity

No. E8A 109180 0052 Rev. 00

**Holder of Attestation:** **Shenzhenshi Ezreal Technology Co., Ltd**

3rd Floor 3rd Building  
FuMin Industrial Zone 2. PingHu Street  
Longgang District  
518111 Shenzhen  
PEOPLE'S REPUBLIC OF CHINA

**Name of Object:** **Adaptors  
(GaN Power Adapter)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 6876023055401

**Date,** 2023-09-07

( Jessie He )

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

# Attestation of Conformity

No. E8A 109180 0052 Rev. 00

**Model(s):** RCE-6701xx, GaN-6701xx, AS-6701xx, TCT67-22A, TCT67-22AEU, TCT67-22AUK, TCT67-11B, TCT67-11C, RCE-6501xx, GaN-6501xx, AS-6501xx, S3D2xx, TCT65-11B, TCT65-11C, UC20, UCH409, PS130, PS131, 0907-B, 0907-W, BAT65, RCE-6501Bxx  
(xx = EU, UK and Blank stands for plug type. EU and Blank stands for European plug, UK stands for United Kingdom plug)

## Description of Object:

Rated Input: See below table for details  
Rated Output: See below table for details  
Protection Class: II

## Tested according to:

EN 55032:2015/A1:2020  
EN IEC 61000-3-2:2019/A1:2021  
EN 61000-3-3:2013/A2:2021  
EN 55035:2017/A11:2020

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

# Attestation of Conformity

No. E8A 109180 0052 Rev. 00

Model	Input	Output
RCE-6701xx, GaN-6701xx, AS-6701xx, TCT67-22A, TCT67-22AEU, TCT67-22AUK, TCT67-11B, TCT67-11C	110- 240VAC, 50/60Hz, 1.5A	USB-C1/C2: 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 3.35A, 67.0W USB-A: 3.4-5.5VDC, 5.0A, 17.0-27.5W/ 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 20.0VDC, 3.0A, 60.0W USB-C1+USB-C2: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 20.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.22A, 20.0W/ 12.0VDC, 1.67A, 20.0W/ 15.0VDC, 1.33A, 20.0W/ 20.0VDC, 1.0A, 20.0W) USB-C1+USB-A: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 18.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.0A, 18.0W/ 12.0VDC, 1.5A, 18.0W) USB-C2+USB-A: Max. 24.0W(5.0VDC, 4.8A, 24.0W) USB-C1+ (USB-C2 +USB-A): Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 15.0W (5.0VDC, 3.0A, 15.0W) Output Power: 67.0W Max
RCE-6501xx, GaN-6501xx, AS-6501xx, S3D2xx, TCT65-11B, TCT65-11C, UC20, UCH409, PS130, PS131, 0907-B, 0907-W, BAT65	110- 240VAC, 50/60Hz, 1.5A	USB-C1/C2: 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 3.25A, 65.0W USB-A: 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 2.25A, 27.0W USB-C1+USB-C2: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 20.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.22A, 20.0W/ 12.0VDC, 1.67A, 20.0W/ 15.0VDC, 1.33A, 20.0W/ 20.0VDC, 1.0A, 20.0W) USB-C1+USB-A: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 18.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.0A, 18.0W/ 12.0VDC, 1.5A, 18.0W) USB-C2+USB-A: Max. 24.0W(5.0VDC, 4.8A, 24.0W) USB-C1+ (USB-C2 +USB-A): Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 15.0W (5.0VDC, 3.0A, 15.0W) Output Power: 65.0W Max
RCE-6501Bxx	100- 240VAC, 50/60Hz, 1.5A	USB-C1/C2: 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 3.25A, 65.0W USB-A: 3.4-5.5VDC, 5.0A, 17.0-27.5W/ 5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 20.0VDC, 3.0A, 60.0W USB-C1+USB-C2: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 20.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.22A, 20.0W/ 12.0VDC, 1.67A, 20.0W/ 15.0VDC, 1.33A, 20.0W/ 20.0VDC, 1.0A, 20.0W) USB-C1+USB-A: Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 18.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 2.0A, 18.0W/ 12.0VDC, 1.5A, 18.0W) USB-C2+USB-A: Max. 24.0W(5.0VDC, 4.8A, 24.0W) USB-C1+ (USB-C2 +USB-A): Max. 45.0W (5.0VDC, 3.0A, 15.0W/ 9.0VDC, 3.0A, 27.0W/ 12.0VDC, 3.0A, 36.0W/ 15.0VDC, 3.0A, 45.0W/ 20.0VDC, 2.25A, 45.0W) + Max. 15.0W (5.0VDC, 3.0A, 15.0W) Output Power: 65.0W Max

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

