

G9 BULB 300LM 3W 2700K DIMMABLE 300 BEAM CLEAR INTEGRAL

ILG9DC009



THIS ITEM IS NOW UPGRADED OR DISCONTINUED. CONTACT US TO FIND A REPLACEMENT PRODUCT.

This Integral LED G9 lamp offers a high lumen output in 2700K. At 3W this smooth dimming capsule lamp is highly efficient compared to the halogen lamps they are designed to replace. Ideal for pendant fittings and accent lighting in domestic, hospitality and retail applications.

Details

Quick Order Code:	284592
Barcode:	5055788232056
Category:	Lamps
Range Name:	G9
Product Type:	G9
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	49
Product Width (mm):	16
Product Weight (g):	11
Base Term:	G9
Bulb Base:	G9
Construction:	Ceramic + PC
Globe Finish:	Clear
Bulb Fixing:	Pendant, Wall, Desktop
Bulb or Luminaire Shape:	Cylindrical
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	3
Power Consumption (w):	3
Power Factor:	0.4
Wattage equivalent (W):	28


Amperage (mA):	14
Dimming:	Dimmable
Driver IC Manufacturer:	Bright Power Semiconductor
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	300
Luminous efficacy (lm/W):	100
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700K - Warm
Colour Temperature Name:	Warm
Beam Angle:	300
Colour Rendering Index (CRI):	80
Instant on (Less than 1 second):	Yes
LED Type:	SMD
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Energy Rating:	A++
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	45



Packaging

Package Weight (g):	15	Portal.integral-led.com
Package Length (mm):	20	

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Package Width (mm):	20
Package Depth (mm):	54
Qty per euro pallet:	23040