



国际互认 TESTING **CNAS L9894**

Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 1 of 17

- Applicant: HONGDI TOYS FACTORY
- Address: CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE, CHINA

Test Report

- Test site:
- 1,6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District,

Shenzhen, Guangdong, China

Report on the submitted samples said to be:

Sample Name

:	Amphibious	remote contro	ol vehicle			
	G03050R,	G03051R,	G03052R,	G03053R,	G03054R,	G03055R,
	G03056R,	G03057R,	G03058R,	G03059R,	G03060R,	G03061R,
	G03062R,	G03063R,	G03064R,	G03065R,	G03066R,	G03067R,
	G03068R,	G03069R,	G03070R,	G03071R,	G03072R,	G03073R,
	G03074R,	G03075R,	G03076R,	G03077R,	G03078R,	G03079R,
	G03080R,	G03081R,	G03082R,	G03083R,	G03084R,	G03085R,
	G03086R,	G03087R,	G03088R,	G03089R,	G03090R,	G03091R,
	G03092R,	G03093R,	G03094R,	G03095R,	G03096R,	G03097R,
:	G03098R,	G03099R,	G03100R,	G03101R,	G03102R,	G03103R,
	G03104R,	G03105R,	G03106R,	G03107R,	G03108R,	G03109R,
	G03110R,	G03111R,	G03112R,	G03113R,	G03114R,	G03115R,
	G03116R,	G03117R,	G03118R,	G03119R,	G03120R,	G03121R,
	G03122R,	G03123R,	G03124R,	G03125R,	G03126R,	G03127R,
	G03128R,	G03129R,	G03130R,	G03131R,	G03132R,	G03133R,
	G03134R,	G03135R,	G03136R,	G03137R,	G03138R,	G03139R,
	G03140R,	G03141R,	G03142R,	G03143R,	G03144R,	G03145R,
	G03146R,	G03147R,	G03148R,	G03149R		

Item No.

		G03146R, G03147R, G03148R, G03149R
Labeled Age Grading	:	6+
Requested Age Grading	:	6+
Age Group Applied in Testing	:	6+
Sample Receiving Date	:	Dec.10, 2019
Testing Period	:	Dec.10, 2019 to Dec.18, 2019
Sample receiving state	:	Normal
Test Requested	:	Please refer to next pages.
Test Method	:	Please refer to next pages.
Test Result	:	Please refer to next pages.

Approved by:

leur

Qinlianzhi, Reed / Liulinwen, Lewis

Laboratory Supervisor / Technical Director



The results shown in this best report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cont.com.

Attestation of Global Compliance Std. & Tech.







Date: Dec.30, 2019

Page: 2 of 17

Test Requested:

Report No.: AGC09601191201-003

Test Requested:	Conclusion
(1) For compliance with the European Standard on Safety of Toys:	
EN71-1: 2014+A1:2018 – Mechanical and Physical Properties	Pass
EN71-2:2011+A1:2014 – Flammability of Toys	Pass
EN71-3:2019 – Migration of certain elements	Pass
(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	See the result pages

The results spowerin thinkest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cell.com.

18 (NO.

Attestation of Global Compliance Std. & Tech.

G





Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 3 of 17

Test Result(s):

(1)-1:EN71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

Clause	Description	Result
4	GENERAL REQUIREMENTS	5 . C
4.1	Material cleanliness	Pass
4.2	Assembly	N/A
4.3	Flexible plastics sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other	Pass
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	Pass
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.15	Toys intended to bear the mass of a child	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	N/A
4.21	Toys containing a non-electrical heat source	N/A

The results spowerin thinkest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cell.com.

No.18 C

Attestation of Global Compliance Std. & Tech.







Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 4 of 17

4.22	Small balls	N/A
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27	Flying toys	N/A
5	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	200
5.1	General requirements	N/A
5.2	Filling materials	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	PACKAGING	N/A
7	Warnings, markings and instructions for use	Pass

The results spowers this sectore report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-beit.com.

No.18 C

Attestation of Global Compliance Std. & Tech.

AGC





Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 5 of 17

USE AND ABUSE TESTS

Clause	ee with section 8.3 through 8.13, whichever is applicable Test parameters
8.4 Tension test	60 N
8.5 Drop Test	5*850 mm
8.7 Impact Test	1*100mm

Note: As per client's requirement, the sample(s) was evaluated for use by children 6+ N/A=Not Application

The results spowers this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-ball.com.

No.18 C

Attestation of Global Compliance Std. & Tech.





Date: Dec.30, 2019

Page: 6 of 17

(1)-2:EN71 Part 2:2011+A1:2014 - Flammability of Toys

Report No.: AGC09601191201-003

Clause	Description	Result
4	Requirements	G
4.1	General	Pass
4.2	Toys to be worn on the head	N/A
4.2.1	General	N/A
4.2.2	Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3	N/A
4.3	Toys disguise costumes and other toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft Filled Toys (animals and dolls, etc) with a piled or textile surface	N/A

Note: N/A=Not Application

The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-ont.com.

18 (NO.

GC Attestation of Global Compliance Std. & Tech.







Report No.: AGC09601191201-003

GC

Date: Dec.30, 2019

Page: 7 of 17

(1)-3 EN 71-3: 2019- Migration of Certain Elements. ★

Category III: Scrapped - off toy material

Test method: EN 71-3:2019, Analysis was performed by ICP-OES, GC-MS, LC-ICP-MS.

Unit: mg/kg

Tested Item(s)	1	2	3	4 ** [▽]	5** [▽]	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	·
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	200
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	18 L
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	-0
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	Q~ .
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	K
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	ci i
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	5000
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	207
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	100
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	10	16
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5	SOM
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	M., 1
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	6
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	50
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	1 24
Conclusion	Pass	Pass	Pass	Pass	Pass	/	

The results spowers this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-ball.com.

No.18 C

Attestation of Global Compliance Std. & Tech.







Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 8 of 17

Unit: mg/kg

\mathbf{T}		20	Result(s)	1.1.1	C7	MDL Limit	
Tested Item(s)	6	7 ** [▽]	8	9	10 ** [▽]	<u> </u>	Limit
Aluminium (Al) (M)	N.D.	889	N.D.	N.D.	N.D.	50	5° 23
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	20
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	·
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	20-
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	100
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	-0
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	10- 1
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	Su P
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	G.
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	10	0
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5	20-
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	10
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	- 6
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	NO~ -
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	/	C .

The results spowern this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.

No.18 C

Attestation of Global Compliance Std. & Tech.

AGC







Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 9 of 17

Unit: mg/kg

		Resu	ult(s)	101	MDI	T • •
Tested Item(s)	11	12** [▽]	13	15	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	50	5 J
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	2.0	20
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	50	C
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	50	200
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	0.2	-0
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	0.005	10° .
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	2.5	10 P
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	50	G
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	10	- 0
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	5	20-
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	50	10
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	50	- 6
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	0.15	NO~
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	/	.c

The results spowern this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.

No.18 C

Attestation of Global Compliance Std. & Tech.

AGC







Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 10 of 17

Unit: mg/kg

Trated Harm(a)		20	C7	MDI Limi			
Tested Item(s)	16	17	18	19	20	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	54
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	20
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	C
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	200
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	· · ·
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	-0
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	NO~
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	6 B
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	G
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	18	N.D.	N.D.	N.D.	10	0
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5	207
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	100
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	55	50	- C
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	M
Conclusion	Pass	Pass	Pass	Pass	Pass	1	Č.

The results spowern this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-bett.com.

No.18 C

Attestation of Global Compliance Std. & Tech.

AGC







Report No.: AGC09601191201-003


Date: Dec.30, 2019

Page: 11 of 17

Unit: mg/kg

T (-)		Res	101			
Tested Item(s) Aluminium (Al) (M)	21	22	23	24	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	50	5 J
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	2.0	20
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	50	0.0
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	50	200
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	0.3	1 A A
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	0.2	-0
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	0.005	10° .
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	50	G.
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	10	C
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	5	200
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	50	10
Tin (Sn) (M)	77	N.D.	N.D.	N.D.	50	- 6
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	50	M
Conclusion	Pass	Pass	Pass	Pass	/	.C

The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-beit.com.



Attestation of Global Compliance Std. & Tech.







Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 12 of 17

Unit: mg/kg

Tested Item(s)	Result(s)				MDI	T	
	27	28	30	31	32	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	200
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	·
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	20-
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	1 C
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	- G
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	NO~ .
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	G.
Lead (Pb) (M)	N.D.	N.D.	N.D.	5	N.D.	0.25	See Remark
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5	207
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	100
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	- 6
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	NO~ .
Zinc (Zn) (M)	4637	N.D.	N.D.	N.D.	N.D.	50	M
Conclusion	Pass	Pass	Pass	Pass	Pass	/	ić, i

Note: 1. N.D.= Not Detected (lower than method detection limit)

2.MDL = Method detection limit

3.mg/kg = milligram per kilogram

4.M = Migration

- 5.* = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.
- 6. \bigstar =The test items are not accredited by CNAS.
- 7.As specified by client, only test the designated sample.
- 8. **=The result of dry sample
- 9. $^{\bigtriangledown}$ = Raw material sampling

The results spowern thin test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.sgc-colt.com.

No.18 C

Attestation of Global Compliance Std. & Tech.







Date: Dec.30, 2019

Page: 13 of 17

Permissible Limit for Different Materials

Report No.: AGC09601191201-003

Item	Category III In scraped-off toy material	Category II In liquid or sticky toy material	Category I In dry, brittle, powder-like or pliable toy material	
Aluminium (Al) (M)	70000	1406	5625	
Antimony (Sb) (M)	560	11.3	45	
Arsenic (As) (M)	47	0.9	3.8	
Barium (Ba) (M)	18750	375	1500	
Boron (B) (M)	15000	300	1200	
Cadmium (Cd) (M)	17	0.3	1.3	
Chromium III(Cr(III)) (M)	460	9.4	37.5	
Chromium VI (Cr(VI)) (M)	0.053	0.005	0.02	
Cobalt (Co) (M)	130	2.6	10.5	
Copper (Cu) (M)	7700	156	622.5	
Lead (Pb) (M)	23	0.5	2.0	
Manganese (Mn) (M)	15000	300	1200	
Mercury (Hg) (M)	94	1.9	7.5	
Nickel (Ni) (M)	930	18.8	75	
Selenium (Se) (M)	460	9.4	37.5	
Strontium (Sr) (M)	56000	1125	4500	
Tin (Sn) (M)	180000	3750	15000	
Organic Tin (M)	12	0.2	0.9	
Zinc (Zn) (M)	46000	938	3750	

The results spowers this set report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-beit.com.

No.18 C

Attestation of Global Compliance Std. & Tech.





AGC

Date: Dec.30, 2019

Page: 14 of 17

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys Summary table:

	On product	On packaging	
Washing/Cleaning instruction	/	/	1
CE mark	Present	Present	2
Manufacturer's name	Absent	Present	
Manufacturer's address	Absent	Present	C.
Importer's name	Absent	Absent	77
Importer's address	Absent	Absent	
Product ID	Absent	Absent	

Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

The results spowers this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.sac-bett.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 15 of 17

中国认可国际互认

检测 TESTING CNAS L9894

Sample Description

GC

1.	Blue soft plastic wheel	- GY - G - S - S			
2.	Black plastic wheel	Blue remote control car			
3.	White plastic car shell				
4.	Blue coating				
5.	Black coating				
6.	Cream soft rubber button				
7.	Silver coating	- G			
8.	Green soft plastic wheel				
9.	Black plastic car shell	Green car			
10.	Green coating				
11.	Red soft plastic wheel	Red car			
12.	Red coating	Ked car			
13.	Black plastic terminal	E SC - G			
15.	Black wire jacket	Charging terminal connection			
16.	Red wire jacket	- C - C - F - F - F - F - F - F - F - F			
17.	Silver screw	Dettern cover			
18.	Milky white sealing frame	Bottom cover			
19.	Black plastic terminal				
20.	Red wire jacket				
21.	Black wire jacket	Battery			
22.	Blue sleeving	G S S S S S S S S S S S S S S S S S S S			
23.	Barley paper				
24.	Black plastic shell				
25.	Silver metal sheet	Remote control			
27.	Silver screw				
28.	USB Black plastic shell	So and a set			
30.	USB white plastic plug	USD shareing live			
31.	Black and white wire jacket	USB charging line			
32.	Black plastic terminal				

The results spowerin thinkest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cell.com.

No.18 C

Attestation of Global Compliance Std. & Tech.

AGC





Report No.: AGC09601191201-003

Date: Dec.30, 2019


Page: 16 of 17

Test Flow Chart


1 Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:

-	Sample measurement	>	Diluted hydrochloric acid extraction
1		12	0 C
-	Analysis by ICP-OES	-	— Filtration
]→[]→[

2 Test Flow Chart for Migration of Chromium(III) and Chromium(VI):



③ Test Flow Chart for Migration of Organic Tin Compounds:



The results spowern thin test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.sgc-cold.com.

No.18 C

Attestation of Global Compliance Std. & Tech.





Report No.: AGC09601191201-003

Date: Dec.30, 2019

Page: 17 of 17

The photo of the sample



AGC authenticate the photo on original report only *** End of Report***

The results shows in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-ball.com.

18

Attestation of Global Compliance Std. & Tech.

66